

# FOOD AND CHEMICAL TOXICOLOGY

VOLUME 60 (2013)

## CONTENTS

### Reviews

- M. W. Poulsen, R. V. Hedegaard, J. M. Andersen, B. de Courten, S. Bügel, J. Nielsen, L. H. Skibsted and L. O. Dragsted* 10–37 Advanced glycation endproducts in food and their effects on health
- Y. Chen, H. Dong, D. C. Thompson, H. G. Shertzer, D. W. Nebert and V. Vasiliou* 38–44 Glutathione defense mechanism in liver injury: Insights from animal models
- S. Dänicke and U. Brezina* 58–75 Kinetics and metabolism of the *Fusarium* toxin deoxynivalenol in farm animals: Consequences for diagnosis of exposure and intoxication and carry over
- M. Marinovich, C. L. Galli, C. Bosetti, S. Gallus and C. La Vecchia* 109–115 Aspartame, low-calorie sweeteners and disease: Regulatory safety and epidemiological issues
- S. Marin, A. J. Ramos, G. Cano-Sancho and V. Sanchis* 218–237 Mycotoxins: Occurrence, toxicology, and exposure assessment
- S. Costa, C. Afonso, N. M. Bandarra, S. Gueifão, I. Castanheira, M. L. Carvalho, C. Cardoso and M. L. Nunes* 277–285 The emerging farmed fish species meagre (*Argyrosomus regius*): How culinary treatment affects nutrients and contaminants concentration and associated benefit-risk balance

### Research Papers

- P. Li, S. Wang, X. Guan, B. Liu, Y. Wang, K. Xu, W. Peng, W. Su and K. Zhang* 1–9 Acute and 13 weeks subchronic toxicological evaluation of naringin in Sprague-Dawley rats
- M. da Silva Morrone, A. M. de Assis, R. F. da Rocha, J. Gasparotto, A. C. Gazola, G. M. Costa, S. M. Zucolotto, L. H. Castellanos, F. A. Ramos, E. P. Schenkel, F. H. Reginatto, D. P. Gelain and J. C. F. Moreira* 45–51 *Passiflora manicata* (Juss.) aqueous leaf extract protects against reactive oxygen species and protein glycation *in vitro* and *ex vivo* models
- J.-Y. Cha, H.-Y. Ahn, Y.-S. Cho and J.-Y. Je* 52–57 Protective effect of cordycepin-enriched *Cordyceps militaris* on alcoholic hepatotoxicity in Sprague-Dawley rats
- T. Itoh, R. Tsuzuki, T. Tanaka, M. Ninomiya, Y. Yamaguchi, H. Takenaka, M. Ando, Y. Tsukamasa and M. Koketsu* 76–82 Reduced scytonemin isolated from *Nostoc commune* induces autophagic cell death in human T-lymphoid cell line Jurkat cells
- J. L. Johnson and E. Gonzalez de Mejia* 83–91 Interactions between dietary flavonoids apigenin or luteolin and chemotherapeutic drugs to potentiate anti-proliferative effect on human pancreatic cancer cells, *in vitro*

(Contents continued on inside back cover)

- Q. Xia, S. Pan, M. Zheng, J. Chen, Z. Fang, S. Johnson, Y. Yang, J. Xing and S. Lu 92–97 Fatty acid profile, oxidative stability and toxicological safety of bayberry kernel oil
- X. F. Koe, E. L. Lim, T. C. Seah, A. Amanah, H. A. Wahab, M. I. Adenan, S. F. Sulaiman and M. L. Tan 98–108 Evaluation of *in vitro* cytochrome P450 induction and inhibition activity of deoxyelephantopin, a sesquiterpene lactone from *Elephantopus scaber* L.
- T. M. Herfel, S. K. Jacobi, X. Lin, Z. E. Jouni, M. Chichlowski, C. H. Stahl and J. Odle 116–122 Dietary supplementation of *Bifidobacterium longum* strain AH1206 increases its cecal abundance and elevates intestinal interleukin-10 expression in the neonatal piglet
- C.-W. Lee, H.-H. Ko, C.-C. Lin, C.-Y. Chai, W.-T. Chen and F.-L. Yen 123–129 Artocarpin attenuates ultraviolet B-induced skin damage in hairless mice by antioxidant and anti-inflammatory effect
- E. Grosicka-Maciąg, M. Szumilo, H. Czczot, D. Kurpios-Piec, M. Skrzycki and I. Rahden-Staroń 130–134 Modulation of antioxidant defense system by the dithiocarbamate fungicides Maneb and Zineb in Chinese hamster V79 cells and the role of *N*-acetyl-L-cysteine
- S. S. Irudayaraj, C. Sunil, V. Durairandiyar and S. Ignacimuthu 135–140 *In vitro* antioxidant and antihyperlipidemic activities of *Toddalia asiatica* (L) Lam. Leaves in Triton WR-1339 and high fat diet induced hyperlipidemic rats
- D. S. Antonella, D. Federico, S. M. Grazia and M. Gabriela 141–146 Antimutagenic and antioxidant activities of some bioflavours from wine
- H. Wei, X. Zhang, G. Wu, X. Yang, S. Pan, Y. Wang and J. Ruan 147–152 Chalcone derivatives from the fern *Cyclosorus parasiticus* and their anti-proliferative activity
- M. Rodrigues, G. Alves and A. Falcão 153–159 Investigating herb–drug interactions: The effect of *Citrus aurantium* fruit extract on the pharmacokinetics of amiodarone in rats
- C. Babacanoglu, N. Yildirim, G. Sadi, M. B. Pektas and F. Akar 160–167 Resveratrol prevents high-fructose corn syrup-induced vascular insulin resistance and dysfunction in rats
- X.-f. Liu, L.-m. Zhang, H.-n. Guan, Z.-w. Zhang and S.-w. Xu 168–176 Effects of oxidative stress on apoptosis in manganese-induced testicular toxicity in cocks
- E. E. Kwegyir-Afful, L. S. DeJager, S. M. Handy, J. Wong, T. H. Begley and S. Luccioli 181–187 An investigational report into the causes of pine mouth events in US consumers
- S. Dewanjee, M. Gangopadhyay, R. Sahu and S. Karmakar 188–198 Cadmium induced pathophysiology: Prophylactic role of edible jute (*Corchorus olitorius*) leaves with special emphasis on oxidative stress and mitochondrial involvement
- E. Piqué, L. Vargas-Murga, J. Gómez-Catalán, J. de Lapuente and J. M. Llobet 199–204 Occurrence of patulin in organic and conventional apple-based food marketed in Catalonia and exposure assessment
- L. A. Hoo Fung, J. M. R. Antoine, C. N. Grant and D. St. A. Buddo 205–212 Evaluation of dietary exposure to minerals, trace elements and heavy metals from the muscle tissue of the lionfish *Pterois volitans* (Linnaeus 1758)
- Q. Li, X. Hu, Y. Bai, M. Alattar, D. Ma, Y. Cao, Y. Hao, L. Wang and C. Jiang 213–217 The oxidative damage and inflammatory response induced by lead sulfide nanoparticles in rat lung
- R.-R. Tan, Y.-F. Li, X.-T. Zhang, Y.-H. Huang, Y.-P. Wu, S.-H. Ouyang, B. Tsoi, R.-N. Yi, X. Yang, H. Kurihara and R.-R. He 238–245 Glucose metabolism disorder is a risk factor in ethanol exposure induced malformation in embryonic brain
- Z. Fang, Y. Tang, W. Jiao, Z. Xing, Z. Guo, W. Wang, B. Shi, Z. Xu and Z. Liu 246–251 Nitidine chloride inhibits renal cancer cell metastasis via suppressing AKT signaling pathway
- X.-L. Gong, X.-D. Zhang, J. Li, X.-F. Zhang, Y. Zong, G.-C. Lu and B.-J. Yuan 252–262 Subchronic safety evaluation of EPO-018B, a pegylated peptidic erythropoiesis stimulating agent, after 5-week subcutaneous injection in Cynomolgus monkeys and Sprague–Dawley rats
- T. J. Won, Y. Nam, H. S. Lee, S. Chung, J. H. Lee, Y. H. Chung, E. S. Park, K. W. Hwang and J. H. Jeong 263–268 Injection of phosphatidylcholine and deoxycholic acid regulates gene expression of lipolysis-related factors, pro-inflammatory cytokines, and hormones on mouse fat tissue
- L. Ma, C. Qin, M. Wang, D. Gan, L. Cao, H. Ye and X. Zeng 269–276 Preparation, preliminary characterization and inhibitory effect on human colon cancer HT-29 cells of an acidic polysaccharide fraction from *Stachys floridana* Schuttl. ex Benth

- F. Aliche-Djouidi, N. Podechard, 286–296 A role for lipid rafts in the protection afforded by docosahexaenoic acid against ethanol toxicity in primary rat hepatocytes  
A. Collin, M. Chevanne, E. Provost,  
M. Poul, L. Le Hégarat, D. Catheline,  
P. Legrand, M.-T. Dimanche-Boitrel,  
D. Lagadic-Gossmann and O. Sergent
- R. Ebabe Elle, S. Gaillet, J. Vidé, 297–301 Dietary exposure to silver nanoparticles in Sprague–Dawley rats: Effects on oxidative stress and inflammation  
C. Romain, C. Lauret, N. Rugani,  
J. P. Cristol and J. M. Rouanet
- E. Liu, X. Du, R. Ge, T. Liang, Q. Niu 302–308 Comparative toxicity and apoptosis induced by diorganotins in rat pheochromocytoma (PC12) cells  
and Q. Li
- X. Wang, Y. Chen, X. Zuo, N. Ding, 309–317 Microcystin (-LR) induced testicular cell apoptosis via up-regulating apoptosis-related genes in vivo  
H. Zeng, X. Zou and X. Han
- A. J. Khan, A. Sharma, K. Dinesh and 318–327 Similarities in lindane induced alteration in cytochrome P450s and associated signaling events in peripheral blood lymphocytes and brain  
D. Parmar
- S. Bhattacharya, R. Gachhui and 328–340 Effect of Kombucha, a fermented black tea in attenuating oxidative stress mediated tissue damage in alloxan induced diabetic rats  
P. C. Sil
- K. Wu, T. Liang, X. Duan, L. Xu, 341–347 Anti-diabetic effects of puerarin, isolated from *Pueraria lobata* (Willd.), on streptozotocin-diabetogenic mice through promoting insulin expression and ameliorating metabolic function  
K. Zhang and R. Li
- A. J. Roy and P. Stanely Mainzen 348–354 Preventive effects of *p*-coumaric acid on cardiac hypertrophy and alterations in electrocardiogram, lipids, and lipoproteins in experimentally induced myocardial infarcted rats  
Prince
- C. J. Tian, S. W. Kim, Y. J. Kim, 369–376 Red ginseng protects against gentamicin-induced balance dysfunction and hearing loss in rats through antiapoptotic functions of ginsenoside Rb1  
H. J. Lim, R. Park, H.-S. So and  
Y.-H. Choung
- I. Tedesco, M. Russo, S. Bilotto, 377–384 Dealcoholated red wine induces autophagic and apoptotic cell death in an osteosarcoma cell line  
C. Spagnuolo, A. Scognamiglio,  
R. Palumbo, A. Nappo, G. Iacomino,  
L. Moio and G. L. Russo
- L. Zhu, P. Wang, Q.-L. Qin, H. Zhang 385–390 Protective effect of polypeptides from larva of housefly (*Musca domestica*) on hydrogen peroxide-induced oxidative damage in HepG2 cells  
and Y.-J. Wu
- Y.-F. Chang, T.-Y. Liu and S.-T. Liu 391–396 Arecoline inhibits and destabilizes agrin-induced acetylcholine receptor cluster formation in C2C12 myotubes
- J. Bravo, L. Arbillaga, M. P. de Peña 397–403 Antioxidant and genoprotective effects of spent coffee extracts in human cells  
and C. Cid
- J.-H. Jung and H.-S. Kim 404–412 The inhibitory effect of black soybean on hepatic cholesterol accumulation in high cholesterol and high fat diet-induced non-alcoholic fatty liver disease
- M. O. Soares, R. C. Alves, P. C. Pires, 413–418 Angolan *Cymbopogon citratus* used for therapeutic benefits: Nutritional composition and influence of solvents in phytochemicals content and antioxidant activity of leaf extracts  
M. B. P. P. Oliveira and A. F. Vinha
- P. Payá, J. Mulero, J. Oliva, 419–423 Influence of the matrix in bioavailability of flufenoxuron, lufenuron, pyriproxyfen and fenoxycarb residues in grapes and wine  
M. A. Cámara and A. Barba
- D.-y. Ouyang, L.-h. Zeng, H. Pan, 424–430 Piperine inhibits the proliferation of human prostate cancer cells via induction of cell cycle arrest and autophagy  
L.-h. Xu, Y. Wang, K.-p. Liu and  
X.-h. He
- S. J. T. Jackson, L. L. Murphy, 431–438 Curcumin binds tubulin, induces mitotic catastrophe, and impedes normal endothelial cell proliferation  
R. C. Venema, K. W. Singletary and  
A. J. Young
- S. Y. Lee, T. Debnath, S.-K. Kim and 439–447 Anti-cancer effect and apoptosis induction of cordycepin through DR3 pathway in the human colonic cancer cell HT-29  
B. O. Lim
- X.-T. Mei, D.-H. Xu, S.-K. Xu, 448–454 Zinc(II)-curcumin accelerates the healing of acetic acid-induced chronic gastric ulcers in rats by decreasing oxidative stress and downregulation of matrix metalloproteinase-9  
Y.-P. Zheng and S.-B. Xu

(Contents continued from last page)

- O. P. Luzardo, Á. Rodríguez-Hernández, Y. Quesada-Tacoronte, N. Ruiz-Suárez, M. Almeida-González, L. A. Henríquez-Hernández, M. Zumbado and L. D. Boada 455–462 Influence of the method of production of eggs on the daily intake of polycyclic aromatic hydrocarbons and organochlorine contaminants: An independent study in the Canary Islands (Spain)
- M. C. Sabini, L. N. Cariddi, F. M. Escobar, F. Mañas, L. Comini, E. Reinoso, S. B. Sutil, A. C. Acosta, S. Núñez Montoya, M. S. Contigiani, S. M. Zanon and L. I. Sabini 463–470 Evaluation of the cytotoxicity, genotoxicity and apoptotic induction of an aqueous extract of *Achyrocline satureioides* (Lam.) DC
- A. Rosa, P. Scano, A. Atzeri, M. Deiana and A. M. Falchi 471–478 Potential anti-tumor effects of *Mugil cephalus* processed roe extracts on colon cancer cells
- J. P. Monteiro, A. M. Silva, A. S. Jurado and P. J. Oliveira 479–487 Rapeseed oil-rich diet alters *in vitro* menadione and nimesulide hepatic mitochondrial toxicity
- S. Suman, K. Datta, K. Chakraborty, S. S. Kulkarni, K. Doiron, A. J. Fornace Jr., K. Sree Kumar, M. Hauer-Jensen and S. P. Ghosh 488–496 Gamma tocotrienol, a potent radioprotector, preferentially upregulates expression of anti-apoptotic genes to promote intestinal cell survival
- D. Kong, L. Xing, R. Liu, J. Jiang, W. Wang, L. Shang, X. Wei and W. Hao 497–505 Individual and combined developmental toxicity assessment of bisphenol A and genistein using the embryonic stem cell test *in vitro*
- J. P. Banea, J. H. Bradbury, C. Mandombi, D. Nahimana, I. C. Denton, N. Kuwa and D. Tshala Katumbay 506–513 Control of konzo by detoxification of cassava flour in three villages in the Democratic Republic of Congo
- M. F. Cengiz and C. P. B. Gündüz 514–519 Acrylamide exposure among Turkish toddlers from selected cereal-based baby food samples
- S.-K. Choi, J.-H. Kim, J.-K. Park, K.-M. Lee, E. Kim and W. B. Jeon 520–529 Cytotoxicity and inhibition of intercellular interaction in N2a neurospheroids by perfluorooctanoic acid and perfluorooctanesulfonic acid
- X. Chen, G. Wang, X. Li, C. Gan, G. Zhu, T. Jin and Z. Wang 530–535 Environmental level of cadmium exposure stimulates osteoclasts formation in male rats
- L. Han, L. Li, B. Li, D. Zhao, Y. Li, Z. Xu and G. Liu 536–541 Hydroxyl radical induced by lipid in Maillard reaction model system promotes diet-derived N<sub>ε</sub>-carboxymethyllysine formation
- H. J. Park, Y. K. Jeon, D. H. You and M. J. Nam 542–549 Daidzein causes cytochrome c-mediated apoptosis via the Bcl-2 family in human hepatic cancer cells
- T. G. Osimitz, W. Droege, A. R. Boobis and B. G. Lake 550–562 Evaluation of the utility of the lifetime mouse bioassay in the identification of cancer hazards for humans
- Brief Communications**
- G. Luo, R. Wei, R. Niu, C. Wang and J. Wang 177–180 Pubertal exposure to Bisphenol A increases anxiety-like behavior and decreases acetylcholinesterase activity of hippocampus in adult male mice
- P. Kalajdzic, M. Markaki, S. Oehler and C. Savakis 355–359 Imidacloprid does not induce Cyp genes involved in insecticide resistance of a mutant *Drosophila melanogaster* line
- S. Cufi, R. Bonavia, A. Vazquez-Martin, B. Corominas-Faja, C. Oliveras-Ferraro, E. Cuyàs, B. Martin-Castillo, E. Barrajón-Catalán, J. Visa, A. Segura-Carretero, J. Bosch-Barrera, J. Joven, V. Micol and J. A. Menendez 360–368 Silibinin meglumine, a water-soluble form of milk thistle silymarin, is an orally active anti-cancer agent that impedes the epithelial-to-mesenchymal transition (EMT) in EGFR-mutant non-small-cell lung carcinoma cells
- Corrigendum**
- P. Erkekoğlu, W. Rachidi, O. G. Yüzügülü, B. Giray, M. Oztürk, A. Favier and F. Hincal 563–564 Corrigendum to “Induction of ROS, p53, p21 in DEHP- and MEHP-exposed LNCaP cells-protection by selenium compounds” [Food Chem. Toxicol. 49 (2011) 1565–1567]