

ORIGINAL PAPERS

**A neural network model for simulation of water levels at the Sultan Marshes wetland in Turkey**  
F. Dadaser-Celik · E. Cengiz 297

***Shorea balangeran* and *Dyera polyphylla* (syn. *Dyera lowii*) as tropical peat swamp forest restoration transplant species: effects of mycorrhizae and level of disturbance**  
L.L.B. Graham · M. Turjaman · S.E. Page 307

**Vegetation controls methane emissions in a coastal brackish fen**  
F. Koebisch · S. Glatzel · G. Jurasinski 323

**Maximising adaptive potential in translocated populations of clonal saltmarsh plants: a case study on *Wilsonia backhousei*, Convolvulaceae**  
K. Sommerville · M. Rossetto · A. Pulkownik 339

**Seed bank potential of moist-soil managed wetlands in east-central Texas**  
D.P. Collins · W.C. Conway · C.D. Mason · J.W. Gunnels 353

SHORT COMMUNICATION

**The Imperial Palm (*Roystonea oleracea* (Jacq.) O.F. Cook) as an invasive species of a wetland in Brazilian Atlantic forest**  
M.T. Nascimento · R.M. de Araújo · M.L. Dan · E.B.F. Netto · J.M.A. Braga 367