

# CONTENTS

## Volume 31, Issue 2, 2013

- 137 The effects of MgSO<sub>4</sub>, D-glucono- $\delta$ -lactone (GDL), sucrose, and urea on gelation properties of pectic polysaccharide from soy hull  
H. LIU, X. GUO, J. LI, D. ZHU AND J. LI (China)
- 146 Bran-induced changes in water structure and gluten conformation in model gluten dough studied by Fourier transform infrared spectroscopy  
J. E. BOCK AND S. DAMODARAN (USA)
- 156 Rheological and textural studies of fresh and freeze-thawed native sago starch–sugar gels. II. Comparisons with other starch sources and reheating effects  
L. Y. TENG, N. L. CHIN AND Y. A. YUSOF (Malaysia)
- 166 Extraction of chitin from prawn shells and conversion to low molecular mass chitosan  
M. H. MOHAMMED, P. A. WILLIAMS AND O. TVEREZOVSKAYA (UK)
- 172 Butternut and beetroot pectins: Characterization and functional properties  
E. N. FISSORE, A. M. ROJAS, L. N. GERSCHENSON (Argentina) AND P. A. WILLIAMS (United Kingdom)
- 183 Effect of heating–cooling on rheological properties of tapioca starch paste with and without xanthan gum  
P. CHANTARO, R. PONGSAWATMANIT (Thailand) AND K. NISHINARI (Japan)
- 195 Morphology and structural characterization of high-amylose rice starch residues hydrolyzed by porcine pancreatic  $\alpha$ -amylase  
J. MAN, Y. YANG, C. ZHANG, F. ZHANG, Y. WANG, M. GU, Q. LIU AND C. WEI (China)
- 204 Optimization of gelatine gel preparation from New Zealand hoki (*Macruronus novaezelandiae*) skins and the effect of transglutaminase enzyme on the gel properties  
N. F. MOHTAR, C. O. PERERA, S.-Y. QUEK AND Y. HEMAR (New Zealand)
- 210 Effect of different drying methods on chemical and molecular structure of heteropolysaccharide–protein gum from durian seed  
H. MIRHOSSEINI, B. T. AMID AND K. W. CHEONG (Malaysia)
- 220 Computed microtomography and mechanical property analysis of soy protein porous hydrogel prepared by homogenizing and microbial transglutaminase cross-linking  
J. GUO, Y.-C. JIN, X.-Q. YANG, S.-J. YU, S.-W. YIN AND J.-R. QI (PR China)
- 227 Ultrasound-assisted preparation of size-controlled chitosan nanoparticles: Characterization and fabrication of transparent biofilms  
H. K. S. SOUZA, J. M. CAMPIÑA, A. M. M. SOUSA, F. SILVA AND M. P. GONÇALVES (Portugal)
- 237 Fabrication and characterization of kidney bean (*Phaseolus vulgaris* L.) protein isolate–chitosan composite films at acidic pH  
W. MA, C.-H. TANG, X.-Q. YANG AND S.-W. YIN (PR China)
- 248 PFG-NMR self-diffusion in casein dispersions: Effects of probe size and protein aggregate size  
S. SALAMI, C. RONDEAU-MOURO (France), J. VAN DUYNHOVEN (The Netherlands) AND F. MARIETTE (France)
- 256 Effect of freezing on physical properties of whey protein emulsion films  
M. SOAZO, L. M. PÉREZ, A. C. RUBIOLLO AND R. A. VERDINI (Argentina)
- 264 Effect of plasticizer content on the functional properties of extruded gelatin-based composite films  
Z. A. NUR HANANI, J. MCNAMARA, Y. H. ROOS AND J. P. KERRY (Ireland)

- 270 Long-term storage stability of selected potato starch – Non-starchy hydrocolloid binary gels  
M. KRYSZYJAN, G. ADAMCZYK, M. SIKORA AND P. TOMASIK (Poland)
- 277 Mathematical approach for two component modeling of salep–starch mixtures using central composite rotatable design: Part II. Dynamic oscillatory shear properties and applicability of Cox–Merz rule  
S. KARAMAN, M. T. YILMAZ AND A. KAYACIER (Turkey)
- 289 Development of novel ultrathin structures based in amaranth (*Amaranthus hypochondriacus*) protein isolate through electrospinning  
M. ACEITUNO-MEDINA (Mexico), A. LOPEZ-RUBIO (Spain), S. MENDOZA (Mexico) AND J. M. LAGARON (Spain)
- 299 Sol–gel transition temperatures of high acyl gellan with monovalent and divalent cations from rheological measurements  
E. FLORES-HUICOCHEA, A. I. RODRÍGUEZ-HERNÁNDEZ, T. ESPINOSA-SOLARES AND A. TECANTE (Mexico)
- 306 Sequential preheating and transglutaminase pretreatments improve stability of whey protein isolate at pH 7.0 during thermal sterilization  
Q. ZHONG, W. WANG, Z. HU AND S. IKEDA (USA)
- 317 Cold-set whey protein microgels for the stable immobilization of lipids  
T. EGAN (Ireland, USA), J.-C. JACQUIER (Ireland), Y. ROSENBERG AND M. ROSENBERG (USA)
- 325 Acoustic emission measurement of rubbing and tapping contacts of skin and tongue surfaces in relation to tactile perception  
G. A. VAN AKEN (The Netherlands)
- 332 Development of carboxymethyl chitosan hydrogel beads in alcohol-aqueous binary solvent for nutrient delivery applications  
Y. LUO, Z. TENG, X. WANG AND Q. WANG (United States)
- 340 Effects of plasticizers and nano-clay content on the physical properties of chicken feather protein composite films  
N.-B. SONG, W.-S. JO, H.-Y. SONG, K.-S. CHUNG, M. WON AND K. B. SONG (Republic of Korea)
- 346 Microwave-assisted extraction, chemical characterization of polysaccharides from *Lilium davidii* var. *unicolor* Salisb and its antioxidant activities evaluation  
B. ZHAO, J. ZHANG, X. GUO AND J. WANG (China)
- 357 Effect of temperature on molecular mobility, oxygen permeability, and dynamic site heterogeneity in amorphous  $\alpha$ -lactalbumin films  
R. TIWARI AND R. D. LUDESCHER (USA)
- 365 The influence of macromolecular architecture on the critical aggregation concentration of large amphiphilic starch derivatives  
M. J. TIZZOTTI (China, Australia), M. C. SWEEDMAN (Australia), C. SCHÄFER (Switzerland) AND R. G. GILBERT (China, Australia)
- 375 Effect of extraction conditions on the yield and purity of ulvan extracted from *Ulva lactuca*  
H. YAICH, H. GARNA, S. BESBES (Tunisia), M. PAQUOT, C. BLECKER (Belgium) AND H. ATTIA (Tunisia)
- 383 Rheological properties of rice–locust bean gum gels from different rice varieties  
M. J. CORREA, C. FERRERO, C. PUPPO (Argentina) AND C. BRITES (Portugal)
- 392 Optimization of medium composition for enhanced chitin extraction from *Parapenaeus longirostris* by *Lactobacillus helveticus* using response surface methodology  
W. ARBIA, L. ADOUR (Algeria), A. AMRANE (France) AND H. LOUNICI (Algeria)
- 404 Rheological behavior of functional sugar-free guava preserves: Effect of the addition of salts  
P. A. P. PEREIRA, V. R. DE SOUZA, T. R. TEIXEIRA, F. QUEIROZ, S. V. BORGES AND J. D. D. S. CARNEIRO (Brazil)
- 413 Ultrasound-treated starch: SEM and TEM imaging, and functional behaviour  
M. SUJKA AND J. JAMROZ (Poland)
- 420 Fabrication and physicochemical characterization of HPMC films with commercial plant extract: Influence of light and film composition  
M.-J. AKHTAR, M. JACQUOT, M. JAMSHIDIAN, M. IMRAN, E. ARAB-TEHRANY AND S. DESOBRY (France)
- 428 Alginate submicron beads prepared through w/o emulsification and gelation with  $\text{CaCl}_2$  nanoparticles  
J. P. PAQUES, E. VAN DER LINDEN, C. J. M. VAN RIJN AND L. M. C. SAGIS (The Netherlands)
- 435 FTIR spectroscopic characterization of soy proteins obtained through AOT reverse micelles  
X. CHEN, Y. RU, F. CHEN, X. WANG, X. ZHAO AND Q. AO (China)
- 438 Spray drying behaviour and functionality of emulsions with  $\beta$ -lactoglobulin/pectin interfacial complexes  
Y. SERFERT, J. SCHRÖDER, A. MESCHER, J. LAACKMANN, K. RÄTZKE, M. Q. SHAIKH, V. GAUKEL, H.-U. MORITZ, H. P. SCHUCHMANN, P. WALZEL, S. DRUSCH AND K. SCHWARZ (Germany)

- 446 The effects of sodium alginate and calcium levels on pea proteins cold-set gelation  
J.-L. MESSION, C. BLANCHARD, F.-V. MINT-DAH, C. LAFARGE, A. ASSIFAQUI AND R. SAUREL (France)
- 458 Structural properties of films and rheology of film-forming solutions based on chitosan and chitosan-starch blend enriched with murta leaf extract  
A. SILVA-WEISS, V. BIFANI, M. IHL (Chile), P. J. A. SOBRAL (Brazil) AND M. C. GÓMEZ-GUILLÉN (Spain)
- 467 Calendar