

## Review

- H. Jaeschke, C. D. Williams, M. R. McGill, Y. Xie and A. Ramachandran* 279–289 Models of drug-induced liver injury for evaluation of phytotherapeutics and other natural products

## Research Papers

- R. G. P. T. Jayasooriya, D.-O. Moon, S. G. Yun, Y. H. Choi, Y. Asami, M.-O. Kim, J.-H. Jang, B. Y. Kim, J. S. Ahn and G.-Y. Kim* 1–7 Verrucarin A enhances TRAIL-induced apoptosis via NF- $\kappa$ B-mediated Fas overexpression
- J. W. H. Biesterbos, T. Dudzina, C. J. E. Delmaar, M. I. Bakker, F. G. M. Russel, N. von Goetz, P. T. J. Scheepers and N. Roeleveld* 8–17 Usage patterns of personal care products: Important factors for exposure assessment
- N. Singla and D. K. Dhawan* 18–28 Zinc protection against aluminium induced altered lipid profile and membrane integrity
- Y. H. Siddique, S. F. Mujtaba, S. Jyoti and F. Naz* 29–35 GC-MS analysis of *Eucalyptus citriodora* leaf extract and its role on the dietary supplementation in transgenic *Drosophila* model of Parkinson's disease
- S. Park, H. Shin and Y. Cho* 36–41 Shikonin induces programmed necrosis-like cell death through the formation of receptor interacting protein 1 and 3 complex
- A. Russo, C. Formisano, D. Rigano, F. Senatore, S. Delfino, V. Cardile, S. Rosselli and M. Bruno* 42–47 Chemical composition and anticancer activity of essential oils of Mediterranean sage (*Salvia officinalis* L.) grown in different environmental conditions
- G. P. Amaral, N. R. de Carvalho, R. P. Barcelos, F. Dobrachinski, R. de Lima Portella, M. H. da Silva, T. H. Lugokenski, G. R. M. Dias, S. C. A. da Luz, A. A. Boligon, M. L. Athayde, M. A. Villetti, F. A. Antunes Soares and R. Fachineto* 48–55 Protective action of ethanolic extract of *Rosmarinus officinalis* L. in gastric ulcer prevention induced by ethanol in rats
- L. V. Jacociunas, H. H. R. de Andrade, M. Lehmann, B. R. R. de Abreu, A. de B. F. Ferraz, J. da Silva, I. Grivicich and R. R. Dihl* 56–59 Artichoke induces genetic toxicity in the cytokinesis-block micronucleus (CBMN) cytome assay
- S. Zhang, B. Lu, X. Han, L. Xu, Y. Qi, L. Yin, Y. Xu, Y. Zhao, K. Liu and J. Peng* 60–69 Protection of the flavonoid fraction from *Rosa laevigata* Michx fruit against carbon tetrachloride-induced acute liver injury in mice
- H.-F. Zhang, L.-J. Shi, G.-Y. Song, Z.-G. Cai, C. Wang and R.-J. An* 70–77 Protective effects of matrine against progression of high-fructose diet-induced steatohepatitis by enhancing antioxidant and anti-inflammatory defences involving Nrf2 translocation

- S. Dewanjee, R. Sahu, S. Karmakar and M. Gangopadhyay 78–91 Toxic effects of lead exposure in Wistar rats: Involvement of oxidative stress and the beneficial role of edible jute (*Corchorus olitorius*) leaves
- S.-Y. Yang, C.-O. Hong, G. P. Lee, C.-T. Kim and K.-W. Lee 92–99 The hepatoprotection of caffeic acid and rosmarinic acid, major compounds of *Perilla frutescens*, against *t*-BHP-induced oxidative liver damage
- H. Joo, C.-T. Kim, I.-H. Kim and Y. Kim 100–105 Anti-obesity effects of hot water extract and high hydrostatic pressure extract of garlic in rats fed a high-fat diet
- H. Nam and M.-M. Kim 106–112 Eugenol with antioxidant activity inhibits MMP-9 related to metastasis in human fibrosarcoma cells
- B. H. Jensen, A. Petersen, S. Christiansen, J. Boberg, M. Axelstad, S. S. Herrmann, M. E. Poulsen and U. Hass 113–120 Probabilistic assessment of the cumulative dietary exposure of the population of Denmark to endocrine disrupting pesticides
- J. Cao, X. Xia, X. Dai, J. Xiao, Q. Wang, K. Andrae-Marobela and H. Okatch 121–128 Flavonoids profiles, antioxidant, acetylcholinesterase inhibition activities of extract from *Dryothyrium boryanum* (Willd.) Ching
- Y.-J. Choi, W.-C. Sim, H. K. Choi, S.-H. Lee and B.-H. Lee 129–136  $\alpha$ -Terpineol induces fatty liver in mice mediated by the AMP-activated kinase and sterol response element binding protein pathway
- P.-L. Huang, C.-W. Chi and T.-Y. Liu 137–143 Areca nut procyanidins ameliorate streptozocin-induced hyperglycemia by regulating gluconeogenesis
- H. J. Yuk, H. W. Ryu, S. H. Jeong, M. J. Curtis-Long, H. J. Kim, Y. Wang, Y. H. Song and K. H. Park 144–149 Profiling of neuraminidase inhibitory polyphenols from the seeds of *Paeonia lactiflora*
- A. Osselaere, S. J. Li, L. De Bock, M. Devreese, J. Goossens, V. Vandenbroucke, J. Van Bocxlaer, K. Boussey, F. Pasmans, A. Martel, P. De Backer and S. Croubels 150–155 Toxic effects of dietary exposure to T-2 toxin on intestinal and hepatic biotransformation enzymes and drug transporter systems in broiler chickens
- R. A. Rocha, V. Devesa and D. Vélez 156–163 *In vitro* study of intestinal transport of fluoride using the Caco-2 cell line
- D. deCatanzaro, R. G. Berger, A. C. Guzzo, J. B. Thorpe and A. Khan 164–171 Perturbation of male sexual behavior in mice (*Mus musculus*) within a discrete range of perinatal bisphenol-A doses in the context of a high- or low-phytoestrogen diet
- Y.-j. Fan, Y. Rong, P.-f. Li, W.-l. Dong, D.-y. Zhang, L. Zhang and M.-j. Cui 172–181 Genistein protection against acetaminophen-induced liver injury via its potential impact on the activation of UDP-glucuronosyltransferase and antioxidant enzymes
- R. Li, J. Tian, W. Li and J. Xie 182–191 Effects of 2-amino-1-methyl-6-phenylimidazo [4, 5-b] pyridine (PhIP) on histopathology, oxidative stress, and expression of c-fos, c-jun and p16 in rat stomachs
- H. Yuan, W. Zhang, H. Li, C. Chen, H. Liu and Z. Li 192–201 Neuroprotective effects of resveratrol on embryonic dorsal root ganglion neurons with neurotoxicity induced by ethanol
- D. Khelifi, R. M. Sghaier, S. Amouri, D. Laouini, M. Hamdi and J. Bouajila 202–208 Composition and anti-oxidant, anti-cancer and anti-inflammatory activities of *Artemisia herba-alba*, *Ruta chalpensis* L. and *Peganum harmala* L.
- D. S. Stojković, J. Živković, M. Soković, J. Glamočlija, I. C. F. R. Ferreira, T. Janković and Z. Maksimović 209–213 Antibacterial activity of *Veronica montana* L. extract and of protocatechuic acid incorporated in a food system
- J.-G. Lee, J.-H. Kim, J.-H. Ahn, K.-T. Lee, N.-I. Baek and J.-H. Choi 214–221 Jaceosidin, isolated from dietary mugwort (*Artemisia princeps*), induces G2/M cell cycle arrest by inactivating cdc25C-cdc2 via ATM-Chk1/2 activation
- T. Pérez-Palacios, C. Petisca, R. Henriques and I. M. P. L. V. O. Ferreira 222–228 Impact of cooking and handling conditions on furanic compounds in breaded fish products
- J. B. Jeong, Y. K. Shin and S.-H. Lee 229–233 Anti-inflammatory activity of patchouli alcohol in RAW264.7 and HT-29 cells
- N. Cheng, N. Ren, H. Gao, X. Lei, J. Zheng and W. Cao 234–240 Antioxidant and hepatoprotective effects of *Schisandra chinensis* pollen extract on CCl<sub>4</sub>-induced acute liver damage in mice
- H. S. Kim, B. R. Shin, H. K. Lee, Y. S. Park, Q. Liu, S. Y. Kim, M. K. Lee, J. T. Hong, Y. Kim and S.-B. Han 241–247 Dendritic cell activation by polysaccharide isolated from *Angelica dahurica*

- S. Burattini, S. Salucci, V. Baldassarri, A. Accorsi, E. Piatti, A. Madrona, J. L. Espartero, M. Candiracci, G. Zappia and E. Falcieri 248–256 Anti-apoptotic activity of hydroxytyrosol and hydroxytyrosyl laurate
- T.-Y. Chen, H.-L. Sun, H.-T. Yao, C.-K. Lii, H.-W. Chen, P.-Y. Chen, C.-C. Li and K.-L. Liu 257–264 Suppressive effects of *Indigofera suffruticosa* Mill extracts on lipopolysaccharide-induced inflammatory responses in murine RAW 264.7 macrophages
- C. Taxvig, I. O. Specht, J. Boberg, A. M. Vinggaard and C. Nellemann 265–271 Dietary relevant mixtures of phytoestrogens inhibit adipocyte differentiation *in vitro*
- B. Lynch, A. Lau, N. Baldwin, H. Hofman-Hüther, M. R. Bauter and P. A. Marone 272–278 Genotoxicity of dried *Hoodia parviflora* aerial parts
- A. Aktumsek, G. Zengin, G. O. Guler, Y. S. Cakmak and A. Duran 290–296 Antioxidant potentials and anticholinesterase activities of methanolic and aqueous extracts of three endemic *Centaurea* L. species
- X.-W. Yang, N. Wang, W. Li, W. Xu and S. Wu 297–303 Biotransformation of 4,5-*O*-dicafeoylquinic acid methyl ester by human intestinal flora and evaluation on their inhibition of NO production and antioxidant activity of the products
- P. Bontempo, V. Carafa, R. Grassi, A. Basile, G. C. Tenore, C. Formisano, D. Rigano and L. Altucci 304–312 Antioxidant, antimicrobial and anti-proliferative activities of *Solanum tuberosum* L. var. Vitelotte
- L. Tomás-Menor, A. Morales-Soto, E. Barrajón-Catalán, C. Roldán-Segura, A. Segura-Carretero and V. Micol 313–322 Correlation between the antibacterial activity and the composition of extracts derived from various Spanish *Cistus* species
- J. Carillon, G. Fouret, C. Feillet-Coudray, D. Lacan, J.-P. Cristol and J.-M. Rouanet 323–328 Short-term assessment of toxicological aspects, oxidative and inflammatory response to dietary melon superoxide dismutase in rats
- J.-J. Piadé, S. Wajrock, G. Jaccard and G. Janeke 329–347 Formation of mainstream cigarette smoke constituents prioritized by the World Health Organization – Yield patterns observed in market surveys, clustering and inverse correlations
- M. Carochi, L. Barros, A. L. Antonio, J. C. M. Barreira, A. Bento, I. Kaluska and I. C. F. R. Ferreira 348–352 Analysis of organic acids in electron beam irradiated chestnuts (*Castanea sativa* Mill.): Effects of radiation dose and storage time
- J. H. Shin, C. W. Lee, S. J. Oh, J. Yun, K. Lee, S.-K. Park, H. M. Kim, S.-B. Han, Y. Kim, H.-C. Kim and J. S. Kang 353–357 Protective effect of silymarin against ethanol-induced gastritis in rats: Role of sulfhydryls, nitric oxide and gastric sensory afferents
- G. R. Kaats, H. Miller, H. G. Preuss and S. J. Stohs 358–362 A 60 day double-blind, placebo-controlled safety study involving *Citrus aurantium* (bitter orange) extract
- I. Sehgal, W. D. Winters, M. Scott and K. Kousoulas 363–370 An *in vitro* and *in vivo* toxicologic evaluation of a stabilized aloe vera gel supplement drink in mice
- S. Doganay, C. Duz, P. G. Firat, C. Cankaya, D. Kutukde and Y. Cigremis 371–377 The effect of apricots on the experimental cataract model formed by sodium selenite
- N. Kalogeropoulos, A. E. Yanni, G. Koutrotsios and M. Aloupi 378–385 Bioactive microconstituents and antioxidant properties of wild edible mushrooms from the island of Lesvos, Greece
- E. J. Park, Y. M. Kim, S. W. Park, H. J. Kim, J. H. Lee, D.-U. Lee and K. C. Chang 386–395 Induction of HO-1 through p38 MAPK/Nrf2 signaling pathway by ethanol extract of *Inula helenium* L. reduces inflammation in LPS-activated RAW 264.7 cells and CLP-induced septic mice
- H. Wang, M. Ao, J. Wu and L. Yu 396–410 TNF $\alpha$  and Fas/FasL pathways are involved in 9-Methoxycamptothecin-induced apoptosis in cancer cells with oxidative stress and G<sub>2</sub>/M cell cycle arrest
- G. Céliz, F. F. Alfaro, C. Cappellini, M. Daz and S. V. Verstraeten 411–423 Prunin- and hesperetin glucoside-alkyl (C<sub>4</sub>–C<sub>18</sub>) esters interaction with Jurkat cells plasma membrane: Consequences on membrane physical properties and antioxidant capacity

E.-J. Park, H.-J. Chung, H. J. Park, G. D. Kim, Y.-H. Ahn and S. K. Lee	424–433	Suppression of Src/ERK and GSK-3/β-catenin signaling by pinosylvin inhibits the growth of human colorectal cancer cells
A. E. D. Vieira, G. L. Araujo, C. M. Galassi, R. F. Rodrigues, G. D. Cassalli, M. Kaiser, T. Dalla Costa, H. Beraldo and C. A. Tagliati	434–443	Toxicological, toxicokinetic and gastroprotective evaluation of the benzaldehyde semicarbazone
X. Lu, B. Hu, L. Shao, Y. Tian, T. Jin, Y. Jin, S. Ji and X. Fan	444–455	Integrated analysis of transcriptomics and metabonomics profiles in aflatoxin B <sub>1</sub> -induced hepatotoxicity in rat
S. Kalender, F. G. Uzun, F. Demir, M. Uzunhisarcıklı and A. Aslanturk	456–462	Mercuric chloride-induced testicular toxicity in rats and the protective role of sodium selenite and vitamin E
M. B. Soares, A. P. Izaguirry, L. M. Vargas, A. S. L. Mendez, C. C. Spiazzi and F. W. Santos	463–469	Catechins are not major components responsible for the beneficial effect of <i>Camellia sinensis</i> on the ovarian d-ALA-D activity inhibited by cadmium
J. Bekir, M. Mars, J. P. Souchard and J. Bouajila	470–475	Assessment of antioxidant, anti-inflammatory, anti-cholinesterase and cytotoxic activities of pomegranate ( <i>Punica granatum</i> ) leaves
K. Kuroda, A. Kijima, M. Jin, Y. Ishii, S. Takasu, K. Matsushita, A. Nishikawa and T. Umemura	476–483	The effects of long-term exposure to ozokerite mainly consisting of an aliphatic series of hydrocarbons using F344 rats
I. Iswaldi, D. Arrázex-Román, A. M. Gómez-Caravaca, M. del Mar Contreras, J. Uberos, A. Segura-Carretero and A. Fernández-Gutiérrez	484–492	Identification of polyphenols and their metabolites in human urine after cranberry-syrup consumption
D. Auñon-Calles, L. Canut and F. Visioli	498–504	Toxicological evaluation of pure hydroxytyrosol
D.-O. Moon, Y. Asami, M.-O. Kim, J.-H. Jang, B. Y. Kim, J. S. Ahn, G.-Y. Kim and S. G. Yun	505–512	Xestospongins C induces monocytic differentiation of HL60 cells through activation of the ERK pathway
F. Rey-Crespo, M. Miranda and M. López-Alonso	513–518	Essential trace and toxic element concentrations in organic and conventional milk in NW Spain
E. Diao, H. Hou, B. Chen, C. Shan and H. Dong	519–525	Ozonolysis efficiency and safety evaluation of aflatoxin B <sub>1</sub> in peanuts
C. C. Spiazzi, V. Manfredini, F. E. Barcellos da Silva, É. M. M. Flores, A. P. Izaguirry, L. M. Vargas, M. B. Soares and F. W. Santos	526–532	γ-Oryzanol protects against acute cadmium-induced oxidative damage in mice testes
J. Lou, L. Jin, N. Wu, Y. Tan, Y. Song, M. Gao, K. Liu, X. Zhang and J. He	533–540	DNA damage and oxidative stress in human B lymphoblastoid cells after combined exposure to hexavalent chromium and nickel compounds
M. N. Islam, I. J. Ishita, S. E. Jin, R. J. Choi, C. M. Lee, Y. S. Kim, H. A. Jung and J. S. Choi	541–548	Anti-inflammatory activity of edible brown alga <i>Saccharina japonica</i> and its constituents pheophorbide a and pheophytin a in LPS-stimulated RAW 264.7 macrophage cells
F. G. Uzun and Y. Kalender	549–556	Chlorpyrifos induced hepatotoxic and hematologic changes in rats: The role of quercetin and catechin
M. Z. Hossain, S. F. Gilbert, K. Patel, S. Ghosh, A. K. Bhunia and S. E. Kern	557–567	Biological clues to potent DNA-damaging activities in food and flavoring
D. G. Kelly, S. D. White and R. D. Weir	568–577	Elemental composition of dog foods using nitric acid and simulated gastric digestions
W. Abdo, A. Hirata, H. Sakai, A. El-Sawak, H. Nikami and T. Yanai	578–585	Combined effects of organochlorine pesticides heptachlor and hexachlorobenzene on the promotion stage of hepatocarcinogenesis in rats
S. H. Hong, K. T. Suk, S. H. Choi, J. W. Lee, H. T. Sung, C. H. Kim, E. J. Kim, M. J. Kim, S. H. Han, M. Y. Kim, S. K. Baik, D. J. Kim, G.-J. Lee, S.-k. Lee, S. H. Park and O. H. Ryu	586–591	Anti-oxidant and natural killer cell activity of Korean red ginseng ( <i>Panax ginseng</i> ) and urushiol ( <i>Rhus vernicifera</i> Stokes) on non-alcoholic fatty liver disease of rat

- S. Ishii, K. Ishii, M. Nakadate and K. Yamasaki 596–601 Correlation study in skin and eye irritation between rabbits and humans based on published literatures
- V. Fekete, S. Vandevijvere, F. Bolle and J. Van Loco 602–608 Estimation of dietary aluminum exposure of the Belgian adult population: Evaluation of contribution of food and kitchenware
- T. Zhao, G. Mao, R. Mao, Y. Zou, D. Zheng, W. Feng, Y. Ren, W. Wang, W. Zheng, J. Song, Y. Chen, L. Yang and X. Wu 609–616 Antitumor and immunomodulatory activity of a water-soluble low molecular weight polysaccharide from *Schisandra chinensis* (Turcz.) Baill
- S.-H. Shin, K.-H. Koo, J.-S. Bae, S.-B. Cha, I.-S. Kang, M.-S. Kang, H.-S. Kim, H.-S. Heo, M.-S. Park, G.-H. Gil, J.-Y. Lee, K.-H. Kim, Y. Li, H.-K. Lee, S.-W. Song, H.-S. Choi, B.-H. Kang and J.-C. Kim 617–626 Single and 90-day repeated oral dose toxicity studies of fermented *Rhus verniciflua* stem bark extract in Sprague–Dawley rats
- M. He and W.-X. Wang 627–636 Bioaccessibility of 12 trace elements in marine molluscs
- H.-Y. Park, S. K. Ha, H. Eom and I. Choi 637–644 Narirutin fraction from citrus peels attenuates alcoholic liver disease in mice
- A. A. A. de Rezende, C. C. Munari, P. F. de Oliveira, N. H. Ferreira, D. C. Tavares, M. L. Andrade e Silva, K. C. S. Rezende and M. A. Spanó 645–652 A comparative study of the modulatory effects of (–)-cubebin on the mutagenicity/recombinogenicity induced by different chemical agents
- S. Ruadrew, J. Craft and K. Aidoo 653–658 Occurrence of toxigenic *Aspergillus* spp. and aflatoxins in selected food commodities of Asian origin sourced in the West of Scotland
- A. Boobis, A. Chiodini, J. Hoekstra, P. Lagiou, H. Przyrembel, J. Schlatter, K. Schütte, H. Verhagen and B. Watzl 659–675 Critical appraisal of the assessment of benefits and risks for foods, 'BRAFO Consensus Working Group'
- J. J. Hlywka, W. A. Brathwaite, M. O. Rihner, A. I. Nikiforov and A. K. Eapen 676–683 A 90-day oral (dietary) toxicity study of arruva, an *R, R*-monatin salt isomer, in Crl:CD-1(ICR) mice
- S. R. Shi, H. Gu, L. L. Chang, Z. Y. Wang, H. B. Tong and J. M. Zou 684–688 Safety evaluation of daidzein in laying hens: Part I. Effects on laying performance, clinical blood parameters, and organs development
- H. Gu, S. R. Shi, L. L. Chang, H. B. Tong, Z. Y. Wang and J. M. Zou 689–692 Safety evaluation of daidzein in laying hens: Part II. Effects on calcium-related metabolism
- Brief Communications**
- A. Smelcerovic, M. Rangelov, Z. Smelcerovic, A. Veljkovic, E. Cherneva, D. Yancheva, G. M. Nikolic, Z. Petronijevic and G. Kocic 493–497 Two 6-(propan-2-yl)-4-methyl-morpholine-2,5-diones as new non-purine xanthine oxidase inhibitors and anti-inflammatory agents
- X. Chen, C. Gan, G. Zhu and T. Jin 592–595 Benchmark dose for estimation of cadmium reference level for osteoporosis in a Chinese female population