

CONTENTS

Volume 32 Issue 2 August 2013

- 341 Genome shuffling of *Lactobacillus plantarum* for improving antifungal activity
H. WANG, Y. SUN, C. CHEN, Z. SUN, Y. ZHOU, F. SHEN, H. ZHANG & Y. DAI (People's Republic of China)
- 348 Inactivation and morphological damage of *Vibrio parahaemolyticus* treated with high hydrostatic pressure
C.-Y. WANG, H.-W. HUANG, C.-P. HSU, Y.-T. SHYU & B.B. YANG (Taiwan)
- 354 Antimicrobial activity of sloe berry purees on *Salmonella* spp.
G.T. GÜNDÜZ (Turkey)
- 359 Inhibition of non-toxicogenic *Aspergillus niger* FS10 isolated from Chinese fermented soybean on growth and aflatoxin B₁ production by *Aspergillus flavus*
D. XU, H. WANG, Y. ZHANG, Z. YANG & X. SUN (China)
- 366 Microbiological survey of milk and dairy products from a small scale dairy processing unit in Maroua (Cameroon)
P. BELLI, A.F.A. CANTAFORA, S. STELLA, S. BARBIERI & C. CRIMELLA (Italy)
- 371 Chemical composition and *in vitro* antimicrobial, antifungal and antioxidant properties of essential oils obtained from some herbs widely used in Portugal
J.M. ALVES-SILVA, S.M. DIAS DOS SANTOS, M.E. PINTADO (Portugal), J.A. PÉREZ-ÁLVAREZ, J. FERNÁNDEZ-LÓPEZ & M. VIUDA-MARTOS (Spain)
- 379 Antimicrobial activity and partial characterization of bacteriocins produced by lactobacilli isolated from Sturgeon fish
M. GHANBARI, M. JAMI (Austria, Iran), W. KNEIFEL & K.J. DOMIG (Austria)
- 386 The effect of maturity stages of banana on the formation of acrylamide in banana fritters
G. DANIALI, S. JINAP (Malaysia), N.L. HANIFAH (Malaysia, Indonesia) & P. HAJEB (Malaysia)
- 392 Real time optimization for quality control of batch thermal sterilization of prepackaged foods
A.A. ALONSO, A. ARIAS-MÉNDEZ, E. BALSACANTO (Spain), M.R. GARCÍA (Ireland), J.I. MOLINA, C. VILAS & M. VILLAFÍN (Spain)
- 404 Antimicrobial activity of Lauroyl Arginate Ethyl (LAE), against selected food-borne bacteria
R. BECERRIL, S. MANSO, C. NERIN & R. GÓMEZ-LUS (Spain)
- 409 Literature review: Does a common theoretical framework to implement food traceability exist?
K.M. KARLSEN, B. DREYER, P. OLSEN & E.O. ELVEVOLL (Norway)
- 418 The microbiological efficacy of decontamination methodologies for fresh produce: A review
C. GOODBURN (United Kingdom, France) & C.A. WALLACE (United Kingdom)
- 428 Antifungal activity of gaseous allyl, benzyl and phenyl isothiocyanate *in vitro* and their use for fumonisins reduction in bread
I. AZAIEZ, G. MECA, L. MANYES & M. FERNÁNDEZ-FRANZÓN (Spain)
- 435 Monitoring of foodborne pathogenic bacteria in vending machine raw milk in Piedmont, Italy
D.M. BIANCHI, A. BARBARO, S. GALLINA, N. VITALE, L. CHIAVACCI, M. CARAMELLI & L. DECASTELLI (Italy)

(Contents continued on next page)

- 440 A high incidence of species substitution and mislabelling detected in meat products sold in South Africa
D.-M. CAWTHORN, H.A. STEINMAN & L.C. HOFFMAN (South Africa)
- 450 Drinking yoghurts with berry polyphenols added before and after fermentation
D. SUN-WATERHOUSE, J. ZHOU & S.S. WADHWA (New Zealand)
- 461 Consumer awareness and perception to food safety: A consumer analysis
B. ERGÖNÜL (Turkey)
- 472 Rapid species identification of fresh and processed scallops by multiplex PCR
A. MARÍN, T. FUJIMOTO & K. ARAI (Japan)
- 477 Antimicrobial activity of lacticin 3147 against oenological lactic acid bacteria. Combined effect with other antimicrobial agents
A. GARCÍA-RUIZ, T. REQUENA, C. PELÁEZ, B. BARTOLOMÉ, M.V. MORENO-ARRIBAS & M.C. MARTÍNEZ-CUESTA (Spain)
- 484 Biofilm recovery from chitosan action: A possible clue to understand *Listeria monocytogenes* persistence in food plants
B. ORGAZ, C.H. PUGA, J.V. MARTÍNEZ-SUÁREZ & C. SANJOSE (Spain)
- 490 Quantitative assessment of risk associated with dietary intake of mycotoxin ochratoxin A on the adult inhabitants in Shanghai city of P.R. China
Z. HAN (PR China, Belgium), D. NIE, X. YANG, J. WANG, S. PENG & A. WU (PR China)
- 496 Reduction of biogenic amine accumulation in silver carp sausage by an amine-negative *Lactobacillus plantarum*
Q. ZHANG, S. LIN & X. NIE (China)
- 501 Rapid enumeration of viable bacterial cells in processed soy products using an automated cell counting system
M. KATASE, S. TSUBOI & K. TSUMURA (Japan)
- 505 Quantification of ochratoxin A in red wines by conventional HPLC–FLD using a column packed with core–shell particles
J. MAO, S. LEI, X. YANG & D. XIAO (PR China)
- 512 Use of pulsed light to increase the safety of ready-to-eat cured meat products
M. GANAN, E. HIERRO, X.F. HOSPITAL, E. BARROSO & M. FERNÁNDEZ (Spain)
- 518 Risk–benefit assessment of cooked seafood: Black scabbard fish (*Aphanopus carbo*) and edible crab (*Cancer pagurus*) as case studies
A.L. MAULVAULT, C. CARDOSO, M.L. NUNES & A. MARQUES (Portugal)
- 525 PCR detection of genetically modified maize and soy in mildly and highly processed foods
Ö. ÖZGEN ARUN, F. YILMAZ & K. MURATOĞLU (Turkey)
- 532 Prevalence assessment of *Coxiella burnetii* and verocytotoxin-producing *Escherichia coli* in bovine raw milk through molecular identification
A. PETRUZZELLI, G. AMAGLIANI, E. MICCI, M. FOGLINI, E. DI RENZO, G. BRANDI & F. TONUCCI (Italy)
- 537 Attachment of *Asaia lannensis* to materials commonly used in beverage industry
D. KREGIEL (Poland)
- 543 Geographical discrimination of honeys by saccharides analysis
R. CONSONNI, L.R. CAGLIANI & C. COGLIATI (Italy)
- 549 Attachment of foodborne pathogens to banana (*Musa sp.*) leaves
P.T.C. CHUA & G.A. DYKES (Malaysia)
- 552 Control of *Listeria monocytogenes* on sliced bologna sausage using a novel bacteriocin, amysin, produced by *Bacillus amyloliquefaciens* isolated from Thai shrimp paste (Kapi)
S. KAEWKLOM, S. LUMLERT, W. KRAIKUL & R. AUNPAD (Thailand)
- 558 First survey on the presence of ochratoxin A and fungi in raw cereals and peanut available in the Republic of Niger
D.D. TOFFA, N. MAHNINE, L. OUAFFAK, A. EL ABIDI, F.Z. EL ALAOUI FARIS & A. ZINEDINE (Morocco)
- 563 Design and optimization of an efficient enzymatic extrusion pretreatment for Chinese rice wine fermentation
H. LI, Z. JIN & X. XU (China)
- 569 Impact of water salinity and types of oysters on depuration for reducing *Vibrio parahaemolyticus* in Pacific oysters (*Crassostrea gigas*)
S. PHUVASATE & Y.-C. SU (USA)
- 574 Assessing accumulation (growth and internal mobility) of *Salmonella* Typhimurium LT2 in fresh-cut cantaloupe (*Cucumis melo* L.) for optimization of decontamination strategies
E. CHIMBOMBI (Botswana), R.G. MOREIRA, E.M. CASTELL-PEREZ & A.F. PUERTA-GOMEZ (USA)
- 582 Antibacterial mode of action of *Cudrania tricuspidata* fruit essential oil, affecting membrane permeability and surface characteristics of food-borne pathogens
V.K. BAJPAI, A. SHARMA & K.-H. BAEK (Republic of Korea)
- 591 Effects of inoculating *Lactobacillus sakei* starter cultures on the microbiological quality and nitrite depletion of Chinese fermented sausages
X.H. WANG, H.Y. REN, D.Y. LIU, W.Y. ZHU & W. WANG (China)
- 597 Investigation of the contents of biogenic amines and some food safety parameters of various commercially salted fish products
S. KORAL, B. TUFAN (Turkey), A. ŠČAVNIČAR, D. KOČAR, M. POMPE (Slovenia) & S. KÖSE (Turkey)
- 607 Prevalence, antibiotic resistance and genetic diversity of *Listeria monocytogenes* isolated from ducks, their rearing and processing environments in Penang, Malaysia
F. ADZITEY (Malaysia, Ghana), G.R. RAHMAT ALI, N. HUDA (Malaysia), T. COGAN & J. CORRY (UK)

- 615 Adjustment of Arrhenius activation energy of laccase-based time–temperature integrator (TTI) using sodium azide
H.R. PARK, K. KIM & S.J. LEE (Republic of Korea)
- 621 Reducing microbiological safety risk on blueberries through innovative washing technologies
P. PANGLOLI & Y.-C. HUNG (USA)
- 626 Effects of water hardness and pH on efficacy of chlorine-based sanitizers for inactivating *Escherichia coli* O157:H7 and *Listeria monocytogenes*
P. PANGLOLI & Y.-C. HUNG (USA)
- 632 Extraction of *Bacillus* endospores from water, apple juice concentrate, raw milk and lettuce rinse solutions using tangential flow filtration
A. NAMVAR, I. HAQ, M. SHIELDS, K.K. AMOAKO & K. WARRINER (Canada)
- 638 Biogenic amine content and aromatic profile of *Salama da sugo*, a typical cooked fermented sausage produced in Emilia Romagna Region (Italy)
F. GARDINI, G. TABANELLI, R. LANCIOTTI, C. MONTANARI, M. LUPPI, F. COLORETTI, C. CHIAVARI & L. GRAZIA (Italy)
- 644 Determination of speciality food salt origin by using 16S rDNA fingerprinting of bacterial communities by PCR–DGGE: An application on marine salts produced in solar salterns from the French Atlantic Ocean
L. DUFOSSÉ, C. DONADIO, A. VALLA, J.-C. MEILE & D. MONTET (France)
- 650 Biofilm formation of meat-borne *Salmonella enterica* and inhibition by the cell-free supernatant from *Pseudomonas aeruginosa*
H.-H. WANG, K.-P. YE, Q.-Q. ZHANG, Y. DONG, X.-L. XU & G.-H. ZHOU (PR China)
- 659 Simultaneous detection of *Listeria* species isolated from meat processed foods using multiplex PCR
J. RYU, S.H. PARK, Y.S. YEOM, A. SHRIVASTAV, S.-H. LEE, Y.-R. KIM & H.-Y. KIM (South Korea)
- 665 Antimicrobial activity of natural antimicrobial substances against spoilage bacteria isolated from fresh produce
L. ZHENG, Y.-M. BAE, K.-S. JUNG, S. HEU & S.-Y. LEE (Republic of Korea)
- 673 A survey of mycotoxins in random street-vended snacks from Lagos, Nigeria, using QuEChERS-HPLC-MS/MS
J. RUBERT (Spain), S.O. FAPOHUNDA (Nigeria), C. SOLER (Spain), C.N. EZEKIEL (Nigeria), J. MAÑES (Spain) & F. KAYODE (Nigeria)
- 678 Safety evaluation of *meso*-zeaxanthin
X. XU, L. ZHANG, B. SHAO, X. SUN (PR China), C.-T. HO & S. LI (USA)
- 687 Survey of SO₂ binding carbonyls in 237 red and white table wines
J.N. JACKOWETZ & R. MIRA DE ORDUÑA (USA)
- 693 Radiation tolerance of *Bacillus cereus* pre-treated with carvacrol alone or in combination with nisin after exposure to single and multiple sub-lethal radiation treatment
S. AYARI (Canada, Tunisia), D. DUSSAULT (Canada), E.A. HAYOUNI, M. HAMDY (Tunisia) & M. LACROIX (Canada)
- 702 Citric acid pretreatment for suppressing adhesion of major egg allergens to a stainless steel surface
T. SAKIYAMA, K. SATO, S. TSUDA, H. SUGIYAMA & T. HAGIWARA (Japan)
- 707 Effect of inoculation of selected *Staphylococcus xylosus* and *Lactobacillus plantarum* strains on biochemical, microbiological and textural characteristics of a Tunisian dry fermented sausage
I. ESSID & M. HASSOUNA (Tunisia)
- 715 Prevalence and pattern of antibiotic resistance of *Campylobacter* spp. in poultry meat in Southern Italy
C.G.A. NOBILE, R. COSTANTINO, A. BIANCO, C. PILEGGI & M. PAVIA (Italy)
- 719 Effect of chitosan–caraway coating on lipid oxidation of traditional dry fermented sausage
N. KRKIĆ, B. ŠOJIĆ, V. LAZIĆ, L. PETROVIĆ, A. MANDIĆ, I. SEDEJ, V. TOMOVIĆ & N. DŽINIĆ (Serbia)
- 724 Identification and antimicrobial resistance of *Campylobacter* species isolated from poultry meat in Khorasan province, Iran
B. ZENDEHBAD, A.A. ARIAN & A. ALIPOUR (Iran)
- 728 A DNA extraction and purification method using an ion-exchange resin type kit for the detection of genetically modified papaya in processed papaya products
K. OHMORI, K. NAKAMURA, M. KASAHARA, R. TAKABATAKE, K. KITTA, T. FUJIMAKI, K. KONDO, R. TESHIMA & H. AKIYAMA (Japan)
- 736 Corrigendum to “Application of a real-time PCR assay for the detection of ostrich (*Struthio camelus*) mislabelling in meat products from the retail market” [Food Control 22 (2011) 523–531]
M. ROJAS, I. GONZÁLEZ, M.Á. PAVÓN, N. PEGELS, P.E. HERNÁNDEZ, T. GARCÍA & R. MARTÍN (Spain)