

## CONTENTS

Volume 139, issues 1–4, 1 July–15 August 2013 (Published 11 April 2013)

### Rapid Communication

- 1152 Flavour profiles of three novel acidic varieties of muskmelon (*Cucumis melo* L.)  
S. LIGNOU, J.K. PARKER, M.J. ORUNA-CONCHA & D.S. MOTTRAM (United Kingdom)

### General Section: Review

- 1133 Phospholipids in rice: Significance in grain quality and health benefits: A review  
L. LIU, D.L.E. WATERS, T.J. ROSE (Australia), J. BAO (China) & G.J. KING (Australia)

### General Papers

- 1 Antioxidant capacity of anthocyanins from *Rhodomyrtus tomentosa* (Ait.) and identification of the major anthocyanins  
C. CUI, S. ZHANG, L. YOU, J. REN, W. LUO, W. CHEN & M. ZHAO (China)
- 9 Effects of combination processes on the extraction of pectins from rapeseed cake (*Brassica napus* L.)  
H.-S. JEONG, H.-Y. KIM, S.H. AHN, S.C. OH, I. YANG & I.-G. CHOI (South Korea)
- 16 Intake of mulberry 1-deoxynojirimycin prevents diet-induced obesity through increases in adiponectin in mice  
T. TSUDUKI, I. KIKUCHI, T. KIMURA, K. NAKAGAWA & T. MIYAZAWA (Japan)
- 35 Proanthocyanidin profile of cowpea (*Vigna unguiculata*) reveals catechin-*O*-glucoside as the dominant compound  
L.O. OJWANG, L. YANG, L. DYKES & J. AWIKA (USA)
- 44 Blueberry estimated harvest from seven new cultivars: Fruit and anthocyanins  
J. SCALZO, D. STEVENSON & D. HEDDERLEY (New Zealand)
- 51 Active films based on cocoa extract with antioxidant, antimicrobial and biological applications  
M. CALATAYUD, C. LÓPEZ-DE-DICASTILLO, G. LÓPEZ-CARBALLO, D. VÉLEZ, P. HERNÁNDEZ MUÑOZ & R. GAVARA (Spain)
- 59 *In vivo* and *in vitro* antioxidant activity and  $\alpha$ -glucosidase,  $\alpha$ -amylase inhibitory effects of flavonoids from *Cichorium glandulosum* seeds  
X. YAO, L. ZHU, Y. CHEN, J. TIAN & Y. WANG (PR China)
- 67 Changes in selected parameters related to proteolysis during ageing of dry-cured pork loins inoculated with probiotics  
J. STADNIK & Z.J. DOLATOWSKI (Poland)

*Continued on inside back cover*

**CONTENTS—Continued from outside back cover**

- 72 Microencapsulation of aspartame by double emulsion followed by complex coacervation to provide protection and prolong sweetness  
G.A. ROCHA-SELMÍ, F.T. BOZZA, M. THOMAZINI, H.M.A. BOLINI & C.S. FÁVARO-TRINDADE (Brazil)
- 79 Enrichment of two isoflavone aglycones in black soymilk by using spent coffee grounds as an immobiliser for  $\beta$ -glucosidase  
K.-I. CHEN, Y.-C. LO, C.-W. LIU, R.-C. YU, C.-C. CHOU & K.-C. CHENG (Taiwan)
- 87 Antioxidant activity-guided separation of coumarins and lignan from *Melicope glabra* (Rutaceae)  
N.K. KASSIM, M. RAHMANI, A. ISMAIL, M.A. SUKARI, G.C.L. EE, N. MD NASIR & K. AWANG (Malaysia)
- 93 Distribution, antioxidant and characterisation of phenolic compounds in soybeans, flaxseed and olives  
M.H. ALU'DATT, T. RABABAH, K. EREIFEJ (Jordan) & I. ALLI (Canada)
- 105 Free phenolics and polyphenol oxidase (PPO): The factors affecting post-cut browning in eggplant (*Solanum melongena*)  
B.B. MISHRA, S. GAUTAM & A. SHARMA (India)
- 120 Low resolution  $^1\text{H}$  NMR assignment of proton populations in pound cake and its polymeric ingredients  
A. LUYTS, E. WILDERJANS, J. WATERSCHOOT, I. VAN HAESENDONCK, K. BRIJS, C.M. COURTIN (Belgium), B. HILLS (UK) & J.A. DELCOUR (Belgium)
- 129 Maqui berry (*Aristotelia chilensis*) and the constituent delphinidin glycoside inhibit photoreceptor cell death induced by visible light  
J. TANAKA, T. KADEKARU, K. OGAWA, S. HITOE, H. SHIMODA & H. HARA (Japan)
- 138 The enhancement of antioxidant compounds extracted from *Thymus vulgaris* using enzymes and the effect of extracting solvent  
A. CERDA, M.E. MARTÍNEZ, C. SOTO, P. POIRRIER, J.R. PEREZ-CORREA, J.R. VERGARA-SALINAS & M.E. ZÚÑIGA (Chile)
- 144 A single pump cycling-column-switching technique coupled with homemade high exchange capacity columns for the determination of iodate in iodized edible salt by ion chromatography with UV detection  
Z. HUANG, Q. SUBHANI, Z. ZHU, W. GUO & Y. ZHU (China)
- 149 Flavonoids from the capitula of *Eriocaulon australe*  
Q. XU, H. XIE, P. WU & X. WEI (China)
- 155 Characteristics of antioxidant activity and composition of pumpkin seed oils in 12 cultivars  
A. NAWIRSKA-OLSZAŃSKA, A. KITA, A. BIESIADA, A. SOKÓŁ-ŁĘTOWSKA & A.Z. KUCHARSKA (Poland)
- 162 Influence of air-drying temperature on drying kinetics, colour, firmness and biochemical characteristics of Atlantic salmon (*Salmo salar* L.) fillets  
J. ORTIZ, R. LEMUS-MONDACA, A. VEGA-GÁLVEZ, K. AH-HEN, L. PUENTE-DIAZ, L. ZURA-BRAVO (Chile) & S. AUBOURG (Spain)
- 171 An integrated approach for flavour quality evaluation in muskmelon (*Cucumis melo* L. *reticulatus* group) during ripening  
S. VALLONE, H. SIVERTSEN, G.E. ANTHON, D.M. BARRETT, E.J. MITCHAM, S.E. EBELER & F. ZAKHAROV (USA)
- 184 Studies of isothermal crystallisation kinetics of sunflower hard stearin-based confectionery fats  
M.A. BOOTELLO (Spain), R.W. HARTEL, M. LEVIN (USA), J.M. MARTÍNEZ-BLANES, C. REAL, R. GARCÉS, E. MARTÍNEZ-FORCE & J.J. SALAS (Spain)
- 196 Simulated digestion of proanthocyanidins in grape skin and seed extracts and the effects of digestion on the angiotensin I-converting enzyme (ACE) inhibitory activity  
K. FERNÁNDEZ & J. LABRA (Chile)
- 203 Transport across Caco-2 monolayers of peptides arising from *in vitro* digestion of bovine milk proteins  
G. PICARIELLO, G. IACOMINO, G. MAMONE, P. FERRANTI, O. FIERRO, C. GIANFRANI, A. DI LUCCIA & F. ADDEO (Italy)
- 213 Purification and characterisation of sarcoplasmic calcium-binding protein, a novel allergen of red swamp crayfish (*Procambarus clarkii*)  
H.-L. CHEN, M.-J. CAO, Q.-F. CAI, W.-J. SU, H.-Y. MAO & G.-M. LIU (China)

**Continued on last page**

CONTENTS—Continued from inside back cover

- 224 Encapsulation of indole-3-carbinol and 3,3'-diindolylmethane in zein/carboxymethyl chitosan nanoparticles with controlled release property and improved stability  
Y. LUO, T.T.Y. WANG, Z. TENG, P. CHEN, J. SUN & Q. WANG (United States)
- 231 Enzymatic modification enhances the protective activity of citrus flavonoids against alcohol-induced liver disease  
H.-Y. PARK, H.-D. CHOI, H. EOM & I. CHOI (Republic of Korea)
- 246 Carbon nanotubes-reinforced hollow fibre solid-phase microextraction coupled with high performance liquid chromatography for the determination of carbamate pesticides in apples  
X.-Y. SONG, Y.-P. SHI & J. CHEN (PR China)
- 253 Interlocking of  $\beta$ -carotene in beta-lactoglobulin aggregates produced under high pressure  
A. MENSI, Y. CHOISET, T. HAERTLÉ, E. REBOUL, P. BOREL, C. GUYON, M. DE LAMBALLERIE & J.-M. CHOBERT (France)
- 261 Sonicated pineapple juice as substrate for *L. casei* cultivation for probiotic beverage development: Process optimisation and product stability  
M.G.M. COSTA, T.V. FONTELES, A.L.T. DE JESUS & S. RODRIGUES (Brazil)
- 267 Growth inhibition and antioxidative status induced by selenium-enriched broccoli extract and selenocompounds in DNA mismatch repair-deficient human colon cancer cells  
C.-F. TSAI, B.-R. OU, Y.-C. LIANG & J.-Y. YEH (Taiwan, ROC)
- 281 Ligands affecting silver antimicrobial efficacy on *Listeria monocytogenes* and *Salmonella enterica*  
A. MARTÍNEZ-ABAD, G. SÁNCHEZ, J.M. LAGARON & M.J. OCIO (Spain)
- 300 Research on the preparation of antioxidant peptides derived from egg white with assisting of high-intensity pulsed electric field  
S. LIN (China, USA), Y. JIN, M. LIU, Y. YANG, M. ZHANG, Y. GUO (China), G. JONES (USA), J. LIU & Y. YIN (China)
- 307 Systematic qualitative and quantitative assessment of anthocyanins, flavones and flavonols in the petals of 108 lotus (*Nelumbo nucifera*) cultivars  
J. DENG, S. CHEN, X. YIN, K. WANG, Y. LIU, S. LI & P. YANG (PR China)
- 313 Structural characterisation of partially glycosylated whey protein as influenced by pH and heat using surface-enhanced Raman spectroscopy  
Q. WANG, L. HE, T.P. LABUZA & B. ISMAIL (United States)
- 320 Changes in urocanic acid, histamine, putrescine and cadaverine levels in Indian mackerel (*Rastrelliger kanagurta*) during storage at different temperatures  
D. ZARE (Malaysia, Iran), K. MUHAMMAD, M.H. BEJO & H.M. GHAZALI (Malaysia)
- 326 Anticancer activity and mediation of apoptosis in human HL-60 leukaemia cells by edible sea cucumber (*Holothuria edulis*) extract  
W.A.J.P. WIJESINGHE, Y.J. JEON (Republic of Korea), P. RAMASAMY, M.E.A. WAHID & C.S. VAIRAPPAN (Malaysia)
- 332 Synthesis of amino acid conjugates of tetrahydrocurcumin and evaluation of their antibacterial and anti-mutagenic properties  
J.R. MANJUNATHA, B.K. BETTADIAH, P.S. NEGI & P. SRINIVAS (India)
- 339 Influence of triterpenoids present in apple peel on inflammatory gene expression associated with inflammatory bowel disease (IBD)  
D. MUELLER, S. TRIEBEL, O. RUDAKOVSKI & E. RICHLING (Germany)
- 347 Comparison between gelatines extracted from mackerel and blue whiting bones after different pre-treatments  
Z. KHIARI (Ireland), D. RICO, A.B. MARTIN-DIANA (Spain) & C. BARRY-RYAN (Ireland)
- 355 Characteristics and antioxidant activity of water-soluble Maillard reaction products from interactions in a whey protein isolate and sugars system  
W.-Q. WANG, Y.-H. BAO & Y. CHEN (China)
- 362 *Alternanthera paronychioides* protects pancreatic  $\beta$ -cells from glucotoxicity by its antioxidant, antiapoptotic and insulin secretagogue actions  
C.-H. WU, H.-T. HSIEH, J.-A. LIN & G.-C. YEN (Taiwan)

- 377 A new process for obtaining hydroxytyrosol using transformed *Escherichia coli* whole cells with phenol hydroxylase gene from *Geobacillus thermoglucosidasius*  
E. ORENES-PIÑERO, F. GARCÍA-CARMONA & Á. SÁNCHEZ-FERRER (Spain)
- 384  $\mu$ -Calpain is involved in the *postmortem* proteolysis of gizzard smooth muscle  
Y.-S. CHANG (Taiwan), M.H. STROMER (USA) & R.-G.R. CHOU (Taiwan)
- 389 Migration and exposure assessment of silver from a PVC nanocomposite  
M. CUSHEN, J. KERRY, M. MORRIS, M. CRUZ-ROMERO & E. CUMMINS (Ireland)
- 398 Free fatty acid profiles of emulsified lipids during *in vitro* digestion with pancreatic lipase  
X. ZHU, A. YE, T. VERRIER & H. SINGH (New Zealand)
- 405 Comparison of biogenic amine and polyphenol profiles of grape berries and wines obtained following conventional, organic and biodynamic agricultural and oenological practices  
A. TASSONI, N. TANGO & M. FERRI (Italy)
- 414 Characterisation of muscles from Frigate mackerel (*Auxis thazard*) and catfish (*Clarias macrocephalus*)  
M. CHAIJAN, S. KLOMKLAO & S. BENJAKUL (Thailand)
- 420 Fundamental studies on the structural functionality of whey protein isolate in the presence of small polyhydroxyl compounds as co-solute  
P. GEORGE, L. LUNDIN & S. KASAPIS (Australia)
- 426 *In vitro* antioxidant capacity and anti-inflammatory activity of seven common oats  
Y.-F. CHU, M.L. WISE, A.A. GULVADY, T. CHANG, D.F. KENDRA, B. JAN-WILLEM VAN KLINKEN, Y. SHI & M. O'SHEA (USA)
- 432 Effect of nitrite on the odourant volatile fraction of cooked ham  
C. THOMAS, F. MERCIER, P. TOURNAYRE, J.-L. MARTIN & J.-L. BERDAGUÉ (France)
- 439 *Croton lechleri* Müll. Arg. (Euphorbiaceae) stem bark essential oil as possible mutagen-protective food ingredient against heterocyclic amines from cooked food  
D. ROSSI, A. GUERRINI, G. PAGANETTO, G. BERNACCHIA, F. CONFORTI, G. STATTI, S. MAIETTI, I. POPPI, M. TACCHINI & G. SACCHETTI (Italy)
- 448 Microcapsule production employing chickpea or lentil protein isolates and maltodextrin: Physicochemical properties and oxidative protection of encapsulated flaxseed oil  
A.C. KARACA, M. NICKERSON & N.H. LOW (Canada)
- 458 Isolation of new monoterpene coumarins from *Micromelum minutum* leaves and their cytotoxic activity against *Leishmania major* and cancer cells  
A. SAKUNPAK (Thailand), K. MATSUNAMI, H. OTSUKA (Japan) & P. PANICHAYUPAKARANANT (Thailand)
- 464 Characterisation of non-polar dimers formed during thermo-oxidative degradation of  $\beta$ -sitosterol  
E. SOSIŃSKA, R. PRZYBYLSKI, P. HAZENDONK, Y.Y. ZHAO & J.M. CURTIS (Canada)
- 475 Immobilisation of  $\beta$ -cyclodextrin on glass: Characterisation and application for cholesterol reduction from milk  
M.N. TAHIR & Y. LEE (Republic of Korea)
- 488 4-Methyl-7-hydroxycoumarin antifungal and antioxidant activity enhancement by substitution with thiosemicarbazide and thiazolidinone moieties  
B. ŠARKANJ, M. MOLNAR, M. ČAČIĆ (Croatia) & L. GILLE (Austria)
- 503 Anti-inflammatory and anticancer activities of extracts and compounds from the mushroom *Inonotus obliquus*  
L. MA, H. CHEN, P. DONG & X. LU (PR China)
- 509 Enzyme-assisted extraction of bioactive compounds from ginger (*Zingiber officinale* Roscoe)  
K.L. NAGENDRA CHARI, D. MANASA, P. SRINIVAS & H.B. SOWBHAGYA (India)
- 515 Chemical profile and sensory properties of different foods cooked by a new radiofrequency oven  
A. FIORE, R. DI MONACO, S. CAVELLA, A. VISCONTI (Italy), O. KARNEILI, S. BERNHARDT (Israel) & V. FOGLIANO (Italy)
- 521 Changes in polyphenol content during production of grape juice concentrate  
E. CAPANOGLU (Turkey), R.C.H. DE VOS, R.D. HALL (The Netherlands), D. BOYACIOGLU (Turkey) & J. BEEKWILDER (The Netherlands)

- 527 Chemical stability of astaxanthin nanodispersions in orange juice and skimmed milk as model food systems  
N. ANARJAN (Iran) & C.P. TAN (Malaysia)
- 532 Physico-chemical characteristics and sensory evaluation of wheat bread partially substituted with banana (*Musa acuminata* X *balbisiana* cv. Awak) pseudo-stem flour  
L.-H. HO, N.A. ABDUL AZIZ & B. AZAHARI (Malaysia)
- 540 Variation in nutritionally relevant components in retail Jersey and Guernsey whole milk  
S. STERGIADIS, C.J. SEAL, C. LEIFERT, M.D. EYRE (UK), M.K. LARSEN (Denmark) & G. BUTLER (UK)
- 571 The effect of interesterification on the bioavailability of fatty acids in structured lipids  
M. FARFÁN, M.J. VILLALÓN, M.E. ORTÍZ, S. NIETO & P. BOUCHON (Chile)
- 578 Ellagic acid derivatives, ellagitannins, proanthocyanidins and other phenolics, vitamin C and antioxidant capacity of two powder products from camu-camu fruit (*Myrciaria dubia*)  
D. FRACASSETTI, C. COSTA, L. MOULAY & F.A. TOMÁS-BARBERÁN (Spain)
- 589 Plasma and hepatic cholesterol-lowering effects of tomato pomace, tomato seed oil and defatted tomato seed in hamsters fed with high-fat diets  
D. SHAO (China, USA), G.E. BARTLEY, W. YOKOYAMA, Z. PAN (USA), H. ZHANG & A. ZHANG (USA, China)
- 597 Tenderization effect of soy sauce on beef *M. biceps femoris*  
H.-W. KIM, Y.-S. CHOI, J.-H. CHOI, H.-Y. KIM, M.-A. LEE, K.-E. HWANG, D.-H. SONG, Y.-B. LIM & C.-J. KIM (South Korea)
- 604 Anthocyanins in the ripe fruits of *Rubus coreanus* Miquel and their protective effect on neuronal PC-12 cells  
S.-E. IM, T.-G. NAM, H. LEE, M.-W. HAN, H.J. HEO (South Korea), S.I. KOO (USA), C.Y. LEE (South Korea, USA) & D.-O. KIM (South Korea)
- 611 Probing the binding between norbixin and dairy proteins by spectroscopy methods  
Y. ZHANG & Q. ZHONG (United States)
- 617 Extraction and structural characterisation of rhamnogalacturonan I-type pectic polysaccharides from potato cell wall  
N. KHODAEI & S. KARBOUNE (Canada)
- 624 Effects of NaCl and pH on the structural conformations of kidney bean vicilin  
S. MUNDI & R.E. ALUKO (Canada)
- 631 Biosynthesis of highly enriched <sup>13</sup>C-lycopene for human metabolic studies using repeated batch tomato cell culturing with <sup>13</sup>C-glucose  
N.E. MORAN, R.B. ROGERS, C.-H. LU, L.E. CONLON, M.A. LILA, S.K. CLINTON & J.W. ERDMAN JR. (USA)
- 640 Effect of recovery methods on the oxidative and physical stability of oil body emulsions  
O.A. KARKANI, N. NENADIS (Greece), C.V. NIKIFORIDIS (The Netherlands) & V. KIOSSEOGLOU (Greece)
- 649 Characterization of Hachi (*Camelus dromedarius*) fat extracted from the hump  
H.M. SBIHI, I.A. NEHDI & S.I. AL-RESAYES (Saudi Arabia)
- 663 Distribution of carotenoids in endosperm, germ, and aleurone fractions of cereal grain kernels  
V.U. NDOLO & T. BETA (Canada)
- 672 Effect of temperature on the release of intentionally and non-intentionally added substances from polyethylene terephthalate (PET) bottles into water: Chemical analysis and potential toxicity  
C. BACH, X. DAUCHY, I. SEVERIN, J.-F. MUNOZ, S. ETIENNE & M.-C. CHAGNON (France)
- 681 Effect of calcium on the kinetics of free fatty acid release during *in vitro* lipid digestion in model emulsions  
A. YE, J. CUI, X. ZHU & H. SINGH (New Zealand)
- 689 Monitoring green leaf tea quality parameters of different TV clones grown in northeast India using satellite data  
R. DUTTA (Bangladesh)
- 695 Congeners in sugar cane spirits aged in casks of different woods  
A.M. BORTOLETTO & A.R. ALCARDE (Brazil)
- 702 Enzymatic preparation and structural determination of oligosaccharides derived from sea cucumber (*Acaudina molpadioides*) fucoidan  
L. YU, X. XU, C. XUE, Y. CHANG, L. GE, Y. WANG, C. ZHANG (China), G. LIU (Japan) & C. HE (China)

- 710 Chemical, rheological and surface morphologic characterisation of spent hen proteins extracted by pH-shift processing with or without the presence of cryoprotectants  
H. WANG, J. WU & M. BETTI (Canada)
- 720 Effects of fisetin supplementation on hepatic lipogenesis and glucose metabolism in Sprague–Dawley rats fed on a high fat diet  
Y. CHO, J.H. CHUNG, H.J. DO, H.J. JEON, T. JIN & M.-J. SHIN (Republic of Korea)
- 735 Cultivar variations in antioxidant and antihyperlipidemic properties of pomelo pulp (*Citrus grandis* [L.] Osbeck) in Thailand  
K. MÄKYNEN, S. JITSAARDKUL, P. TACHASAMRAN, N. SAKAI, S. PURANACHOTI, N. NIROJSINLAPACHAI, V. CHATTAPAT, N. CAENGPRASATH, S. NGAMUKOTE & S. ADISAKWATTANA (Thailand)
- 744 Carotenoids and tocopherols in yellow and red raspberries  
E. CARVALHO (Italy), P.D. FRASER (UK) & S. MARTENS (Italy)
- 753 Enrichment of polyphenol contents and antioxidant activities of Irish brown macroalgae using food-friendly techniques based on polarity and molecular size  
M.S. TIERNEY (Ireland, UK), T.J. SMYTH, D.K. RAI, A. SOLER-VILA (Ireland), A.K. CROFT (UK) & N. BRUNTON (Ireland)
- 770 Influence of cold pre-fermentation treatments on the major volatile compounds of three wine varieties  
A. MORENO-PÉREZ, R. VILA-LÓPEZ, J.I. FERNÁNDEZ-FERNÁNDEZ, A. MARTÍNEZ-CUTILLAS & R. GIL-MUÑOZ (Spain)
- 777 Chemical properties of  $\omega$ -3 fortified gels made of protein isolate recovered with isoelectric solubilisation/precipitation from whole fish  
R. TAHERGORABI, S.K. BEAMER, K.E. MATAK & J. JACZYNSKI (USA)
- 786 Characterisation of chlorophyll oxidation mediated by peroxidative activity in olives (*Olea europaea* L.) cv. Hojiblanca  
H. VERGARA-DOMÍNGUEZ, M. ROCA & B. GANDUL-ROJAS (Spain)
- 796 Oil composition and characterisation of phenolic compounds of *Opuntia ficus-indica* seeds  
N. CHOUGUI, A. TAMENDJARI, W. HAMIDJ, S. HALLAL (Algeria), A. BARRAS, T. RICHARD & R. LARBAT (France)
- 804 Effect of flavonoid structure on the fluidity of model lipid membranes  
V. ABRAM, B. BERLEC, A. OTA, M. ŠENTJURC, P. BLATNIK & N.P. ULRIH (Slovenia)
- 815 Effects of industrial processing on folate content in green vegetables  
N. DELCHIER (France), C. RINGLING (Germany), J. LE GRANDOIS, D. AOUDE-WERNER, R. GALLAND, S. GEORGÉ (France), M. RYCHLIK (Germany) & C.M.G.C. RENARD (France)
- 825 Home conservation strategies for tomato (*Solanum lycopersicum*): Storage temperature vs. duration – Is there a compromise for better aroma preservation?  
C.M.G.C. RENARD, C. GINIES, B. GOUBLE, S. BUREAU & M. CAUSSE (France)
- 837 Inhibition kinetics of lipid oxidation of model foods by using antioxidant extract of fermented soybeans  
D.H. WARDHANI (Indonesia), P. FUCIÑOS, J.A. VÁZQUEZ (Spain) & S.S. PANDIELLA (UK)
- 853 A dipeptide and an amino acid present in whey protein hydrolysate increase translocation of GLUT-4 to the plasma membrane in Wistar rats  
P.N. MORATO, P.C.B. LOLLO, C.S. MOURA, T.M. BATISTA, E.M. CARNEIRO & J. AMAYA-FARFAN (Brazil)
- 860 Antioxidant, free radical scavenging and liver protective effects of friedelin isolated from *Azima tetraacantha* Lam. leaves  
C. SUNIL (India), V. DURAIKANDIYAN (Saudi Arabia), S. IGNACIMUTHU (India) & N.A. AL-DHABI (Saudi Arabia)
- 872 *In vitro* bioavailability of total selenium and selenium species from seafood  
J. MOREDA-PIÑEIRO, A. MOREDA-PIÑEIRO, V. ROMARÍS-HORTAS, R. DOMÍNGUEZ-GONZÁLEZ, E. ALONSO-RODRÍGUEZ, P. LÓPEZ-MAHÍA, S. MUNIATEGUI-LORENZO, D. PRADA-RODRÍGUEZ & P. BERMEJO-BARRERA (Spain)
- 878 Modulating  $\beta$ -carotene bioaccessibility by controlling oil composition and concentration in edible nanoemulsions  
L. SALVIA-TRUJILLO (Spain), C. QIAN (USA), O. MARTÍN-BELLOSO (Spain) & D.J. MCCLEMENTS (USA)

CONTENTS—Continued from last page of the issue

- 885 Structures and reactions of compounds involved in pink discolouration of onion  
M. KATO, T. KAMOI, R. SASAKI, N. SAKURAI, K. AOKI, D. SHIBATA & S. IMAI (Japan)
- 893 Oregon 'Pinot noir' grape anthocyanin enhancement by early leaf removal  
J. LEE & P.A. SKINKIS (USA)
- 902 Antibacterial activity-guided purification and identification of a novel C-20 oxygenated *ent*-kaurane from *Rabdosia serra* (MAXIM.) HARA  
L. LIN, D. ZHU, L. ZOU, B. YANG & M. ZHAO (China)
- 910 Inhibitory effects of myricetin on mammalian DNA polymerase, topoisomerase and human cancer cell proliferation  
K. SHIOMI, I. KURIYAMA, H. YOSHIDA & Y. MIZUSHINA (Japan)
- 925 Hepatic biotransformation of alkylresorcinols is mediated via cytochrome P450 and  $\beta$ -oxidation: A proof of concept study  
M. MARKLUND, N.M. MCKEOWN, J.B. BLUMBERG & C.-Y. O. CHEN (USA)
- 931 Modifications of Kyoho grape berry quality under long-term NaCl treatment  
X.-L. LI, C.-R. WANG, X.-Y. LI, Y.-X. YAO & Y.-J. HAO (China)
- 938 Effect of floral sources on the antioxidant, antimicrobial, and anti-inflammatory activities of honeys in Taiwan  
J.-R. LIU, Y.-L. YE, T.-Y. LIN, Y.-W. WANG & C.-C. PENG (Taiwan)
- 944 The impact of  $\text{Ca}^{2+}$  combination with organic acids on green tea infusions  
Y.-Q. XU, X.-Y. ZHONG, J.-F. YIN, H.-B. YUAN, P. TANG & Q.-Z. DU (China)
- 949 Extra virgin olive oil bitterness evaluation by sensory and chemical analyses  
F. FAVATI, N. CONDELLI, F. GALGANO & M.C. CARUSO (Italy)
- 955 Polycyclic aromatic hydrocarbons (PAH) and phenolic substances in meat products smoked with different types of wood and smoking spices  
A. HITZEL, M. PÖHLMANN, F. SCHWÄGELE, K. SPEER & W. JIRA (Germany)
- 970 Cultivating conditions effects on kefir production by the mixed culture of lactic acid bacteria imbedded within kefir grains  
K. ZAJŠEK, A. GORŠEK & M. KOLAR (Slovenia)
- 978 A Rapid tool for the stability assessment of natural food colours  
S. GHIDOUCHE, B. REY, M. MICHEL & N. GALAFFU (Switzerland)
- 986 Fatty acid profiling of the seed oils of some varieties of field peas (*Pisum sativum*) by RP-LC/ESI-MS/MS: Towards the development of an oilseed pea  
M.I. VILLALOBOS SOLIS, A. PATEL, V. ORSAT, J. SINGH & M. LEFSRUD (Canada)
- 994 Antihypertensive effects of lactoferrin hydrolyzates: Inhibition of angiotensin- and endothelin-converting enzymes  
R. FERNÁNDEZ-MUSOLES, J.B. SALOM, D. MARTÍNEZ-MAQUEDA, J.J. LÓPEZ-DÍEZ, I. RECIO & P. MANZANARES (Spain)
- 1001 Tert-butylhydroquinone recognition of molecular imprinting electrochemical sensor based on core-shell nanoparticles  
P. ZHAO & J. HAO (People's Republic of China)
- 1008 A micellar improved method for trace levels selenium quantification in food samples, alcoholic and nonalcoholic beverages through CPE/FAAS  
H. ULUSOY, Ö. YILMAZ & R. GÜRKAN (Turkey)
- 1015 Inhibitory effects of water extract of *Flos Inulae* on mutation and tyrosinase  
M.-H. HUANG, H.-M. TAI, B.-S. WANG & L.-W. CHANG (Taiwan, ROC)
- 1021 Curcumin inhibits invasion and metastasis in K1 papillary thyroid cancer cells  
C.-Y. ZHANG, L. ZHANG, H.-X. YU, J.-D. BAO, Z. SUN & R.-R. LU (China)
- 1044 Effect of *Saccharomyces* strains on the quality of red wines aged on lees  
I. LOIRA, R. VEJARANO, A. MORATA (Spain), J.M. RICARDO-DA-SILVA, O. LAUREANO (Portugal), M.C. GONZÁLEZ & J.A. SUÁREZ-LEPE (Spain)

- 1052 Evolution of the aromatic profile in *Garnacha Tintorera* grapes during raisining and comparison with that of the naturally sweet wine obtained  
R. NOGUEROL-PATO, M. GONZÁLEZ-ÁLVAREZ, C. GONZÁLEZ-BARREIRO, B. CANCHO-GRANDE & J. SIMAL-GÁNDARA (Spain)
- 1062 Non-enzymatic glycation of natural actomyosin (NAM) with glucosamine in a liquid system at moderate temperatures  
Y. HRYNETS, M. NDAGIJIMANA & M. BETTI (Canada)
- 1073 LC-ESI-TOF-MS identification of bioactive secondary metabolites involved in the antioxidant, anti-inflammatory and anticancer activities of the edible halophyte *Zygophyllum album* Desf.  
W.M. KSOURI, F. MEDINI, K. MKADMINI (Tunisia), J. LEGAULT (Canada), C. MAGNÉ (France), C. ABDELLY & R. KSOURI (Tunisia)
- 1081 Degradation of complex carbohydrate: Immobilization of pectinase from *Bacillus licheniformis* KIBGE-IB21 using calcium alginate as a support  
H.U. REHMAN, A. AMAN (Pakistan), A. SILIPO (Italy), S.A.U. QADER (Pakistan), A. MOLINARO (Italy) & A. ANSARI (Pakistan)
- 1087 Diversity of (dihydro) hydroxycinnamic acid conjugates in Colombian potato tubers  
C.-E. NARVÁEZ-CUENCA (The Netherlands, Colombia), J.-P. VINCKEN, C. ZHENG & H. GRUPPEN (The Netherlands)
- 1098 Influence of pH, metal chelator, free radical scavenger and interfacial characteristics on the oxidative stability of  $\beta$ -carotene in conjugated whey protein-pectin stabilised emulsion  
D. XU (China, USA), F. YUAN (China), Y. GAO (China, USA), D. J. MCCLEMENTS & E.A. DECKER (USA)
- 1105 Mechanisms of saccharide protection against epigallocatechin-3-gallate deterioration in aqueous solutions  
A. SHPIGELMAN, A. ZISAPEL, Y. COHEN & Y.D. LIVNEY (Israel)
- 1113 Combined impact of *Bacillus stearothermophilus* maltogenic  $\alpha$ -amylase and surfactants on starch pasting and gelation properties  
B. VAN STEERTEGEM, B. PAREYT, K. BRIJS & J.A. DELCOUR (Belgium)
- 1127 Polyphasic approach to the identification of *Aspergillus* section *Flavi* isolated from Brazil nuts  
A.C. BAQUIÃO, M.M.M. DE OLIVEIRA, T.A. REIS, P. ZORZETE, D. DINIZ ATAYDE & B. CORREA (Brazil)
- 1146 On the origin of sharp peaks in the X-ray diffraction patterns of xanthan powders  
M. LAD, T. TODD, G.A. MORRIS, W. MACNAUGHTAN (UK), G. SWORN (France) & T.J. FOSTER (UK)
- 1161 Separation and purification of the antioxidant compounds, caffeic acid phenethyl ester and caffeic acid from mushrooms by molecularly imprinted polymer  
N. LI, T.B. NG, J.H. WONG, J.X. QIAO, Y.N. ZHANG, R. ZHOU, R.R. CHEN & F. LIU (China)
- 1168 Impact of pectin type on the storage stability of black currant (*Ribes nigrum* L.) anthocyanins in pectic model solutions  
M. BUCHWEITZ, M. SPETH, D.R. KAMMERER & R. CARLE (Germany)
- General Section: Short Communications**
- 31 Plums (*Prunus domestica* L.) are a good source of yeasts producing organic acids of industrial interest from glycerol  
P. GARCÍA-FRAILE (Spain), L.R. SILVA (Portugal), S. SÁNCHEZ-MÁRQUEZ, E. VELÁZQUEZ & R. RIVAS (Spain)
- 371 Peach (*Prunus persica*) extract inhibits angiotensin II-induced signal transduction in vascular smooth muscle cells  
R. KONO, Y. OKUNO, M. NAKAMURA, K.-I. INADA, A. TOKUDA, M. YAMASHITA, R. HIDAKA & H. UTSUNOMIYA (Japan)
- 549 Proportions of A1, A2, B and C  $\beta$ -casein protein variants in retail milk in the UK  
I. GIVENS, P. AIKMAN, T. GIBSON & R. BROWN (United Kingdom)
- 728 Aluminium and other elements in selected herbal tea plant species and their infusions  
J. MALIK, A. FRANKOVA, O. DRABEK, J. SZAKOVA, C. ASH & L. KOKOSKA (Czech Republic)



- 1029 A fast, reliable, ultra high performance liquid chromatography method for the simultaneous determination of amino acids, biogenic amines and ammonium ions in cheese, using diethyl ethoxymethylenemalonate as a derivatising agent  
B. REDRUELLO, V. LADERO, I. CUESTA, J.R. ÁLVAREZ-BUYLLA, M.C. MARTÍN, M. FERNÁNDEZ & M.A. ALVAREZ (Spain)
- ANALYTICAL METHODS: Papers**
- 24 Dummy-template molecularly imprinted solid phase extraction for selective analysis of ractopamine in pork  
W. DU, Q. FU, G. ZHAO, P. HUANG, Y. JIAO, H. WU, Z. LUO & C. CHANG (PR China)
- 100 Improved sample preparation and rapid UHPLC analysis of SO<sub>2</sub> binding carbonyls in wine by derivatisation to 2,4-dinitrophenylhydrazine  
J.N. JACKOWETZ & R. MIRA DE ORDUÑA (USA)
- 115 Synchronous two-dimensional MIR correlation spectroscopy (2D-COS) as a novel method for screening smoke tainted wine  
A.L. FUDGE, K.L. WILKINSON, R. RISTIC & D. COZZOLINO (Australia)
- 241 Analysis of irradiated cooked ham by direct introduction into the programmable temperature vaporizer of a multidimensional gas chromatography system  
C. BARBA, G. SANTA-MARÍA & M.M. CALVO (Spain)
- 274 A sensitive and selective imprinted solid phase extraction coupled to HPLC for simultaneous detection of trace quinoxaline-2-carboxylic acid and methyl-3-quinoxaline-2-carboxylic acid in animal muscles  
Z. DUAN, J. YI, G. FANG, L. FAN & S. WANG (China)
- 289 Antioxidant capacity, polyphenolic content and tandem HPLC–DAD–ESI/MS profiling of phenolic compounds from the South American berries *Luma apiculata* and *L. chequén*  
M.J. SIMIRGIOTIS, J. BÓRQUEZ & G. SCHMEDA-HIRSCHMANN (Chile)
- 482 Pesticide residues determination in Polish organic crops in 2007–2010 applying gas chromatography–tandem quadrupole mass spectrometry  
S. WALORCZYK, D. DROŹDŹYŃSKI, J. KOWALSKA, D. REMLEIN-STAROSTA, A. ZIÓLKOWSKI, M. PRZEWOŹNIAK & B. GNUSOWSKI (Poland)
- 496 Assay of phenolic compounds from four species of ber (*Ziziphus mauritiana* L.) fruits: Comparison of three base hydrolysis procedure for quantification of total phenolic acids  
A.A. MEMON, N. MEMON, M.I. BHANGER (Pakistan) & D.L. LUTHRIA (USA)
- 553 RP-HPLC and chemometrics for wheat flour protein characterisation in an industrial bread-making process monitoring context  
M. LI VIGNI, C. BASCHIERI, A. MARCHETTI & M. COCCHI (Italy)
- 563 Preparative isolation and purification of seven main antioxidants from *Eucommia ulmoides* Oliv. (Du-zhong) leaves using HSCCC guided by DPPH-HPLC experiment  
X. DAI, Q. HUANG, B. ZHOU, Z. GONG, Z. LIU & S. SHI (PR China)
- 655 A method for determining regioisomer abundances of polyunsaturated triacylglycerols in omega-3 enriched fish oils using reversed-phase liquid chromatography and triple-stage mass spectrometry  
L. CUBERO HERRERA, L. RAMALEY, M.A. POTVIN & J.E. MELANSON (Canada)
- 762 Rapid chemical profiling of saponins in the flower buds of *Panax notoginseng* by integrating MCI gel column chromatography and liquid chromatography/mass spectrometry analysis  
W.-Z. YANG, T. BO, S. JI, X. QIAO, D.-A. GUO & M. YE (China)
- 845 Identification and quantification of active alkaloids in *Catharanthus roseus* by liquid chromatography–ion trap mass spectrometry  
Q. CHEN, W. ZHANG, Y. ZHANG, J. CHEN & Z. CHEN (China)
- 866 High performance thin layer chromatography–densitometry: A step further for quality control of cranberry extracts  
L. BOUDESOCQUE, J. DORAT, J. POTHIER, A. GUEIFFIER & C. ENGUEHARD-GUEIFFIER (France)
- 919 Preparative separation of triterpene alcohol ferulates from rice bran oil using a high performance counter-current chromatography  
M. LIU, F. YANG, H. SHI (China), C.C. AKOH (USA) & L.(L.) YU (China, USA)

CONTENTS—*Continued from last page of the issue*

- 963 Development of electrochemical biosensor with nano-interface for xanthine sensing – A novel approach for fish freshness estimation  
K. THANDAVAN, S. GANDHI, S. SETHURAMAN, J.B.B. RAYAPPAN & U.M. KRISHNAN (India)
- 1036 The potential of solvent-minimized extraction methods in the determination of polycyclic aromatic hydrocarbons in fish oils  
I. YEBRA-PIMENTEL, E. MARTÍNEZ-CARBALLO, J. REGUEIRO & J. SIMAL-GÁNDARA (Spain)
- 1121 Near infrared spectroscopy (NIRS) for on-line determination of quality parameters in intact olives  
L. SALGUERO-CHAPARRO (Spain), V. BAETEN, J.A. FERNÁNDEZ-PIERNA (Belgium) & F. PEÑA-RODRÍGUEZ (Spain)

**Corrigendum**

- 170 Corrigendum to “Increase in antioxidant effect of ginsenoside Re-alanine mixture by Maillard reaction” [Food Chemistry 135 (2012) 2430–2435]  
W. LEE, S.-H. PARK, S. LEE, B.C. CHUNG, M.O. SONG, K. SONG II, J. HAM, S.-N. KIM & K.S. KANG (Republic of Korea)

**Book Reviews**

- 86 Vitamin A and Carotenoids. Chemistry, Analysis, Function and Effects, V.R. Preedy (Editor), RSC Publishing, Cambridge, United Kingdom (2012). pp. 583.  
R.M. DELGADO (United Kingdom)
- 814 Bioactive food as dietary interventions for diabetes, 1st ed., Ronald Ross Watson and Victor R. Preedy (Eds.), Academic Press in an imprint of Elsevier publishers, London, San Diego, 2013.  
J.A. LOVEGROVE (UK)
- I Calendar