

CONTENTS

Volume 140, issues 1–2, 1 September–15 September 2013 (Published 22 April 2013)

General Papers

- 1 Glutathione conjugation attenuates biological activities of 6-dehydroshogaol from ginger
G. ZHANG, V. NITTERANON, L.Y. CHAN & K.L. PARKIN (United States)
- 9 Role of plant stanol derivatives in the modulation of cholesterol metabolism and liver gene expression in mice
W.-S. HE, M.-G. WANG, X.-X. PAN, J.-J. LI, C.-S. JIA, X.-M. ZHANG & B. FENG (China)
- 22 Inhibitory effect of skullcap (*Scutellaria baicalensis*) extract on ovalbumin permeation *in vitro* and *in vivo*
H.S. SHIN, M.-J. BAE, S.Y. JUNG & D.-H. SHON (Republic of Korea)
- 31 Beneficial effects of noni (*Morinda citrifolia* L.) juice on livers of high-fat dietary hamsters
Y.-L. LIN, Y.-Y. CHANG, D.-J. YANG, B.-S. TZANG & Y.-C. CHEN (Taiwan)
- 39 Proposal of mechanism of the freeze–thaw fractionation of 7S and 11S globulins in soymilk
K. MORITA & M. SHIMOYAMADA (Japan)
- 44 An optimised method for the accurate determination of zeranol and diethylstilbestrol in animal tissues using isotope dilution-liquid chromatography/mass spectrometry
H. HAN, B. KIM, S.G. LEE & J. KIM (Republic of Korea)
- 68 Evolution of quality parameters during red wine dealcoholization by osmotic distillation
L. LIGUORI, P. RUSSO, D. ALBANESE & M. DI MATTEO (Italy)
- 76 Influence of phenolic compounds on the sensorial perception and volatility of red wine esters in model solution: An insight at the molecular level
B. LORRAIN, S. TEMPERE, N. ITURMENDI, V. MOINE, G. DE REVEL & P.-L. TEISSEDE (France)
- 91 Investigation of tocotrienol biosynthesis in rice (*Oryza sativa* L.)
K. MATSUZUKA, E. KIMURA, K. NAKAGAWA, K. MURATA, T. KIMURA & T. MIYAZAWA (Japan)
- 99 The impact of catechin and epicatechin, total phenols and PPO activity on the Mal d 1 content in apple fruit
D. KIEWNING, R. WOLLSEIFEN & M. SCHMITZ-EIBERGER (Germany)
- 105 Biochemical and physical changes of grass carp (*Ctenopharyngodon idella*) fillets stored at –3 and 0°C
D. LIU, L. LIANG, W. XIA (China), J.M. REGENSTEIN (USA) & P. ZHOU (China)
- 115 Saponins from *Platycodon grandiflorum* inhibit hepatic lipogenesis through induction of SIRT1 and activation of AMP-activated protein kinase in high-glucose-induced HepG2 cells
Y.P. HWANG, J.H. CHOI, H.G. KIM, H.-S. LEE, Y.C. CHUNG & H.G. JEONG (Republic of Korea)

Continued on inside back cover

CONTENTS—Continued from outside back cover

- 124 Volatile release and structural stability of β -lactoglobulin primary and multilayer emulsions under simulated oral conditions
O. BENJAMIN (New Zealand, Germany), P. SILCOCK (New Zealand), J. BEAUCHAMP, A. BUETTNER (Germany) & D.W. EVERETT (New Zealand)
- 141 LC/MS analysis of proteolytic peptides in wheat extracts for determining the content of the allergen amylase/trypsin inhibitor CM3: Influence of growing area and variety
B. PRANDI, A. FACCINI, T. TEDESCHI, G. GALAVERNA & S. SFORZA (Italy)
- 147 Modeling and prediction of extraction profile for microwave-assisted extraction based on absorbed microwave energy
C.-H. CHAN, R. YUSOFF & G.-C. NGOH (Malaysia)
- 154 A study of the precursors of the natural antioxidant phenol 3,4-dihydroxyphenylglycol in olive oil waste
A. LAMA-MUÑOZ, G. RODRÍGUEZ-GUTIÉRREZ, F. RUBIO-SENENT, R. PALACIOS-DÍAZ & J. FERNÁNDEZ-BOLAÑOS (Spain)
- 161 A new method for detection of five alternaria toxins in food matrices based on LC-APCI-MS
A. PRELLE, D. SPADARO, A. GARIBALDI & M.L. GULLINO (Italy)
- 168 Extraction of oak volatiles and ellagitannins compounds and sensory profile of wine aged with French winewoods subjected to different toasting methods: Behaviour during storage
K. CHIRA & P.-L. TEISSEDE (France)
- 189 Antioxidant ability of fractionated apple peel phenolics to inhibit fish oil oxidation
S. SEKHON-LOODU, S.N. WARNAKULASURIYA, H.P.V. RUPASINGHE & F. SHAHIDI (Canada)
- 197 Pilot study on levels of perfluorooctane sulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) in selected foodstuffs and human milk from Italy
C. GUERRANTI, G. PERRA, S. CORSOLINI & S.E. FOCARDI (Italy)
- 225 Selenium bioaccessibility and speciation in biofortified *Pleurotus* mushrooms grown on selenium-rich agricultural residues
P. BHATIA (India), F. AURELI, M. D'AMATO (Italy), R. PRAKASH, S.S. CAMEOTRA, T.P. NAGARAJA (India) & F. CUBADDA (Italy)
- 238 Proteolytic activities in fillets of selected underutilized Australian fish species
Z. AHMED, O. DONKOR, W.A. STREET & T. VASILJEVIC (Australia)
- 245 Different influences of β -glucosidases on volatile compounds and anthocyanins of Cabernet Gernischt and possible reason
Y. WANG, C. ZHANG, J. LI & Y. XU (China)
- 255 Prooxidative and antioxidative properties of β -carotene in chlorophyll and riboflavin photosensitized oil-in-water emulsions
J. PARK, T.S. KIM, M.-J. KIM & J. LEE (Republic of Korea)
- 262 C-Phycocyanin from *Oscillatoria tenuis* exhibited an antioxidant and *in vitro* antiproliferative activity through induction of apoptosis and G₀/G₁ cell cycle arrest
R. THANGAM, V. SURESH, W. ASENATH PRINCY, M. RAJKUMAR, N. SENTHILKUMAR, P. GUNASEKARAN, R. RENGASAMY, C. ANBAZHAGAN, K. KAVERI & S. KANNAN (India)
- 273 Effect of 5-hydroxymethylfurfural derived from processed *Cornus officinalis* on the prevention of high glucose-induced oxidative stress in human umbilical vein endothelial cells and its mechanism
G. CAO, H. CAI, B. CAI (PR China) & S. TU (Australia)
- 280 Conjugated linoleic acid and calcium co-supplementation improves bone health in ovariectomised mice
Y. PARK, J. KIM, A.G. SCRIMGEOUR, M.L. CONDLIN, D. KIM & Y. PARK (United States)
- 289 The effect of citric acid on the activity, thermodynamics and conformation of mushroom polyphenoloxidase
W. LIU, L.-Q. ZOU, J.-P. LIU, Z.-Q. ZHANG, C.-M. LIU & R.-H. LIANG (China)
- 296 Inputs of polychlorinated biphenyl residues in animal feeds
R. FERNÁNDEZ-GONZÁLEZ, I. YEBRA-PIMENTEL, E. MARTÍNEZ-CARBALLO, J. REGUEIRO & J. SIMAL-GÁNDARA (Spain)

Continued on last page

CONTENTS—Continued from inside back cover

- 305 The oestrogenic and anti-platelet activities of dihydrobenzofuroisocoumarins and homoisoflavonoids from *Liriope platyphylla* roots
Y.-C. TSAI, S.-Y. CHIANG (Taiwan), M. EL-SHAZLY (Taiwan, Egypt), C.-C. WU (Taiwan), L. BEERHUES (Germany), W.-C. LAI, S.-F. WU, M.-H. YEN, Y.-C. WU & F.-R. CHANG (Taiwan)
- 315 Evaluation of the hydration state of saccharides using terahertz time-domain attenuated total reflection spectroscopy
K. SHIRAGA, Y. OGAWA, N. KONDO, A. IRISAWA & M. IMAMURA (Japan)
- 321 Investigation on the role of *Spirulina platensis* in ameliorating behavioural changes, thyroid dysfunction and oxidative stress in offspring of pregnant rats exposed to fluoride
D. BANJI, O.J.F. BANJI, N. G. PRATUSHA & A.R. ANNAMALAI (India)
- 332 Impact of blanching on polyphenol stability and antioxidant capacity of innovative coriander (*Coriandrum sativum* L.) pastes
A. KAISER, D.R. KAMMERER & R. CARLE (Germany)
- 343 Comparison of antioxidant activity of hydroethanolic fresh and aged garlic extracts and their effects on cerebral ischemia
M.I. CERVANTES, P.M. DE OCA BALDERAS, J. DE JESÚS GUTIÉRREZ-BAÑOS, M. OROZCO-IBARRA, B. FERNÁNDEZ-ROJAS, O.N. MEDINA-CAMPOS, M. ESPINOZA-ROJO, M. RUIZ-TACHIQUÍN, A. ORTIZ-PLATA, MA. I. SALAZAR, M. RUBIO-OSORNIO, E. CASTAÑEDA-SAUCEDO, J. PEDRAZA-CHAVERRI, F. CALZADA & P. AGUILERA (Mexico)
- 353 Flavonol glycosides with lipid accumulation inhibitory activity and simultaneous quantitative analysis of 15 polyphenols and caffeine in the flower buds of *Camellia sinensis* from different regions by LCMS
T. MORIKAWA, K. NINOMIYA, S. MIYAKE, Y. MIKI, M. OKAMOTO, M. YOSHIKAWA & O. MURAOKA (Japan)
- 361 Hemocyanin-derived phenoloxidase activity: A contributing factor to hyperpigmentation in *Nephrops norvegicus*
C.J. COATES & J. NAIRN (UK)
- 371 Residues and dissipation of kresoxim methyl in apple under field condition
F. MALHAT, E. KAMEL, A. SABER, E. HASSAN, A. YOUSSEF, M. ALMAZ, A. HASSAN & A.E.-S. FAYZ (Egypt)
- 375 Impact of the Mediterranean fruit fly (Medfly) *Ceratitis capitata* on different peach cultivars: The possible role of peach volatile compounds
M.R. TABILIO, D. FIORINI, E. MARCANTONI, S. MATERAZZI, M. DELFINI, F.R. DE SALVADOR & S. MUSMECI (Italy)
- 382 A calibrator plasmid for quantitative analysis of insect resistant maize (Yieldgard MON 810)
R.V. BALLARI, A. MARTIN & L.R. GOWDA (India)
- General Section: Short Communications**
- 17 Risk assessment of microcystins in silver carp (*Hypophthalmichthys molitrix*) from eight eutrophic lakes in China
D. ZHANG, X. DENG, P. XIE, J. CHEN & L. GUO (PR China)
- 52 Novel water-resistant UV-activated oxygen indicator for intelligent food packaging
C.H.T. VU & K. WON (Republic of Korea)
- 204 Effect of salt solutions applied during wheat conditioning on lipase activity and lipid stability of whole wheat flour
A.F. DOBLADO-MALDONADO, E.A. ARNDT & D.J. ROSE (USA)
- ANALYTICAL METHODS: Papers**
- 57 Characterization of Muscat wines aroma evolution using comprehensive gas chromatography followed by a post-analytic approach to 2D contour plots comparison
M. BORDIGA, M. RINALDI, M. LOCATELLI, G. PIANA, F. TRAVAGLIA, J.D. COÏSSON & M. ARLORIO (Italy)
- 83 Fast determination of sulfonamides from egg samples using magnetic multiwalled carbon nanotubes as adsorbents followed by liquid chromatography–tandem mass spectrometry
Y. XU, J. DING, H. CHEN, Q. ZHAO, J. HOU, J. YAN, H. WANG, L. DING & N. REN (China)
- 135 Stable isotope analysis of cattle tail hair: A potential tool for verifying the geographical origin of beef
X. LIU, B. GUO, Y. WEI, J. SHI & S. SUN (People's Republic of China)

CONTENTS—*Continued from last page of the issue*

- 178 Thermal analysis of some natural polysaccharide materials by isoconversional method
M.S. IQBAL, S. MASSEY, J. AKBAR, C.M. ASHRAF & R. MASIH (Pakistan)
- 183 Determination of α -keto acids in pork meat and Iberian ham via tandem mass spectrometry
F.J. HIDALGO, J.L. NAVARRO, R.M. DELGADO & R. ZAMORA (Spain)
- 210 Amino acid profiles and quantitative structure–property relationship models as markers for Merlot and
Torrontés wines
P.R. DUCHOWICZ, M.A. GIRAUDO, E.A. CASTRO & A.B. POMILIO (Argentina)
- 217 Garnacha Tintorera-based sweet wines: Chromatic properties and global phenolic composition by means of
UV–Vis spectrophotometry
M. FIGUEIREDO-GONZÁLEZ, B. CANCHO-GRANDE & J. SIMAL-GÁNDARA (Spain)
- 231 Characterization of Hatay honeys according to their multi-element analysis using ICP-OES combined with
chemometrics
Y. YÜCEL & P. SULTANOĞLU (Turkey)
- 340 Development and validation of ethylenethiourea determination in foods using methanol-based extraction,
solid-phase extraction cleanup and LC–MS/MS
K. TRAN, L.P. MACTAL, M.R. CROMER, R.H. VOCQUE & R.E. SMITH (United States)
- 390 Comparison of spectrophotometric and HPLC methods for determination of carotenoids in foods
S. LUTEROTTI, K. MARKOVIĆ (Croatia), M. FRANKO (Slovenia), D. BICANIC (The Netherlands), A. MADŽGALJ
(Slovenia) & K. KLJAK (Croatia)
- Corrigendum**
- 370 Corrigendum to “Effect of nanometer pearl powder on calcium” [Food Chemistry 109 (2008) 493–498]
H. GAO, H. CHEN, W. CHEN, F. TAO, Y. ZHENG, Y. JIANG & H. RUAN (PR China)
- I Calendar