

CONTENTS

Volume 138, issue 4, 15 June 2013 (Published 6 April 2013)

General Section: Review

- 2099 A review of the dietary flavonoid, kaempferol on human health and cancer chemoprevention
A.Y. CHEN & Y.C. CHEN (USA)

General Papers

- 2071 Pigment production by a new thermotolerant microalga *Coelastrella* sp. F50
C.-W. HU, L.-T. CHUANG, P.-C. YU & C.-N.N. CHEN (Taiwan)
- 2089 Morphology and structural properties of high-amylose rice starch residues hydrolysed by amyloglucosidase
J. MAN, Y. YANG, J. HUANG, C. ZHANG, F. ZHANG, Y. WANG, M. GU, Q. LIU & C. WEI (China)
- 2115 Lipid components and water soluble metabolites in salted and dried tuna (*Thunnus thynnus* L.) roes
P. SCANO, A. ROSA, M.B. PISANO, C. PIRAS, S. COSENTINO & M.A. DESSI (Italy)
- 2122 Application of response surface methodology to optimise extraction of flavonoids from *fructus sophorae*
Q. XU, Y. SHEN, H. WANG, N. ZHANG, S. XU & L. ZHANG (China)
- 2130 AKT signalling and mitochondrial pathways are involved in mushroom polysaccharide-induced apoptosis and G₁ or S phase arrest in human hepatoma cells
F. OUYANG, G. WANG, W. GUO, Y. ZHANG, W. XIANG & M. ZHAO (PR China)
- 2140 Theaflavins, dimeric catechins, inhibit peptide transport across Caco-2 cell monolayers via down-regulation of AMP-activated protein kinase-mediated peptide transporter PEPT1
J. TAKEDA, H.-Y. PARK, Y. KUNITAKE, K. YOSHIURA & T. MATSUI (Japan)
- 2152 Aqueous enzymatic process assisted by microwave extraction of oil from yellow horn (*Xanthoceras sorbifolia* Bunge.) seed kernels and its quality evaluation
J. LI, Y.-G. ZU, M. LUO, C.-B. GU, C.-J. ZHAO (PR China), T. EFFERTH (Germany) & Y.-J. FU (PR China)
- 2159 Monitoring the effect of high pressure and transglutaminase treatment of milk on the evolution of flavour compounds during lactic acid fermentation using PTR-ToF-MS
M. TSEVDOU (Greece), C. SOUKOULIS, L. CAPPELLIN, F. GASPERI (Italy), P.S. TAOUKIS (Greece) & F. BIASIOLI (Italy)
- 2168 Chemical composition and antioxidant activity of dried powder formulations of *Agaricus blazei* and *Lentinus edodes*
A.A.J. CARNEIRO (Spain, Portugal, Brazil), I.C.F.R. FERREIRA (Portugal), M. DUEÑAS (Spain), L. BARROS (Portugal), R. DA SILVA, E. GOMES (Brazil) & C. SANTOS-BUELGA (Spain)

Continued on inside back cover

CONTENTS—Continued from outside back cover

- 2174 Purification and characterisation of two enzymes related to endogenous formaldehyde in *Lentinula edodes*
Y. LIU, Y. YUAN, X.-Y. LEI, H. YANG (China), S.A. IBRAHIM (United States) & W. HUANG (China)
- 2180 Chemical composition, antioxidant and antimicrobial activities of essential oil obtained from
Ferula assa-foetida oleo-gum-resin: Effect of collection time
G. KAVOOSI & V. ROWSHAN (Iran)
- 2188 Mild Fe-deficiency improves biomass production and quality of hydroponic-cultivated spinach plants
(*Spinacia oleracea* L.)
C.-W. JIN, Y. LIU, Q.-Q. MAO, Q. WANG & S.-T. DU (China)
- 2201 PSP activates monocytes in resting human peripheral blood mononuclear cells: Immunomodulatory
implications for cancer treatment
B.K. SEKHON, D.M.-Y. SZE, W.K. CHAN, K. FAN, G.Q. LI, D.E. MOORE & R.H. ROUBIN (Australia)
- 2210 The influence of Goishi tea on adipocytokines in obese mice
J. YOKOTA, K. JOBU, S. YOSHIOKA, T. KASHIWAGI, T. SHIMAMURA, H. MORIYAMA, S. MURATA, M. OHISHI,
H. UKEDA & M. MIYAMURA (Japan)
- 2219 Physicochemical characterisation of dietary fibre components and their ability to bind some process-induced
mutagenic heterocyclic amines, Trp-P-1, Trp-P-2, A α C and MeA α C
M. RAMAN, U. NILSSON, K. SKOG, M. LAWThER, B. NAIR & M. NYMAN (Sweden)
- 2225 Optimisation of synthesis of oligosaccharides derived from lactulose (fructosyl-galacto-oligosaccharides) with
 β -galactosidases of different origin
C. GUERRERO, C. VERA & A. ILLANES (Chile)
- 2233 Evaluation of sequential inoculation of *Saccharomyces cerevisiae* and *Oenococcus oeni* strains on the chemical
and aromatic profiles of cherry wines
S.Y. SUN, C.Y. CHE, T.F. SUN, Z.Z. LV, S.X. HE, H.N. GU, W.J. SHEN, D.C. CHI & Y. GAO (PR China)
- 2242 Structural characterisation of polysaccharides from *Tricholoma matsutake* and their antioxidant and
antitumour activities
L. YOU, Q. GAO, M. FENG, B. YANG, J. REN, L. GU, C. CUI & M. ZHAO (China)
- 2250 The antioxidants in oils heated at frying temperature, whether natural or added, could protect against
postprandial oxidative stress in obese people
A. PEREZ-HERRERA, O.A. RANGEL-ZUÑIGA, J. DELGADO-LISTA, C. MARIN, P. PEREZ-MARTINEZ, I. TASSET,
I. TUNEZ, G.M. QUINTANA-NAVARRO, F. LOPEZ-SEGURA, M.D. LUQUE DE CASTRO, J. LOPEZ-MIRANDA,
A. CAMARGO & F. PEREZ-JIMENEZ (Spain)
- 2260 Biotransformation of imperatorin by *Penicillium janthinellum*. Anti-osteoporosis activities of its metabolites
X. LV, D. LIU, J. HOU, P. DONG, L. ZHAN, L. WANG, S. DENG, C. WANG, J. YAO, X. SHU, K. LIU & X. MA (China)
- 2267 Identification of novel dietary phytochemicals inhibiting the efflux transporter breast cancer resistance protein
(BCRP/ABCG2)
K.W. TAN, Y. LI, J.W. PAXTON, N.P. BIRCH & A. SCHEEPENS (New Zealand)
- 2275 Inhibition of neuroinflammation by cinnamon and its main components
S.-C. HO, K.-S. CHANG & P.-W. CHANG (Taiwan)
- 2283 Kinetics of protein physicochemical changes induced by heating in meat using mimetic models: (2) Effects of
fibre type, peroxides and antioxidants
A. PROMEYRAT, J.D. DAUDIN, T. ASTRUC, J. DANON & P. GATELLIER (France)
- 2291 Roasting-induced changes in arabinotriose, a model of coffee arabinogalactan side chains
A.S.P. MOREIRA, M.A. COIMBRA, F.M. NUNES & M.R.M. DOMINGUES (Portugal)
- 2300 The clinical and immunomodulatory effects of green soybean extracts
Y. KATAYANAGI, K. YASUI, H. IKEMOTO, K. TAGUCHI, R. FUKUTOMI, M. ISEMURA, T. NAKAYAMA & S. IMAI
(Japan)
- 2312 Rapid monitoring of heat-accelerated reactions in vegetable oils using direct analysis in real time ionization
coupled with high resolution mass spectrometry
L. VACLAVIK, B. BELKOVA, Z. REBLOVA, K. RIDDELLOVA & J. HAJSLLOVA (Czech Republic)

Continued on last page

- 2321 Effect of pH on phosphorylation of potato protein isolate
J. MIEDZIANKA & A. PEKSA (Poland)
- 2327 Interaction of curcumin with phosphocasein micelles processed or not by dynamic high-pressure
A. BENZARIA, M. MARESCA, N. TAIEB & E. DUMAY (France)
- 2338 High pressure homogenization increases antioxidant capacity and short-chain fatty acid yield of polysaccharide from seeds of *Plantago asiatica* L.
J.-L. HU, S.-P. NIE & M.-Y. XIE (China)
- 2346 Identification of the odour-active cyclic diketone *cis*-2,6-dimethyl-1,4-cyclohexanedione in roasted Arabica coffee brew
H. MIYAZATO, M. NAKAMURA, S. HASHIMOTO & S. HAYASHI (Japan)
- 2356 Inhibition of citral degradation in an acidic aqueous environment by polyoxyethylene alkylether surfactants
M. MASWAL & A.A. DAR (India)
- 2365 Effect of storage time and heat processing on the volatile profile of Senegalese sole (*Solea senegalensis* Kaup, 1858) muscle
N. MOREIRA, L.M.P. VALENTE, M. CASTRO-CUNHA, L.M. CUNHA & P. GUEDES DE PINHO (Portugal)
- 2374 Stability of sunflower 2S albumins and LTP to physiologically relevant *in vitro* gastrointestinal digestion
B. BERECZ (UK, Hungary), E.N. CLARE MILLS (UK), I. PARÁDI, F. LÁNG, L. TAMÁS (Hungary), P.R. SHEWRY & A.R. MACKIE (UK)
- 2407 Effect of dietary carnosic acid on the fatty acid profile and flavour stability of meat from fattening lambs
L. MORÁN, F.J. GIRÁLDEZ (Spain), S. PANSERI (Italy), N. ALDAI, M.J. JORDÁN (Spain), L.M. CHIESA (Italy) & S. ANDRÉS (Spain)
- 2415 Calcium hydroxy palmitate: Possible precursor phase in calcium precipitation by palmitate
M. VAVRUSOVA, R. RAITIO, V. ORLIEN & L.H. SKIBSTED (Denmark)
- 2421 Sensory quality and compositional characteristics of blackcurrant juices produced by different processes
O. LAAKSONEN, L. MÄKILÄ, R. TAHVONEN, H. KALLIO & B. YANG (Finland)
- 2435 Comparative study on molecular characteristics of acid soluble collagens from skin and swim bladder of seabass (*Lates calcarifer*)
S. SINTHUSAMRAN, S. BENJAKUL (Thailand) & H. KISHIMURA (Japan)
- 2442 Thermal degradation kinetics of xanthophylls from blood orange in model and real food systems
T. HADJAL (Algeria), C. DHUIQUE-MAYER (France), K. MADANI (Algeria), M. DORNIER & N. ACHIR (France)
- 2451 Wine bottle colour and oxidative spoilage: Whole bottle light exposure experiments under controlled and uncontrolled temperature conditions
D.A. DIAS, A.C. CLARK, T.A. SMITH, K.P. GHIGGINO & G.R. SCOLLARY (Australia)
- 2460 Extraction/oxidation kinetics of low molecular weight compounds in wine brandy resulting from different ageing technologies
S. CANAS, I. CALDEIRA & A.P. BELCHIOR (Portugal)
- ANALYTICAL METHODS: Papers**
- 2079 Performances of CN-columns for the analysis of γ -oryzanol and its *p*-coumarate and caffeate derivatives by normal phase HPLC and a validated method of quantitation
M. D'AMBROSIO (Italy)
- 2146 Screening test for rapid food safety evaluation by menadione-catalysed chemiluminescent assay
S. YAMASHOJI, N. YOSHIKAWA, M. KIRIHARA & T. TSUNEYOSHI (Japan)
- 2195 Application of reduced graphene oxide and carbon nanotube modified electrodes for measuring the enzymatic activity of alcohol dehydrogenase
X. WANG, L. LI, Y. WANG, C. XU, B. ZHAO & X. YANG (China)
- 2382 Mass spectrometry identification of alkyl-substituted pyrazines produced by *Pseudomonas* spp. isolates obtained from wine corks
L. BAÑERAS, R. TRIAS, A. GODAYOL, L. CERDÁN (Spain), T. NAWRATH, S. SCHULZ (Germany) & E. ANTICÓ (Spain)

CONTENTS—Continued from last page of the issue

- 2390 Characterization of phenolics of *Sarcandra glabra* by non-targeted high-performance liquid chromatography fingerprinting and following targeted electrospray ionisation tandem mass spectrometry/time-of-flight mass spectrometry analyses
H. ZHOU, J. LIANG, D. LV, Y. HU, Y. ZHU, J. SI & S. WU (China)
- 2399 Determination of major phlorotannins in *Eisenia bicyclis* using hydrophilic interaction chromatography: Seasonal variation and extraction characteristics
S.M. KIM, S.W. KANG, J.-S. JEON, Y.-J. JUNG, W.-R. KIM, C.Y. KIM & B.-H. UM (Republic of Korea)
- 2430 Innovative microwave-assisted hydrolysis of ellagitannins and quantification as ellagic acid equivalents
G. THEOCHARIS & W. ANDLAUER (Switzerland)
- ANALYTICAL METHODS: Short Communications**
- 2108 Determination of chemical variability of phenolic and monoterpene glycosides in the seeds of *Paeonia* species using HPLC and profiling analysis
C. HE, Y. PENG, W. XIAO, H. LIU & P.-G. XIAO
- 2306 Quantifying fenobucarb residue levels in beef muscles using liquid chromatography–tandem mass spectrometry and QuEChERS sample preparation
K.H. PARK (Republic of Korea), J.-H. CHOI (Germany), A.M. ABD EL-ATY (Egypt), MD. MUSFIQUR RAHMAN, J. JANG, A.-Y. KO, K.S. KWON, H.R. PARK, H.S. KIM & J.-H. SHIM (Republic of Korea)