

Reviews

- A. Juan-García, L. Manyes, M.-J. Ruiz and G. Font* 40–59 Applications of flow cytometry to toxicological mycotoxin effects in cultured mammalian cells: A review

- R. R. Simon, J. F. Borzelleca, H. F. DeLuca and C. M. Weaver* 278–289 Safety assessment of the post-harvest treatment of button mushrooms (*Agaricus bisporus*) using ultraviolet light

- Y. Wu and Y. Zhang* 325–335 Analytical chemistry, toxicology, epidemiology and health impact assessment of melamine in infant formula: Recent progress and developments

- M. A. Martin, L. Goya and S. Ramos* 336–351 Potential for preventive effects of cocoa and cocoa polyphenols in cancer

- Research Papers**
- S.-P. Xu, X.-Y. Mao, X. Cheng and B. Chen* 1–7 Ameliorating effects of casein glycomacropeptide on obesity induced by high-fat diet in male Sprague-Dawley rats

- K. J. Nho, J. M. Chun and H. K. Kim* 8–17 Corosolic acid induces apoptotic cell death in human lung adenocarcinoma A549 cells *in vitro*

- Q. Zeng, C. Wei, Y. Wu, K. Li, S. Ding, J. Yuan, X. Yang and M. Chen* 18–27 Approach to distribution and accumulation of dibutyl phthalate in rats by immunoassay

- Y.-S. Weng, W.-W. Kuo, Y.-M. Lin, C.-H. Kuo, B.-S. Tzang, F.-J. Tsai, C.-H. Tsai, J. A. Lin, D. J.-Y. Hsieh and C.-Y. Huang* 28–39 Danshen mediates through estrogen receptors to activate Akt and inhibit apoptosis effect of Leu27IGF-II-induced IGF-II receptor signaling activation in cardiomyoblasts

- R. M. Novick, M. L. Nelson, K. M. Unice, J. J. Keenan and D. J. Paustenbach* 60–66 Estimation of the safe use concentrations of the preservative 1,2-benzisothiazolin-3-one (BIT) in consumer cleaning products and sunscreens

- X. Hu, J. H. Gao, Y. J. Liao, S. J. Tang and F. Lu* 67–74 Dexamethasone alters epithelium proliferation and survival and suppresses Wnt/β-catenin signaling in developing cleft palate

- S. Yan, W. Song, Y. Chen, K. Hong, J. Rubinstein and H.-S. Wang* 75–80 Low-dose bisphenol A and estrogen increase ventricular arrhythmias following ischemia-reperfusion in female rat hearts

- L. Ye, X. Guan, J. Tian, J. Zhang, G. Du, X. Yu, P. Yu, X. Cen, W. Liu and Y. Li* 81–92 Three-month subchronic intramuscular toxicity study of rotigotine-loaded microspheres in SD rats

- H. G. Kim, J. H. Yang, E. H. Han, J. H. Choi, T. Khanal, M. H. Jeong, T. C. Jeong and H. G. Jeong* 93–99 Inhibitory effect of dihydroartemisinin against phorbol ester-induced cyclooxygenase-2 expression in macrophages

- S.-H. Park, H. S. Park, J. H. Lee, G. Y. Chi, G.-Y. Kim, S.-K. Moon, Y.-C. Chang, J. W. Hyun, W.-J. Kim and Y. H. Choi* 100–109 Induction of endoplasmic reticulum stress-mediated apoptosis and non-canonical autophagy by luteolin in NCI-H460 lung carcinoma cells

<i>M. Tomczynska, J. Malinowska, A. Morel, A. I. Hamed, W. Oleszek, A. Stochmal and B. Olas</i>	266–271	Comparative antiadhesive properties of crude extract and phenolic fraction isolated from aerial parts of <i>Tribulus pterocarpus</i> during severe hyperhomocysteinemia
<i>Y. J. Lee, Y.-J. Hong, J. Y. Kim, K. W. Lee and O. Kwon</i>	272–277	Dietary <i>Chlorella</i> protects against heterocyclic amine-induced aberrant gene expression in the rat colon by increasing fecal excretion of unmetabolized PhIP
<i>M. Matsumoto, M. Yamaguchi, Y. Yoshida, M. Senuma, H. Takashima, T. Kawamura, H. Kato, M. Takahashi, M. Hirata-Koizumi, A. Ono, K. Yokoyama and A. Hirose</i>	290–296	An antioxidant, N,N'-diphenyl-p-phenylenediamine (DPPD), affects labor and delivery in rats: A 28-day repeated dose test and reproduction/developmental toxicity test
<i>Y. Zhou, H. Zhang, J. He, X. Chen, Y. Ding, Y. Wang and X. Liu</i>	297–303	Effects of sodium fluoride on reproductive function in female rats
<i>E.-J. Yang, J.-Y. Lee, S.-H. Park, T. Lee and K.-S. Song</i>	304–312	Neuroprotective effects of neolignans isolated from <i>Magnoliae Cortex</i> against glutamate-induced apoptotic stimuli in HT22 cells
<i>B. Lynch, A. Lau, N. Baldwin, M. R. Bauter and P. A. Marone</i>	313–324	Subchronic and reproductive toxicity of whole dried <i>Hoodia parviflora</i> aerial parts in the rat
<i>S. Afoulous, H. Ferhout, E. G. Raoelison, A. Valentin, B. Moukarzel, F. Couderc and J. Bouajila</i>	352–362	Chemical composition and anticancer, antiinflammatory, antioxidant and antimalarial activities of leaves essential oil of <i>Cedrelopsis grevei</i>
<i>M. Aznar, J. Gómez-Estaca, D. Vélez, V. Devesa and C. Nerín</i>	363–370	Migrants determination and bioaccessibility study of ethyl lauroyl arginate (LAE) from a LAE based antimicrobial food packaging material
<i>A. Chahin, J. Peiffer, J.-C. Olry, G. Crepeaux, H. Schroeder, G. Rychen and Y. Guiavarc'h</i>	371–380	EROD activity induction in peripheral blood lymphocytes, liver and brain tissues of rats orally exposed to polycyclic aromatic hydrocarbons
<i>A. Virginia, A. Claudia, B. P. Soledad, O. Gabriela, E. A. Jorge and I. Albesa</i>	381–386	Nitrosylation: An adverse factor in Uremic Hemolytic Syndrome. Antitoxin effect of <i>Ziziphus mistol Griseb</i>
<i>J. Rubert, J. M. Soriano, J. Mañes and C. Soler</i>	387–391	Occurrence of fumonisins in organic and conventional cereal-based products commercialized in France, Germany and Spain
<i>X.-Y. Qi, S.-C. Liang, G.-B. Ge, Y. Liu, P.-P. Dong, J.-W. Zhang, A.-X. Wang, J. Hou, L.-L. Zhu, L. Yang and C.-X. Tu</i>	392–397	Inhibitory effects of sanguinarine on human liver cytochrome P450 enzymes
<i>L. Jiao, X. Zhang, L. Huang, H. Gong, B. Cheng, Y. Sun, Y. Li, Q. Liu, L. Zheng and K. Huang</i>	398–405	Proanthocyanidins are the major anti-diabetic components of cinnamon water extract
<i>G. Taylor, A. Petróczi, T. Nepusz and D. P. Naughton</i>	411–418	The Procrustean bed of EU food safety notifications via the Rapid Alert System for Food and Feed: Does one size fit all?
<i>Q. Gao, H.-J. Wang, X.-M. Wang, P.-F. Kang, Y. Yu, H.-W. Ye, H. Zhou and Z.-H. Li</i>	419–424	Activation of ALDH2 with ethanol attenuates diabetes induced myocardial injury in rats
<i>H. Jo, S. J. Choi and S. H. Jung</i>	425–435	Protective effects of a compound isolated from <i>Alnus japonica</i> on oxidative stress-induced death in transformed retinal ganglion cells
<i>C. Guo, L. Xu, Q. He, T. Liang, X. Duan and R. Li</i>	436–442	Anti-fibrotic effects of puerarin on CCl ₄ -induced hepatic fibrosis in rats possibly through the regulation of PPAR- γ expression and inhibition of PI3K/Akt pathway
<i>F. Maranghi, R. Tassinari, G. Moracci, I. Altieri, J. D. Rasinger, T. S. Carroll, C. Hogstrand, A.-K. Lundebye and A. Mantovani</i>	443–449	Dietary exposure of juvenile female mice to polyhalogenated seafood contaminants (HBCD, BDE-47, PCB-153, TCDD): Comparative assessment of effects in potential target tissues
<i>M. Wang, J. Zhang, X. Song, W. Liu, L. Zhang, X. Wang and C. Lv</i>	450–458	Astaxanthin ameliorates lung fibrosis <i>in vivo</i> and <i>in vitro</i> by preventing transdifferentiation, inhibiting proliferation, and promoting apoptosis of activated cells

<i>P. Kalaiselvi, K. Rajashree, L. Bharathi Priya and V. V. Padma</i>	110–118	Cytoprotective effect of epigallocatechin-3-gallate against deoxynivalenol-induced toxicity through anti-oxidative and anti-inflammatory mechanisms in HT-29 cells
<i>S. Bhattacharyya, P. B. Pal and P. C. Sil</i>	119–130	A 35kD <i>Phyllanthus niruri</i> protein modulates iron mediated oxidative impairment to hepatocytes via the inhibition of ERKs, p38 MAPKs and activation of PI3k/Akt pathway
<i>A. O. Affum, D. O. Shiloh and D. Adomako</i>	131–135	Monitoring of arsenic levels in some ready-to-use anti-malaria herbal products from drug sales outlets in the Madina area of Accra, Ghana
<i>M. G. Miguel, L. Faleiro, M. D. Antunes, S. Aazza, J. Duarte and A. R. Silvério</i>	136–144	Antimicrobial, antiviral and antioxidant activities of “água-mel” from Portugal
<i>B. M. Ceyhan, F. Gultekin, D. K. Doguc and E. Kulac</i>	145–148	Effects of maternally exposed coloring food additives on receptor expressions related to learning and memory in rats
<i>S. Ercan, G. Basaranlar, N. E. Gungor, C. Kencebay, P. Sahin, C. Celik-Ozenci and N. Derin</i>	154–161	Ghrelin inhibits sodium metabisulfite induced oxidative stress and apoptosis in rat gastric mucosa
<i>A. Sathya and P. Siddhuraju</i>	162–170	Protective effect of bark and empty pod extracts from <i>Acacia auriculiformis</i> against paracetamol intoxicated liver injury and alloxan induced type II diabetes
<i>O. Adejumo, O. Atanda, A. Raiola, Y. Somorin, R. Bandyopadhyay and A. Rittieni</i>	171–177	Correlation between aflatoxin M ₁ content of breast milk, dietary exposure to aflatoxin B ₁ and socioeconomic status of lactating mothers in Ogun State, Nigeria
<i>K. Valentová, A. Vidlář, M. Zatloukalová, M. Stuchlík, J. Vacek, V. Šimánek and J. Ulrichová</i>	178–183	Biosafety and antioxidant effects of a beverage containing silymarin and arginine. A pilot, human intervention cross-over trial
<i>M. Bonsignore, D. Salvagio Manta, E. Oliveri, M. Sprovieri, G. Basilone, A. Bonanno, F. Falco, A. Traina and S. Mazzola</i>	184–194	Mercury in fishes from Augusta Bay (southern Italy): Risk assessment and health implication
<i>J. H. Choi, S. W. Jin, B. H. Park, H. G. Kim, T. Khanal, H. J. Han, Y. P. Hwang, J. M. Choi, Y. C. Chung, S. K. Hwang, T. C. Jeong and H. G. Jeong</i>	195–203	Cultivated ginseng inhibits 2,4-dinitrochlorobenzene-induced atopic dermatitis-like skin lesions in NC/Nga mice and TNF- α /IFN- γ -induced TARC activation in HaCaT cells
<i>L. Tang, X. Ma, Q. Tian, Y. Cheng, H. Yao, Z. Liu, X. Qu and X. Han</i>	204–213	Inhibition of angiogenesis and invasion by DMBT is mediated by downregulation of VEGF and MMP-9 through Akt pathway in MDA-MB-231 breast cancer cells
<i>K. Fujiwara, S. Nakashima, M. Sami and T. Kanda</i>	214–222	Ninety-day dietary toxicity study of apple polyphenol extracts in Cr: CD (SD) rats
<i>A. R. Schultz Moreira, R. A. García-Fernández, A. Bocanegra, M. Teresa Méndez, S. Bastida, J. Benedí, M. I. Sánchez-Reus and F. J. Sánchez-Muniz</i>	223–230	Effects of seaweed-restructured pork diets enriched or not with cholesterol on rat cholesterolaemia and liver damage
<i>J. H. Choi, S. W. Jin, H. G. Kim, T. Khanal, Y. P. Hwang, K. J. Lee, C. Y. Choi, Y. C. Chung, Y. C. Lee and H. G. Jeong</i>	231–239	Platycodi Radix attenuates dimethylnitrosamine-induced liver fibrosis in rats by inducing Nrf2-mediated antioxidant enzymes
<i>D. Yüzbaşıoğlu, F. Ünal, F. Koç, S. Öztemel, H. Aksoy, S. Mamur and F. Demirtaş Korkmaz</i>	240–246	Genotoxicity assessment of vaccine adjuvant squalene
<i>L. Alemany, J. M. Laparra, R. Barberá and A. Alegria</i>	247–253	Relative expression of cholesterol transport-related proteins and inflammation markers through the induction of 7-ketosterol-mediated stress in Caco-2 cells
<i>X. Sun, X. Shan, Z. Yan, Y. Zhang and L. Guan</i>	254–260	Prediction and characterization of the linear IgE epitopes for the major soybean allergen β -conglycinin using immunoinformatics tools
<i>I. N. Tsakiris, M. N. Tzatzarakis, A. K. Alegakis, M. I. Vlachou, E. A. Renieri and A. M. Tsatsakis</i>	261–265	Risk assessment scenarios of children's exposure to aflatoxin M1 residues in different milk types from the Greek market

<i>J. Anwar, R. M. Spanevello, V. C. Pimentel, J. Gutierrez, G. Thomé, A. Cardoso, D. Zanini, C. Martins, H. E. Palma, M. D. Bagatini, J. Baldissarelli, R. Schmatz, C. A. M. Leal, P. da Costa, V. M. Morsch and M. R. C. Schetinger</i>	459–466	Caffeic acid treatment alters the extracellular adenine nucleotide hydrolysis in platelets and lymphocytes of adult rats
<i>T. K. Motawi, H. M. Abd-Elgawad and N. N. Shahin</i>	467–482	Effect of protein malnutrition on the metabolism and toxicity of cisplatin, 5-fluorouracil and mitomycin C in rat stomach
<i>D. Hernández-Moreno, A. E. M. F. Soffers, Wiratno, H. E. Falke, I. M. C. M. Rietjens and A. J. Murk</i>	483–490	Consumer and farmer safety evaluation of application of botanical pesticides in black pepper crop protection
Brief Communications		
<i>N. B. da Silva Fonseca, I. C. N. Gadelha, S. C. S. Oloris and B. Soto-Blanco</i>	149–153	Effectiveness of albumin-conjugated gossypol as an immunogen to prevent gossypol-associated acute hepatotoxicity in rats
<i>A. Zarros, K. Kalopita, S. Tsakiris and G. S. Baillie</i>	406–410	Can acetylcholinesterase activity be considered as a reliable biomarker for the assessment of cadmium-induced neurotoxicity?