

CONTENTS

Volume 51, issue 2, May 2013

Reviews

- 611** Relationship between antioxidants and acrylamide formation: A review
C. Jin, X. Wu, Y. Zhang (PR China)
- 729** Diverse food-based applications of nuclear magnetic resonance (NMR) technology
M.F. Marcone, S. Wang, W. Albabish, S. Nie, D. Somnarain, A. Hill (Canada, China)
- 764** Products of vegetable origin: A new alternative for the consumption of probiotic bacteria
E.M.F. Martins, A.M. Ramos, E.S.L. Vanzela, P.C. Stringheta, C.L. de Oliveira Pinto, J.M. Martins (Brazil)
- 823** Texture measurement approaches in fresh and processed foods – A review
L. Chen, U.L. Opara (China, South Africa)
- 954** A review on protein–phenolic interactions and associated changes
T. Ozdal, E. Capanoglu, F. Altay (Turkey)

Research Articles

- 437** Influence of konjac glucomannan on gelling properties and water state in egg white protein gel
J. Liu, K. Zhu, T. Ye, S. Wan, Y. Wang, D. Wang, B. Li, C. Wang (China)
- 444** Relationships between starch pasting properties, free fatty acids and amylose content in barley
D. Cozzolino, S. Roumeliotis, J. Eglinton (Australia)
- 450** Application of glycosidic aroma precursors to enhance the aroma and sensory profile of dealcoholised wines
J.J. Rodríguez-Bencomo, S. Selli, C. Muñoz-González, P.J. Martín-Álvarez, M.A. Pozo-Bayón (Spain, Turkey)
- 458** Rheological, microstructural and sensorial properties of durum wheat bread as affected by dough water content
M. Mastromatteo, M. Guida, A. Danza, J. Laverse, P. Frisullo, V. Lampignano, M.A. Del Nobile (Italy)
- 467** Antioxidant, antimicrobial activities and characterization of phenolic compounds from buriti (*Mauritia flexuosa* L. f.) by UPLC–ESI–MS/MS
H.H.F. Koolen, F.M.A. da Silva, F.C. Gozzo, A.Q.L. de Souza, A.D.L. de Souza (Brazil)
- 474** Application of high power ultrasound in the supercritical carbon dioxide inactivation of *Saccharomyces cerevisiae*
C. Ortuño, M.T. Martínez-Pastor, A. Mulet, J. Benedito (Spain)
- 482** Comparison on aroma compounds in Cabernet Sauvignon and Merlot wines from four wine grape-growing regions in China
B. Jiang, Z. Xi, M. Luo, Z. Zhang (PR China)
- 490** Comparative studies on the physicochemical properties of soy protein isolate-maltodextrin and soy protein isolate-gum acacia conjugate prepared through Maillard reaction
F. Xue, C. Li, X. Zhu, L. Wang, S. Pan (China)
- 496** Chemical characterization and antioxidant properties of *Lepista nuda* fruiting bodies and mycelia obtained by *in vitro* culture: Effects of collection habitat and culture media
S. Pinto, L. Barros, M.J. Sousa, I.C.F.R. Ferreira (Portugal)

(Continued from previous page)

- 503** Survival of *Bifidobacterium longum* 1941 microencapsulated with proteins and sugars after freezing and freeze drying
D. Dianawati, V. Mishra, N.P. Shah (Australia, Hong Kong)
- 510** A rheological characterisation of an olive oil/fatty alcohols organogel
F.R. Lupi, D. Gabriele, V. Greco, N. Baldino, L. Seta, B. de Cindio (Italy)
- 518** Phenolic acid composition and antioxidant potential of insoluble and soluble dietary fibre extracts derived from select whole-grain cereals
W. Guo, T. Beta (Canada)
- 526** Improving the chemopreventive potential of orange juice by enzymatic biotransformation
L.R. Ferreira, J.A. Macedo, M.L. Ribeiro, G.A. Macedo (Brazil)
- 536** Enological potential of chestnut wood for aging Tempranillo wines Part II: Phenolic compounds and chromatic characteristics
M.E. Alañón, R. Schumacher, L. Castro-Vázquez, M.C. Díaz-Maroto, I. Hermosín-Gutiérrez, M.S. Pérez-Coello (Spain)
- 544** A new sensory tool to analyse the oral trajectory of biscuits with different fat and fibre contents
L. Laguna, P. Varela, A. Salvador, S. Fiszman (Spain)
- 554** Evolution of the phenolic content, chromatic characteristics and sensory properties during bottle storage of red single-cultivar wines from Castilla La Mancha region
M.A. Gómez Gallego, E. Gómez García-Carpintero, E. Sánchez-Palomo, M.A. González Viñas, I. Hermosín-Gutiérrez (Spain)
- 564** Human exposure assessment of fluoride from tea (*Camellia sinensis* L.): A UK based issue?
L. Chan, A. Mehra, S. Saikat, P. Lynch (UK)
- 571** Stability and antioxidant activity of alkylresorcinols in breads enriched with hard and soft wheat brans
A. Gunenc, H. Tavakoli, K. Seetharaman, P.M. Mayer, D. Fairbanks, F. Hosseinian (Canada)
- 579** FT-NIR spectroscopy as a tool for valorization of spent coffee grounds: Application to assessment of antioxidant properties
R.N.M.J. Páscoa, L.M. Magalhães, J.A. Lopes (Portugal)
- 587** Low-molecular procyanidin rich grape seed extract exerts antihypertensive effect in males spontaneously hypertensive rats
M. Quiñones, L. Guerrero, M. Suarez, Z. Pons, A. Aleixandre, L. Arola, B. Muguerza (Spain, Columbia)
- 596** Effect of palm oil replacement with monoglyceride organogel and hydrogel on sweet bread properties
S. Calligaris, L. Manzocco, F. Valoppi, M.C. Nicoli (Italy)
- 603** Changes in the major caspases involved in cytoskeletal degradation of goose muscle during prolonged aging
X. Zhang, D. Pan, J. Cao, Z. Wu (China)
- 621** Heat-induced fibril assembly of vicilin at pH 2.0: Reaction kinetics, influence of ionic strength and protein concentration, and molecular mechanism
J. Liu, C.-H. Tang (People's Republic of China)
- 633** Classification of rice wine according to different marked ages using a portable multi-electrode electronic tongue coupled with multivariate analysis
Q. Ouyang, J. Zhao, Q. Chen (P.R. China)
- 641** Heterogeneous salt distribution in hot snacks enhances saltiness without loss of acceptability
M. Emorine, C. Septier, T. Thomas-Danguin, C. Salles (France)
- 648** Hepatoprotective effect of peptic hydrolysate from salmon pectoral fin protein byproducts on ethanol-induced oxidative stress in Sprague-Dawley rats
J.-Y. Je, J.-Y. Cha, Y.-S. Cho, H.-Y. Ahn, J.H. Lee, Y.-S. Cho, C.-B. Ahn (Republic of Korea)
- 654** Modified Moore swab optimization and validation in capturing *E. coli* O157:H7 and *Salmonella enterica* in large volume field samples of irrigation water
A. Sbodio, S. Maeda, G. Lopez-Velasco, T.V. Suslow (USA)

- 663** Phenolic profile and antioxidant properties of a crude extract obtained from a brewery waste stream
L. Barbosa-Pereira, I. Angulo, P. Paseiro-Losada, J.M. Cruz (Spain)
- 670** Overview of *Dekkera bruxellensis* behaviour in an ethanol-rich environment using untargeted and targeted metabolomic approaches
L. Conterno, E. Aprea, P. Franceschi, R. Viola, U. Vrhovsek (Italy)
- 679** Intracellular fate of retinyl acetate-loaded submicron delivery systems by *in vitro* intestinal epithelial cells: A comparison between whey protein-stabilised submicron droplets and micelles stabilised with polysorbate 80
A. Benzaria, D. Chevalier-Lucia, L. Picart-Palmade, P. Hue, T. López-Pedemonte, E. Dumay (France, Uruguay)
- 693** Surface texture characterization of an Italian pasta by means of univariate and multivariate feature extraction from their texture images
L. Fongaro, K. Kvaal (Italy, Norway)
- 706** Anthocyanin profiles in south Patagonian wild berries by HPLC-DAD-ESI-MS/MS
A. Ruiz, I. Hermosín-Gutiérrez, C. Vergara, D. von Baer, M. Zapata, A. Hitschfeld, L. Obando, C. Mardones (Chile, Spain)
- 714** Effect of PLA lamination on performance characteristics of agar/ κ -carrageenan/clay bio-nanocomposite film
J.-W. Rhim (Republic of Korea)
- 723** Stability of probiotic yogurt added with glucose oxidase in plastic materials with different permeability oxygen rates during the refrigerated storage
A.G. Cruz, W.F. Castro, J.A.F. Faria, H.M.A. Bolini, R.M.S. Celeghini, R.S.L. Raices, C.A.F. Oliveira, M.Q. Freitas, C.A. Conte Júnior, E.T. Mársico (Brazil)
- 748** Effect of cyclodextrins on the thermodynamic and kinetic properties of cyanidin-3-O-glucoside
A. Fernandes, A. Sousa, J. Azevedo, N. Mateus, V. de Freitas (Portugal)
- 756** Chemical, physico-chemical, technological, antibacterial and antioxidant properties of dietary fiber powder obtained from yellow passion fruit (*Passiflora edulis* var. *flavicarpa*) co-products
J.H. López-Vargas, J. Fernández-López, J.A. Pérez-Álvarez, M. Viuda-Martos (Colombia, Spain)
- 771** The susceptibility of large and small granules of waxy, normal and high-amylose genotypes of barley and corn starches toward amylolysis at sub-gelatinization temperatures
S. Naguleswaran, T. Vasanthan, R. Hoover, D. Bressler (Canada)
- 783** Analysis of volatile compounds from a malting process using headspace solid-phase micro-extraction and GC-MS
L. Dong, Y. Piao, X. Zhang, C. Zhao, Y. Hou, Z. Shi (China)
- 790** Feasibility of an electronic nose to differentiate commercial Spanish wines elaborated from the same grape variety
M.d.l.N. López de Lerma, A. Bellincontro, T. García-Martínez, F. Mencarelli, J.J. Moreno (Spain, Italy)
- 797** Ethylcellulose solvent substitution method of preparing heat resistant chocolate
T.A. Stortz, A.G. Marangoni (Canada)
- 804** Transglutaminase-set soy globulin-stabilized emulsion gels: Influence of soy β -conglycinin/glycinin ratio on properties, microstructure and gelling mechanism
C.-H. Tang, L.-J. Luo, F. Liu, Z. Chen (People's Republic of China)
- 813** Geographical origin identification of propolis using GC-MS and electronic nose combined with principal component analysis
H. Cheng, Z.H. Qin, X.F. Guo, X.S. Hu, J.H. Wu (China)
- 836** Glyoxal derived from triglyceride participating in diet-derived N_{ϵ} -carboxymethyllysine formation
L. Han, L. Li, B. Li, D. Zhao, Y. Li, Z. Xu, G. Liu (China)
- 841** Comparative parameters of the nutritional contribution and functional claims of Brazil nut kernels, oil and defatted cake
O.V. Santos, N.C.F. Corrêa, R.N. Carvalho Jr., C.E.F. Costa, L.F.F. França, S.C.S. Lannes (Brazil)

- 848** Prediction of linolenic and linoleic fatty acids content in flax seeds and flax seeds flours through the use of infrared reflectance spectroscopy and multivariate calibration
L.F. Ribeiro, P.G. Peralta-Zamora, B.H.L.N.S. Maia, L.P. Ramos, A.B. Pereira-Netto (Brazil)
- 855** Aromatic and sensorial profiles of young Cabernet Sauvignon wines fermented by different Chinese autochthonous *Saccharomyces cerevisiae* strains
H.-Y. Liang, J.-Y. Chen, M. Reeves, B.-Z. Han (China, New Zealand)
- 872** Viability of *Lactobacillus acidophilus* La5 in pectin-whey protein microparticles during exposure to simulated gastrointestinal conditions
C. Gebara, K.S. Chaves, M.C.E. Ribeiro, F.N. Souza, C.R.F. Grosso, M.L. Gigante (Brazil)
- 879** Effect of konjac glucomannan on physical and sensory properties of noodles made from low-protein wheat flour
Y. Zhou, H. Cao, M. Hou, S. Nirasawa, E. Tatsumi, T.J. Foster, Y. Cheng (PR China, Japan, UK)
- 886** Cholesterol reducing and bile-acid binding properties of *taioba* (*Xanthosoma sagittifolium*) leaf in rats fed a high-fat diet
E. de Almeida Jackix, E.B. Monteiro, H.F. Raposo, J. Amaya-Farfán (Brazil)
- 892** Monoacylglycerols in dairy recombined cream: I. The effect on milk fat crystallization
E. Fredrick, K. Moens, B. Heyman, S. Fischer, P. Van der Meeren, K. Dewettinck (Belgium, The Netherlands)
- 899** Structural consequences of dry heating on alpha-lactalbumin and beta-lactoglobulin at pH 6.5
M. Gulzar, S. Bouhallab, J. Jardin, V. Briard-Bion, T. Croguennec (France, Pakistan)
- 907** Ascorbic acid modifies the free radical scavenging behaviour of catechin: An insight into the mechanism
M.A.A. Mahmoud, V.S. Chedea, A. Detsi, P. Kefalas (Greece, Egypt, Romania, Japan)
- 914** Glycosyl carotenoids from marine spore-forming *Bacillus* sp. strains are readily bioaccessible and bioavailable
C. Sy, B. Gleize, S. Chamot, O. Dangles, F. Carlin, C. Caris Veyrat, P. Borel (France)
- 924** Classification of cereal bars using near infrared spectroscopy and linear discriminant analysis
A.L.B. Brito, L.R. Brito, F.A. Honorato, M.J.C. Pontes, L.F.B.L. Pontes (Brazil)
- 929** Chemical composition of cupuassu (*Theobroma grandiflorum*) and cocoa (*Theobroma cacao*) liquors and their effects on streptozotocin-induced diabetic rats
T.B. de Oliveira, M.I. Genovese (Brazil)
- 936** Monoacylglycerols in dairy recombined cream: II. The effect on partial coalescence and whipping properties
E. Fredrick, B. Heyman, K. Moens, S. Fischer, T. Verwijlen, P. Moldenaers, P. Van der Meeren, K. Dewettinck (Belgium, The Netherlands)
- 946** Use of solid lipid nanoparticles (SLNs) in edible coatings to increase guava (*Psidium guajava* L.) shelf-life
M.L. Zambrano-Zaragoza, E. Mercado-Silva, P. Ramirez-Zamorano, M.A. Cornejo-Villegas, E. Gutiérrez-Cortez, D. Quintanar-Guerrero (México)
- 971** Effect of genotype and cultivation location on β -sitosterol and α -, β -, γ -, and δ -tocopherols in sorghum
I.-M. Chung, S.-J. Yong, J. Lee, S.-H. Kim (Republic of Korea)
- 977** High-performance liquid chromatography coupled to diode array and electrospray time-of-flight mass spectrometry detectors for a comprehensive characterization of phenolic and other polar compounds in three pepper (*Capsicum annum* L.) samples
A. Morales-Soto, A.M. Gómez-Caravaca, P. García-Salas, A. Segura-Carretero, A. Fernández-Gutiérrez (Spain)

(Continued from previous page)

Short Communication

866 Nanoencapsulation of date palm pit extract in whey protein particles generated via desolvation method

L. Bagheri, A. Madadlou, M. Yarmand, M.E. Mousavi (Iran)

985 Marbling and ageing – Part 2. Consumer perception of sensory quality

T.M. Ngapo, L. Riendeau, C. Laberge, J. Fortin (Canada)

992 Corrigendum to “Characteristics and antioxidant activity of hydrolyzed β -lactoglobulin-glucose Maillard reaction products” [Food Research International 46 (2012) 55–61]

S. Dong, A. Panya, M. Zeng, B. Chen, D.J. McClements, E.A. Decker (China, Massachusetts)

I Conference Calendar