

Agriculture Ecosystems & Environment

VOL. 170

CONTENTS

15 APRIL 2013

Greenhouse gas fluxes from no-till rotated corn in the upper midwest R.M. Lehman and S.L. Osborne (USA).....	1
Field margins as foraging habitat for skylarks (<i>Alauda arvensis</i>) in the breeding season M.W. Kuiper, H.J. Ottens, L. Cenin, A.P. Schaffers, J. van Ruijven, B.J. Koks, F. Berendse and G.R. de Snoo (The Netherlands).....	10
Reduced nitrous oxide emissions and increased yields in California tomato cropping systems under drip irrigation and fertigation T.L. Kennedy, E.C. Suddick and J. Six (USA, Switzerland).....	16
Estimation of nitrous oxide and methane emission from livestock of urban agriculture in Beijing L. Liang, R. Lal, Z. Du, W. Wu and F. Meng (China, USA)	28
Changes in soil C and N distribution assessed by natural $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ abundance in a chronosequence of sugarcane crops managed with pre-harvest burning in a Cerrado area of Goiás, Brazil C.Q. Rossi, M.G. Pereira, A. Loss, P.R. Gazolla, A. Perin and L.H.C. dos Anjos (Brazil)	36
Permanent and new arable field margins support large earthworm communities but do not increase in-field populations S. Roarty and O. Schmidt (Ireland)	45