

Reviews

- K. Pallauf, J. K. Bendall, C. Scheiermann, K. Watschinger, J. Hoffmann, T. Roeder and G. Rimbach 255–263 Vitamin C and lifespan in model organisms
- S. Andres, K. E. Appel and A. Lampen 467–478 Toxicology, occurrence and risk characterisation of the chloropropanols in food: 2-Monochloro-1,3-propanediol, 1,3-dichloro-2-propanol and 2,3-dichloro-1-propanol

Research Papers

- Z. Xu, Z. Wang, J.-j. Li, C. Chen, P.-c. Zhang, L. Dong, J.-h. Chen, Q. Chen, X.-t. Zhang and Z.-l. Wang 1–7 Protective effects of selenium on oxidative damage and oxidative stress related gene expression in rat liver under chronic poisoning of arsenic
- B. T. Green, S. T. Lee, K. D. Welch, J. A. Pfister and K. E. Panter 8–13 Piperidine, pyridine alkaloid inhibition of fetal movement in a day 40 pregnant goat model
- J.-R. Noh, Y.-H. Kim, J. H. Hwang, G.-T. Gang, K.-S. Kim, I.-K. Lee, B.-S. Yun and C.-H. Lee 14–21 Davallialactone protects against acetaminophen overdose-induced liver injuries in mice
- M. F. Tavianio, A. Marino, A. Trovato, V. Bellinghieri, A. Melchini, P. Dugo, F. Cacciola, P. Donato, L. Mondello, A. Güvenç, R. D. Pasquale and N. Miceli 22–29 *Juniperus oxycedrus* L. subsp. *oxycedrus* and *Juniperus oxycedrus* L. subsp. *macrocarpa* (Sibth. & Sm.) Ball. “berries” from Turkey: Comparative evaluation of phenolic profile, antioxidant, cytotoxic and antimicrobial activities
- M. Davaatseren, H. J. Hur, H. J. Yang, J.-T. Hwang, J. H. Park, H.-J. Kim, M. J. Kim, D. Y. Kwon and M. J. Sung 30–36 *Taraxacum officinal* (dandelion) leaf extract alleviates high-fat diet-induced nonalcoholic fatty liver
- N. S. Radulović, P. J. Randjelović, N. M. Stojanović, P. D. Blagojević, Z. Z. Stojanović-Radić, I. R. Ilić and V. B. Djordjević 37–49 Toxic essential oils. Part II: Chemical, toxicological, pharmacological and microbiological profiles of *Artemisia annua* L. volatiles
- X. Zhang, C. Jin, Y. Li, S. Guan, F. Han and S. Zhang 50–55 Catalpol improves cholinergic function and reduces inflammatory cytokines in the senescent mice induced by D-galactose
- Z. Peng, M. Liu, Z. Fang, L. Chen, J. Wu and Q. Zhang 56–60 In vitro antiproliferative effect of a water-soluble *Laminaria japonica* polysaccharide on human melanoma cell line A375
- Y. Wang, Y. Wu, K. Luo, Y. Liu, M. Zhou, S. Yan, H. Shi and Y. Cai 61–67 The protective effects of selenium on cadmium-induced oxidative stress and apoptosis via mitochondria pathway in mice kidney
- M. F. Fragoso, G. R. Romualdo, D. A. Ribeiro and L. F. Barbisan 68–76 Açai (*Euterpe oleracea* Mart.) feeding attenuates dimethylhydrazine-induced rat colon carcinogenesis

- K.-j. Min, H. J. Um, K.-H. Cho and T. K. Kwon 77–85 Curcumin inhibits oxLDL-induced CD36 expression and foam cell formation through the inhibition of p38 MAPK phosphorylation
- D. K. Essumang, D. K. Doodoo and J. K. Adjei 86–94 Effect of smoke generation sources and smoke curing duration on the levels of polycyclic aromatic hydrocarbon (PAH) in different suites of fish
- S. A. Heleno, I. C. F. R. Ferreira, A. P. Esteves, A. Ćirić, J. Glamočlija, A. Martins, M. Soković and M. J. R. P. Queiroz 95–100 Antimicrobial and demelanizing activity of *Ganoderma lucidum* extract, *p*-hydroxybenzoic and cinnamic acids and their synthetic acetylated glucuronide methyl esters
- H.-S. Lee, T. Isse, T. Kawamoto, H. W. Baik, J. Y. Park and M. Yang 101–106 Effect of Korean pear (*Pyruspyrifolia* cv. Shingo) juice on hangover severity following alcohol consumption
- S. Biedermann, M. Zurfluh, K. Grob, A. Vedani and B. J. Brüscheweiler 107–115 Migration of cyclo-diBA from coatings into canned food: Method of analysis, concentration determined in a survey and *in silico* hazard profiling
- Z. Zhang, O. A. Triplett, K. T. Nguyen, W. B. Melchior Jr., K. Taylor, L. S. Jackson and W. H. Tolleson 116–123 Thermal inactivation reaction rates for ricin are influenced by pH and carbohydrates
- G. Yang, I. Ham and H.-Y. Choi 124–132 Anti-inflammatory effect of prunetin via the suppression of NF- κ B pathway
- Y. Chen, Y.-c. Nie, Y.-l. Luo, F. Lin, Y.-f. Zheng, G.-h. Cheng, H. Wu, K.-j. Zhang, W.-w. Su, J.-g. Shen and P.-b. Li 133–140 Protective effects of naringin against paraquat-induced acute lung injury and pulmonary fibrosis in mice
- W. R. Leeman, L. Krul and G. F. Houben 141–148 Complex mixtures: Relevance of combined exposure to substances at low dose levels
- W. Lee, H. Yoo, J. A. Kim, S. Lee, J.-G. Jee, M. Y. Lee, Y.-M. Lee and J.-S. Bae 149–157 Barrier protective effects of piperlonguminine in LPS-induced inflammation *in vitro* and *in vivo*
- V. Younes-Rapozo, E. G. Moura, A. C. Manhães, C. R. Pinheiro, A. P. Santos-Silva, E. de Oliveira and P. C. Lisboa 158–168 Maternal nicotine exposure during lactation alters hypothalamic neuropeptides expression in the adult rat progeny
- Y.-J. Lee, D. M. Lee and S.-H. Lee 169–176 Production of Cyr61 protein is modulated by extracellular acidification and PI3K/Akt signaling in prostate carcinoma PC-3 cells
- P. Ma, Y. Wu, Q. Zeng, Y. Gan, J. Chen, X. Ye and X. Yang 177–183 Oxidative damage induced by chlorpyrifos in the hepatic and renal tissue of Kunming mice and the antioxidant role of vitamin E
- Y. Sun, X. Yang, X. Lu, D. Wang and Y. Zhao 184–192 Protective effects of Keemun black tea polysaccharides on acute carbon tetrachloride-caused oxidative hepatotoxicity in mice
- M. R. Simões, L. B. Furieri, L. Forechi, M. P. Baldo, S. L. Rodrigues, M. Salaices, D. V. Vassallo and J. G. Mill 193–197 High salt intake does not produce additional impairment in the coronary artery relaxation of spontaneously hypertensive aged rats
- N. Ziamajidi, S. Khaghani, G. Hassanzadeh, S. Vardasbi, S. Ahmadian, A. Nowrouzi, S. M. Ghaffari and A. Abdirad 198–209 Amelioration by chicory seed extract of diabetes- and oleic acid-induced non-alcoholic fatty liver disease (NAFLD)/non-alcoholic steatohepatitis (NASH) via modulation of PPAR α and SREBP-1
- Saba, S. Khan, S. Parvez, B. Chaudhari, F. Ahmad, S. Anjum and S. Raisuddin 210–219 Ellagic acid attenuates bleomycin and cyclophosphamide-induced pulmonary toxicity in Wistar rats
- K. S. Suh, Y. S. Lee, Y. S. Kim and E. M. Choi 220–227 Sciadopitysin protects osteoblast function via its antioxidant activity in MC3T3-E1 cells
- C. D. Williams, M. R. McGill, A. Farhood and H. Jaeschke 228–235 Fas receptor-deficient *lpr* mice are protected against acetaminophen hepatotoxicity due to higher glutathione synthesis and enhanced detoxification of oxidant stress
- L. Mistura, S. Sette, C. O'Mahony, K.-H. Engel, J. Mehegan, C. Leclercq, and On behalf of the Flavours, Additives, and Food Contact Material Exposure Task (FACET) Consortium 236–241 Modelling framework for assessment of dietary exposure to added flavouring substances within the FACET (Flavours, Additives, and Food Contact Material Exposure Task) project
- Y. Zhao, G. Zhou, J. Wang, L. Jia, P. Zhang, R. Li, L. Shan, B. Liu, X. Song, S. Liu and X. Xiao 242–248 Paeoniflorin protects against ANIT-induced cholestasis by ameliorating oxidative stress in rats

M. A. García, J. Alonso and M. J. Melgar	249–254	Bioconcentration of chromium in edible mushrooms: Influence of environmental and genetic factors
Y. Liu, J. Lin, M. Chen and L. Song	264–272	Investigation on the interaction of the toxicant, gentian violet, with bovine hemoglobin
D. H. Kim, J. H. Lee, S. Park, S.-s. Oh, S. Kim, D. W. Kim, K. H. Park and K. D. Kim	273–279	6-Acetyl-5,6-dihydroanguinarine (ADS) from <i>Chelidonium majus</i> L. triggers proinflammatory cytokine production via ROS–JNK/ERK–NFκB signaling pathway
B. Sha, W. Gao, S. Wang, W. Li, X. Liang, F. Xu and T. J. Lu	280–288	Nano-titanium dioxide induced cardiac injury in rat under oxidative stress
E. M. Varoni, S. Vitalini, D. Contino, G. Lodi, P. Simonetti, C. Gardana, A. Sardella, A. Carrassi and M. Iriti	289–294	Effects of red wine intake on human salivary antiradical capacity and total polyphenol content
J. Muñoz-Marín, J. P. De La Cruz, J. J. Reyes, J. A. López-Villodres, A. Guerrero, I. López-Leiva, J. L. Espartero, M. T. Labajos and J. A. González-Correa	295–300	Hydroxytyrosyl alkyl ether derivatives inhibit platelet activation after oral administration to rats
L. Ye, L. Lu, Y. Li, S. Zeng, X. Yang, W. Chen, Q. Feng, W. Liu, L. Tang and Z. Liu	301–305	Potential role of ATP-binding cassette transporters in the intestinal transport of rhein
J. Song, M. Zhao, X. Liu, Y. Zhu, X. Hu and F. Chen	306–310	Protection of cyanidin-3-glucoside against oxidative stress induced by acrylamide in human MDA-MB-231 cells
W.-C. Zeng, W.-C. Zhang, W.-H. Zhang, Q. He and B. Shi	311–317	The antioxidant activity and active component of <i>Gnaphalium affine</i> extract
M.-Q. Huang, W. Xu, S.-S. Wu, J.-J. Lu and X.-P. Chen	318–323	A 90-day subchronic oral toxicity study of triterpene-enriched extract from <i>Alismatis Rhizoma</i> in rats
A. S. Prudente, A. M. V. Loddi, M. R. Duarte, A. R. S. Santos, M. T. Pochapski, M. G. Pizzolatti, S. S. Hayashi, F. R. Campos, R. Pontarolo, F. A. Santos, D. A. Cabrini and M. F. Otuki	324–331	Pre-clinical anti-inflammatory aspects of a cuisine and medicinal millennial herb: <i>Malva sylvestris</i> L.
L. Zheng, X. Wang, W. Luo, Y. Zhan and Y. Zhang	332–339	Brucine, an effective natural compound derived from <i>nux-vomica</i> , induces G1 phase arrest and apoptosis in LoVo cells
Z. Kang, W. Jiang, H. Luan, F. Zhao and S. Zhang	340–346	Cornin induces angiogenesis through PI3K–Akt–eNOS–VEGF signaling pathway
J. Moon, H.-J. Do, O. Y. Kim and M.-J. Shin	347–354	Antiobesity effects of quercetin-rich onion peel extract on the differentiation of 3T3-L1 preadipocytes and the adipogenesis in high fat-fed rats
N. Cho, K. Y. Lee, J. Huh, J. H. Choi, H. Yang, E. J. Jeong, H. P. Kim and S. H. Sung	355–361	Cognitive-enhancing effects of <i>Rhus verniciflua</i> bark extract and its active flavonoids with neuroprotective and anti-inflammatory activities
J. Yang, R. Hauser and R. H. Goldman	362–368	Taiwan food scandal: The illegal use of phthalates as a clouding agent and their contribution to maternal exposure
A. Gomes, C. Santos, J. Almeida, M. Elias and L. C. Roseiro	369–374	Effect of fat content, casing type and smoking procedures on PAHs contents of Portuguese traditional dry fermented sausages
K. Liu, J. Wang, L. Zhao and Q. Wang	375–380	Anticancer, antioxidant and antibiotic activities of mushroom <i>Ramaria flava</i>
B. D. Laird and H. M. Chan	381–387	Bioaccessibility of metals in fish, shellfish, wild game, and seaweed harvested in British Columbia, Canada
H. S. Lee, B. K. Kim, Y. Nam, U. D. Sohn, E. S. Park, S. A. Hong, J. H. Lee, Y. H. Chung and J. H. Jeong	388–393	Protective role of phosphatidylcholine against cisplatin-induced renal toxicity and oxidative stress in rats
Y. Chen, J.-w. Chen, J.-h. Zhai, Y. Wang, S.-l. Wang and X. Li	394–400	Antitumor activity and toxicity relationship of annonaceous acetogenins
C. Ke, D. Wang, Y. Sun, D. Qiao, H. Ye and X. Zeng	401–407	Immunostimulatory and antiangiogenic activities of low molecular weight hyaluronic acid

D. E. Marin, G. C. Pistol, I. V. Neagoe, L. Calin and I. Taranu	408–415	Effects of zearalenone on oxidative stress and inflammation in weanling piglets
C.-H. Liao and J.-Y. Lin	416–422	Lotus (<i>Nelumbo nucifera</i> Gaertn) plumule polysaccharide ameliorates pancreatic islets loss and serum lipid profiles in non-obese diabetic mice
K.-B. Roh, E. Jung, D. Park and J. Lee	423–431	Fumaric acid attenuates the eotaxin-1 expression in TNF- α -stimulated fibroblasts by suppressing p38 MAPK-dependent NF- κ B signaling
O. Sagdic, L. Ekici, I. Ozturk, T. Tekinay, B. Polat, B. Tastemur, O. Bayram and B. Senturk	432–439	Cytotoxic and bioactive properties of different color tulip flowers and degradation kinetic of tulip flower anthocyanins
B. Škrbić, J. Živančev and N. Mrmoš	440–448	Concentrations of arsenic, cadmium and lead in selected foodstuffs from Serbian market basket: Estimated intake by the population from the Serbia
K. Khan, Y. Lu, H. Khan, M. Ishtiaq, S. Khan, M. Waqas, L. Wei and T. Wang	449–458	Heavy metals in agricultural soils and crops and their health risks in Swat District, northern Pakistan
H.-Y. Fang, H.-M. Wang, K.-F. Chang, H.-T. Hu, L.-J. Hwang, T.-F. Fu, Y.-C. Lin, W.-C. Chang, T.-P. Chiu, Z.-H. Wen, Y. Fong, C.-C. Chiu and B.-H. Chen	459–466	Feruloyl-L-arabinose attenuates migration, invasion and production of reactive oxygen species in H1299 lung cancer cells
D.-J. Kwon, S. M. Ju, G. S. Youn, S. Y. Choi and J. Park	479–486	Suppression of iNOS and COX-2 expression by flavokawain A via blockade of NF- κ B and AP-1 activation in RAW 264.7 macrophages
M.-M. Pan, M.-H. Zhang, H.-F. Ni, J.-F. Chen, M. Xu, A. O. Phillips and B.-C. Liu	487–494	Inhibition of TGF- β 1/Smad signal pathway is involved in the effect of <i>Cordyceps sinensis</i> against renal fibrosis in 5/6 nephrectomy rats
J. Wang, Z. Jiang, J. Ji, X. Wang, T. Wang, Y. Zhang, T. Tai, M. Chen, L. Sun, X. Li and L. Zhang	495–505	Gene expression profiling and pathway analysis of hepatotoxicity induced by triptolide in Wistar rats
R. S. DeWoskin, L. M. Sweeney, J. G. Teeguarden, R. Sams 2nd and J. Vandenberg	506–521	Comparison of PBTK model and biomarker based estimates of the internal dosimetry of acrylamide
R. P. Ineu, C. S. Oliveira, V. A. Oliveira, L. Moraes-Silva, S. C. A. da Luz and M. E. Pereira	522–529	Antioxidant effect of zinc chloride against ethanol-induced gastrointestinal lesions in rats
S. Ansar	530–535	Antioxidant effect of butylated hydroxytoluene on ferric nitrilotriacetate induced renal hyper proliferation and injury in rats
I. Felzenszwalb, M. R. da Costa Marques, J. L. Mazzei and C. A. F. Aiub	536–544	Toxicological evaluation of <i>Euterpe edulis</i> : A potential superfruit to be considered
J.-H. Shin, J. H. Ryu, M. J. Kang, C. R. Hwang, J. Han and D. Kang	545–551	Short-term heating reduces the anti-inflammatory effects of fresh raw garlic extracts on the LPS-induced production of NO and pro-inflammatory cytokines by downregulating allicin activity in RAW 264.7 macrophages
Corrigendum		
G. Sivagami, R. Vinothkumar, R. Bernini, C. P. Preethy, A. Riyasdeen, M. A. Akbarsha, V. P. Menon and N. Nalini	552–553	Corrigendum to “Role of hesperetin (a natural flavonoid) and its analogue on apoptosis in HT-29 human colon adenocarcinoma cell line – A comparative study” [Food Chem. Toxicol. 50 (2012) 660–671]
Announcement		
	554–566	Thanks to Reviewers