

- 83 Chemical Composition and FT-IR Spectra of Sugar Palm (*Arenga pinnata*) Fibers Obtained from Different Heights  
*M. R. Ishak, Z. Leman, S. M. Sapuan, M. Z. A. Rahman, and U. M. K. Anwar*
- 98 Enzymatic Degumming of Silk with Microbial Proteases  
*S. V. More, H. B. Khandelwal, M. A. Joseph, and R. S. Laxman*
- 112 Characterizing Visually Objectionable and Nonobjectionable Medullated Fibers in Mohair  
*L. Hunter, S. Smuts, and A. F. Botha*
- 136 Raw Jute Grading By Multi-Criteria Decision Making Method  
*Anindya Ghosh and Subhasis Das*
- 147 Polypropylene (PP) Composites Reinforced with Stinging Nettle (*Utrica dioica* L.) Fiber  
*D. Paukszta, J. Mańkowski, J. Kołodziej, and M. Szostak*
- 159 Process-Technological Evaluation of Harvesting Hemp in Winter  
*Thomas Hoffmann, Ralf Pecenka, Hartmut Schemel, and Hans-Joerg Gusovius*

### **Review Article**

- 176 Biology of Industrial Bast Fibers with Reference to Quality  
*Jayant H. Meshram and P. Palit*

### **Short Communication**

- 197 Considerations About the Impact Behavior of Biocomposites Based on Polypropylene and Furan Resins Reinforced With Hemp Shives  
*M. S. Pernevan, L. Marșavina, D. Radu, M. Popa, and C. Sirghie*