

Reviews

- A. Lafuente* 395–404 The hypothalamic–pituitary–gonadal axis is target of cadmium toxicity. An update of recent studies and potential therapeutic approaches
- J.-J. Yang, H. Tao, C. Huang and J. Li* 421–427 Nuclear erythroid 2-related factor 2: A novel potential therapeutic target for liver fibrosis
- I. Hassan, S. Chibber and I. Naseem* 715–723 Vitamin B<sub>2</sub>: A promising adjuvant in cisplatin based chemoradiotherapy by cellular redox management
- A. Vettorazzi, J. van Delft and A. López de Cerain* 766–783 A review on ochratoxin A transcriptomic studies

Research Papers

- D.-Q. Jiang, Y. Guo, D.-H. Xu, Y.-S. Huang, K. Yuan and Z.-Q. Lv* 1–7 Antioxidant and anti-fatigue effects of anthocyanins of mulberry juice purification (MJP) and mulberry marc purification (MMP) from different varieties mulberry fruit in China
- C. Chen, X. Jiang, W. Zhao and Z. Zhang* 8–17 Dual role of resveratrol in modulation of genotoxicity induced by sodium arsenite via oxidative stress and apoptosis
- C. Jiang, Y. Jiao, X. Chen, X. Li, W. Yan, B. Yu and Q. Xiong* 18–25 Preliminary characterization and potential hepatoprotective effect of polysaccharides from *Cipangopaludina chinensis*
- H. S. Kim, Y. J. Lee, H. K. Lee, J. S. Kim, Y. Park, J. S. Kang, B. Y. Hwang, J. T. Hong, Y. Kim and S.-B. Han* 26–33 Bisabolangelone inhibits dendritic cell functions by blocking MAPK and NF- $\kappa$ B signaling
- N. J. Szabo, R. A. Matulka and T. Chan* 34–45 Safety evaluation of Whole Algalin Protein (WAP) from *Chlorella protothecoides*
- F. Gomes, M. Oliveira, M. J. Ramalhosa, C. Delerue-Matos and S. Morais* 46–54 Polycyclic aromatic hydrocarbons in commercial squids from different geographical origins: Levels and risks for human consumption
- K. J. Senthil Kumar, H.-L. Yang, Y.-C. Tsai, P.-C. Hung, S.-H. Chang, H.-W. Lo, P.-C. Shen, S.-C. Chen, H.-M. Wang, S.-Y. Wang, C.-W. Chou and Y.-C. Hseu* 55–66 Lucidone protects human skin keratinocytes against free radical-induced oxidative damage and inflammation through the up-regulation of HO-1/Nrf2 antioxidant genes and down-regulation of NF- $\kappa$ B signaling pathway
- H. Zhao, F. Zhou, Y. Qi, P. Dziugan, F. Bai, P. Walczak and B. Zhang* 67–71 Screening of *Lactobacillus* strains for their ability to bind Benzo(a)pyrene and the mechanism of the process
- J. Ma, R. Guan, H. Shen, F. Lu, C. Xiao, M. Liu and T. Kang* 72–77 Comparison of anticancer activity between lactoferrin nanoliposome and lactoferrin in Caco-2 cells *in vitro*
- Y. F. Zheng, S. H. Bae, M. J. Kwon, J. B. Park, H. D. Choi, W. G. Shin and S. K. Bae* 78–85 Inhibitory effects of astaxanthin,  $\beta$ -cryptoxanthin, canthaxanthin, lutein, and zeaxanthin on cytochrome P450 enzyme activities

L. Abramsson-Zetterberg and N.-G. Ilbäck	86–89	The synthetic food colouring agent Allura Red AC (E129) is not genotoxic in a flow cytometry-based micronucleus assay <i>in vivo</i>
D.-Z. Xia, P.-H. Zhang, Y. Fu, W.-F. Yu and M.-T. Ju	90–95	Hepatoprotective activity of puerarin against carbon tetrachloride-induced injuries in rats: A randomized controlled trial
I. Erdogan Orhan, F. S. Senol, N. Ozturk, S. A. Celik, A. Pulur and Y. Kan	96–103	Phytochemical contents and enzyme inhibitory and antioxidant properties of <i>Anethum graveolens</i> L. (dill) samples cultivated under organic and conventional agricultural conditions
R. A. Rocha, B. de la Fuente, M. J. Clemente, A. Ruiz, D. Vélez and V. Devesa	104–110	Factors affecting the bioaccessibility of fluoride from seafood products
E. A. Abdel-Sattar, H. M. Abdallah, A. Khedr, A. B. Abdel-Naim and I. A. Shehata	111–117	Antihyperglycemic activity of <i>Caralluma tuberculata</i> in streptozotocin-induced diabetic rats
Y. Wei, Y. Xu, X. Han, Y. Qi, L. Xu, Y. Xu, L. Yin, H. Sun, K. Liu and J. Peng	118–128	Anti-cancer effects of dioscin on three kinds of human lung cancer cell lines through inducing DNA damage and activating mitochondrial signal pathway
S. Thongprakaisang, A. Thiantanawat, N. Rangkadilok, T. Suriyo and J. Satayavivad	129–136	Glyphosate induces human breast cancer cells growth via estrogen receptors
X.-L. Xie, A. Kakehashi, M. Wei, S. Yamano, M. Takeshita, T. Yunoki and H. Wanibuchi	137–144	L-Leucine and L-isoleucine enhance growth of BBN-induced urothelial tumors in the rat bladder by modulating expression of amino acid transporters and tumorigenesis-associated genes
C.-L. Si, T. Shen, Y.-Y. Jiang, L. Wu, G.-J. Yu, X.-D. Ren, G.-H. Xu and W.-C. Hu	145–152	Antioxidant properties and neuroprotective effects of isocampneoside II on hydrogen peroxide-induced oxidative injury in PC12 cells
Y. K. Lee, Y.-W. Chin and Y. H. Choi	153–159	Effects of Korean red ginseng extract on acute renal failure induced by gentamicin and pharmacokinetic changes by metformin in rats
A. Alghasham, T. A. Salem and A.-R. M. Meki	160–164	Effect of cadmium-polluted water on plasma levels of tumor necrosis factor- $\alpha$ , interleukin-6 and oxidative status biomarkers in rats: Protective effect of curcumin
S. M. Krieger, D. R. Boverhof, M. R. Woolhiser and J. A. Hotchkiss	165–176	Assessment of the respiratory sensitization potential of proteins using an enhanced mouse intranasal test (MINT)
M. Jeong, Y.-W. Kim, J.-R. Min, M. Kwon, B.-S. Han, J.-G. Kim and S.-H. Jeong	177–186	Change in kidney damage biomarkers after 13 weeks of exposing rats to the complex of <i>Paecilomyces sinclairii</i> and its host <i>Bombyx mori</i> larvae
C. Béchaux, M. Zetlaoui, J. Tressou, J.-C. Leblanc, F. Héraud and A. Crépet	191–198	Identification of pesticide mixtures and connection between combined exposure and diet
H. A. Jung, S. E. Jin, B. R. Ahn, C. M. Lee and J. S. Choi	199–206	Anti-inflammatory activity of edible brown alga <i>Eisenia bicyclis</i> and its constituents fucosterol and phlorotannins in LPS-stimulated RAW264.7 macrophages
A. Ihsan, X. Wang, W. Zhang, H. Tu, Y. Wang, L. Huang, Z. Iqbal, G. Cheng, Y. Pan, Z. Liu, Z. Tan, Y. Zhang and Z. Yuan	207–214	Genotoxicity of quinocetone, cyadox and olaquinox in vitro and in vivo
J. Fu and Y. Cui	215–221	<i>In vitro</i> digestion/Caco-2 cell model to estimate cadmium and lead bioaccessibility/bioavailability in two vegetables: The influence of cooking and additives
J.-c. Li, X.-f. Shen and X.-l. Meng	222–229	A traditional Chinese medicine JiuHuangLian ( <i>Rhizoma coptidis</i> steamed with rice wine) reduces oxidative stress injury in type 2 diabetic rats
E. Rivadeneyra-Domínguez, A. Vázquez-Luna, J. F. Rodríguez-Landa and R. Díaz-Sobac	230–235	Neurotoxic effect of linamarin in rats associated with cassava ( <i>Manihot esculenta</i> Crantz) consumption
S. Mandal, V. K. Nelson, S. Mukhopadhyay, S. Bandhopadhyay, L. Maganti, N. Ghoshal, G. Sen and T. Biswas	236–248	14-Deoxyandrographolide targets adenylate cyclase and prevents ethanol-induced liver injury through constitutive NOS dependent reduced redox signaling in rats

- G. S. Prasath and S. P. Subramanian 249–255 Fisetin, a tetra hydroxy flavone recuperates antioxidant status and protects hepatocellular ultrastructure from hyperglycemia mediated oxidative stress in streptozotocin induced experimental diabetes in rats
- G. O. Oliveira, C. P. Braga and A. A. H. Fernandes 256–260 Improvement of biochemical parameters in type 1 diabetic rats after the roots aqueous extract of yacon [*Smilax sonchifolia* (Poepp. & Endl.)] treatment
- F. Maranghi, S. De Angelis, R. Tassinari, F. Chiarotti, S. Lorenzetti, G. Moracci, D. Marcocchia, E. Gilardi, A. Di Virgilio, A. Eusepi, A. Mantovani and A. Olivieri 261–271 Reproductive toxicity and thyroid effects in Sprague Dawley rats exposed to low doses of ethylenethiourea
- Y.-C. Zhang, F.-F. Gan, S. B. Shelar, K.-Y. Ng and E.-H. Chew 272–280 Antioxidant and Nrf2 inducing activities of luteolin, a flavonoid constituent in *Ixeris sonchifolia* Hance, provide neuroprotective effects against ischemia-induced cellular injury
- C.-Y. Pang, S.-C. Chiu, H.-J. Harn, W.-J. Zhai, S.-Z. Lin and H.-H. Yang 281–288 Proteomic-based identification of multiple pathways underlying n-butylidenephthalide-induced apoptosis in LNCaP human prostate cancer cells
- D. Stojković, F. S. Reis, L. Barros, J. Glamočlija, A. Ćirić, L. J. I. D. van Griensven, M. Soković and I. C. F. R. Ferreira 289–296 Nutrients and non-nutrients composition and bioactivity of wild and cultivated *Coprinus comatus* (O.F.Müll.) Pers.
- J. Petrović, J. Glamočlija, D. S. Stojković, A. Ćirić, M. Nikolić, D. Bukvički, M. E. Guerzoni and M. D. Soković 297–302 *Laetiporus sulphureus*, edible mushroom from Serbia: Investigation on volatile compounds, *in vitro* antimicrobial activity and *in situ* control of *Aspergillus flavus* in tomato paste
- J. Wang, S. Yu, S. Jiao, X. Lv, M. Ma and Y. Du 303–310  $\kappa$ -Selenocarrageenan prevents microcystin-LR-induced hepatotoxicity in BALB/c mice
- S.-K. Ku, E.-J. Yang, K.-S. Song and J.-S. Bae 311–315 Rosmarinic acid down-regulates endothelial protein C receptor shedding in vitro and in vivo
- D. Costopoulou, I. Vassiliadou and L. Leondiadis 316–324 Infant dietary exposure to dioxins and dioxin-like compounds in Greece
- X. Chen, Q. Qin, W. Zhang, Y. Zhang, H. Zheng, C. Liu, Y. Yang, W. Xiong and J. Yuan 325–333 Activation of the PI3K–AKT–mTOR signaling pathway promotes DEHP-induced Hep3B cell proliferation
- G. Meca, T. Zhou, X. Z. Li, A. Ritieni and J. Mañes 334–338 Cyclohexadecapeptide beauvericin degradation by different strains of *Saccharomyces cerevisiae*
- P. P. Trivedi and G. B. Jena 339–355 Role of  $\alpha$ -lipoic acid in dextran sulfate sodium-induced ulcerative colitis in mice: Studies on inflammation, oxidative stress, DNA damage and fibrosis
- O. I. Kubrak, T. M. Atamaniuk, V. V. Husak and V. I. Lushchak 356–361 Transient effects of 2,4-dichlorophenoxyacetic acid (2,4-D) exposure on some metabolic and free radical processes in goldfish white muscle
- J. H. Yang, S. C. Kim, B. Y. Shin, S. H. Jin, M. J. Jo, K. H. Jegal, Y. W. Kim, J. R. Lee, S. K. Ku, I. J. Cho and S. H. Ki 362–372 O-methylated flavonol isorhamnetin prevents acute inflammation through blocking of NF- $\kappa$ B activation
- N.-H. Kang, Kyung-A.-A. Hwang, H.-R. Lee, D.-W. Choi and K.-C. Choi 373–379 Resveratrol regulates the cell viability promoted by 17 $\beta$ -estradiol or bisphenol A via down-regulation of the cross-talk between estrogen receptor  $\alpha$  and insulin growth factor-1 receptor in BG-1 ovarian cancer cells
- S.-W. Kang, S.-I. Kang, H.-S. Shin, S.-A. Yoon, J.-H. Kim, H.-C. Ko and S.-J. Kim 380–385 *Sasa quelpaertensis* Nakai extract and its constituent *p*-coumaric acid inhibit adipogenesis in 3T3-L1 cells through activation of the AMPK pathway
- M. Pezdirc, B. Žegura and M. Filipič 386–394 Genotoxicity and induction of DNA damage responsive genes by food-borne heterocyclic aromatic amines in human hepatoma HepG2 cells
- L. M. Fernandes, W. S. Garcez, M. S. Mantovani, P. O. Figueiredo, C. A. Fernandes, F. R. Garcez and Z. R. Guterres 405–411 Assessment of the *in vitro* and *in vivo* genotoxicity of extracts and indole monoterpene alkaloid from the roots of *Galianthe thalictroides* (Rubiaceae)

(Contents continued from last page)

- Y. Zhou, Y. Dong, Q. Xu, Y. He, S. Tian, S. Zhu, Y. Zhu and X. Dong 412–420 Mussel oligopeptides ameliorate cognition deficit and attenuate brain senescence in D-galactose-induced aging mice
- Z. Qiu, B. Zhou, L. Jin, H. Yu, L. Liu, Y. Liu, C. Qin, S. Xie and F. Zhu 428–437 In vitro antioxidant and antiproliferative effects of ellagic acid and its colonic metabolite, urolithins, on human bladder cancer T24 cells
- O. A. H. Jones, S. Murfitt, C. Svendsen, A. Turk, H. Turk, D. J. Spurgeon, L. A. Walker, R. F. Shore, S. M. Long and J. L. Griffin 438–445 Comparisons of metabolic and physiological changes in rats following short term oral dosing with pesticides commonly found in food
- K. Chen, G. Shu, X. Peng, J. Fang, H. Cui, J. Chen, F. Wang, Z. Chen, Z. Zuo, J. Deng, Y. Geng and W. Lai 446–454 Protective role of sodium selenite on histopathological lesions, decreased T-cell subsets and increased apoptosis of thymus in broilers intoxicated with aflatoxin B<sub>1</sub>
- D. I. Thurnham and A. N. Howard 455–463 Studies on *meso*-zeaxanthin for potential toxicity and mutagenicity
- Y.-X. Li, X.-B. Jin, F.-J. Chu, M.-Y. Liu, D.-Y. Shi and J.-Y. Zhu 464–469 Scientific evaluation of the subchronic toxicity of *musca domestica* larvae extracts in Sprague Dawley rats
- R.-y. Zuo, J. Chang, Q.-q. Yin, P. Wang, Y.-r. Yang, X. Wang, G.-q. Wang and Q.-h. Zheng 470–475 Effect of the combined probiotics with aflatoxin B<sub>1</sub>-degrading enzyme on aflatoxin detoxification, broiler production performance and hepatic enzyme gene expression
- S.-J. Lee, H.-K. Rim, J.-Y. Jung, H.-J. An, J.-S. Shin, C.-W. Cho, Y. K. Rhee, H.-D. Hong and K.-T. Lee 476–484 Immunostimulatory activity of polysaccharides from *Cheonggukjang*
- S. Debnath, S. Ghosh and B. Hazra 485–491 Inhibitory effect of *Nymphaea pubescens* Willd. flower extract on carrageenan-induced inflammation and CCl<sub>4</sub>-induced hepatotoxicity in rats
- M. K. Sangeetha, D. Eazhisai Vallabi, V. K. Sali, J. Thanka and H. R. Vasanthi 492–500 Sub-acute toxicity profile of a modified resveratrol supplement
- S.-J. Wu, G.-Y. Huang and L.-T. Ng 501–513  $\gamma$ -Tocotrienol induced cell cycle arrest and apoptosis via activating the Bax-mediated mitochondrial and AMPK signaling pathways in 3T3-L1 adipocytes
- S. Dewanjee, T. K. Dua and R. Sahu 514–520 Potential anti-inflammatory effect of *Leea macrophylla* Roxb. leaves: A wild edible plant
- K.-N. Kim, H.-M. Yang, S.-M. Kang, D. Kim, G. Ahn and Y.-J. Jeon 521–526 Octaphlorethol A isolated from *Ishige foliacea* inhibits  $\alpha$ -MSH-stimulated induced melanogenesis via ERK pathway in B16F10 melanoma cells
- J. P. Fan, C. Fan, W. M. Dong, B. Gao, W. Yuan and J. S. Gong 527–533 Free radical scavenging and anti-oxidative activities of an ethanol-soluble pigment extract prepared from fermented Zijuan Pu-erh tea
- M. Axelstad, J. Boberg, A. M. Vinggaard, S. Christiansen and U. Hass 534–540 Triclosan exposure reduces thyroxine levels in pregnant and lactating rat dams and in directly exposed offspring
- Q. Ke, A. Chen, M. Minoda and H. Yoshida 541–548 Safety evaluation of a thermolysin enzyme produced from *Geobacillus stearothermophilus*
- M. Song, M. Hong, M. Y. Lee, J.-G. Jee, Y. M. Lee, J.-S. Bae, T. C. Jeong and S. Lee 549–553 Selective inhibition of the cytochrome P450 isoform by hyperoside and its potent inhibition of CYP2D6
- I. Cordero-Herrera, S. Cuello, L. Goya, Y. Madrid, L. Bravo, C. Cámara and S. Ramos 554–563 Molecular mechanisms involved in the protective effect of selenocystine against methylmercury-induced cell death in human HepG2 cells
- A. A. A. Al-Subeihi, W. Alhusainy, A. Painsi, A. Punt, J. Vervoort, P. J. van Bladeren and I. M. C. M. Rietjens 564–571 Inhibition of methyleugenol bioactivation by the herb-based constituent nevadensin and prediction of possible *in vivo* consequences using physiologically based kinetic modeling
- B. Orlikova, M. Schumacher, T. Juncker, C. C. Yan, S. H. Inayat-Hussain, S. Hajjouli, C. Cerella, M. Dicato and M. Diederich 572–578 Styryl-lactone goniotalamin inhibits TNF- $\alpha$ -induced NF- $\kappa$ B activation

(Contents continued on previous page)

(Contents continued from next page)

- L. C. S. Porto, J. da Silva, A. de Barros Falcão Ferraz, D. S. Corrêa, M. S. dos Santos, C. D. L. Porto and J. N. Picada 579–585 Evaluation of acute and subacute toxicity and mutagenic activity of the aqueous extract of pecan shells [*Carya illinoensis* (Wangenh.) K. Koch]
- M. R. Loizzo, M. Ben Jemia, F. Senatore, M. Bruno, F. Menichini and R. Tundis 586–594 Chemistry and functional properties in prevention of neurodegenerative disorders of five *Cistus* species essential oils
- P. Rao, P. Singh, S. K. Yadav, N. L. Gujar and R. Bhattacharya 595–609 Acute toxicity of some synthetic cyanogens in rats: Time-dependent cyanide generation and cytochrome oxidase inhibition in soft tissues after sub-lethal oral intoxication
- C.-C. Chen, C.-S. Liu, C.-C. Li, C.-W. Tsai, H.-T. Yao, T.-C. Liu, H.-W. Chen, P.-Y. Chen, Y.-L. Wu, C.-K. Lii and K.-L. Liu 610–617 *Indigofera suffruticosa* Mill extracts up-regulate the expression of the p class of glutathione S-transferase and NAD(P)H: quinone oxidoreductase 1 in rat Clone 9 liver cells
- M. Sitohy, A. Osman, A. Gharib, J.-M. Chobert and T. Haertlé 618–625 Preliminary assessment of potential toxicity of methylated soybean protein and methylated  $\beta$ -lactoglobulin in male Wistar rats
- A. Raffo, A. D'Aloise, A. L. Magri and C. Leclercq 626–635 Quantitation of *tr*-cinnamaldehyde, safrole and myristicin in cola-flavoured soft drinks to improve the assessment of their dietary exposure
- Á. Blaskó, N. Mike, P. Gróf, Z. Gazdag, Z. Czibulya, L. Nagy, S. Kunsági-Máté and M. Pesti 636–642 Citrinin-induced fluidization of the plasma membrane of the fission yeast *Schizosaccharomyces pombe*
- S.-H. Lee, S.-M. Kang, S.-C. Ko, M.-C. Kang and Y.-J. Jeon 643–649 Octaphlorethol A, a novel phenolic compound isolated from *Ishige foliacea*, protects against streptozotocin-induced pancreatic  $\beta$  cell damage by reducing oxidative stress and apoptosis
- H. Saad Abdultawab and N. N. Ayuob 650–656 Can garlic oil ameliorate diabetes-induced oxidative stress in a rat liver model? A correlated histological and biochemical study
- L. Lv, L. Zheng, D. Dong, L. Xu, L. Yin, Y. Xu, Y. Qi, X. Han and J. Peng 657–669 Dioscin, a natural steroid saponin, induces apoptosis and DNA damage through reactive oxygen species: A potential new drug for treatment of glioblastoma multiforme
- O. Cimenci, S. Vandevijvere, S. Gosciny, M.-A. Van Den Bergh, V. Hanot, C. Vinkx, F. Bolle and J. Van Loco 670–679 Dietary exposure of the Belgian adult population to non-dioxin-like PCBs
- T. Gomes, C. Barradas, T. Dias, J. Verdial, J. S. Morais, E. Ramalhosa and L. M. Estevinho 680–686 Optimization of mead production using Response Surface Methodology
- N. Dwivedi, S. Kumar, K. M. Ansari, S. K. Khanna and M. Das 687–695 Skin tumorigenic potential of benzanthrone: Prevention by ascorbic acid
- Y. Lu, D. Piao, H. Zhang, X. Li, G. H. Chao, S. J. Park, Y.-C. Chang, C.-H. Kim, M. Murakami, S.-H. Jung, J.-H. Choi, J. K. Son and H. W. Chang 696–702 Saucerneol F inhibits tumor necrosis factor- $\alpha$  and IL-6 production by suppressing Fyn-mediated pathways in Fc $\epsilon$ RI-mediated mast cells
- M.-Y. Xu, D. H. Lee, E. J. Joo, K. H. Son and Y. S. Kim 703–708 Akebia saponin PA induces autophagic and apoptotic cell death in AGS human gastric cancer cells
- N. Cheng, Y. Wang, H. Gao, J. Yuan, F. Feng, W. Cao and J. Zheng 709–714 Protective effect of extract of *Crataegus pinnatifida* pollen on DNA damage response to oxidative stress
- S. M. Attia, S. F. Ahmad, G. I. Harisa, A. M. Mansour, E. S. M. El Sayed and S. A. Bakheet 724–730 Wogonin attenuates etoposide-induced oxidative DNA damage and apoptosis via suppression of oxidative DNA stress and modulation of OGG1 expression
- A. Lino-dos-Santos-Franco, J. A. Gimenes-Júnior, A. P. Ligeiro-de-Oliveira, A. C. Breithaupt-Faloppa, B. G. Acceturi, L. B. Vitoretti, I. D. Machado, R. M. Oliveira-Filho, S. H. P. Farsky, H. T. Moriya and W. Tavares-de-Lima 731–738 Formaldehyde inhalation reduces respiratory mechanics in a rat model with allergic lung inflammation by altering the nitric oxide/cyclooxygenase-derived products relationship

(Contents continued on previous page)

(Contents continued from next page)

S. Gao, X. Duan, X. Wang, D. Dong, D. Liu, X. Li, G. Sun and B. Li	739–747	Curcumin attenuates arsenic-induced hepatic injuries and oxidative stress in experimental mice through activation of Nrf2 pathway, promotion of arsenic methylation and urinary excretion
Y. Fan, L. Zhao, Q. Ma, X. Li, H. Shi, T. Zhou, J. Zhang and C. Ji	748–753	Effects of <i>Bacillus subtilis</i> ANSB060 on growth performance, meat quality and aflatoxin residues in broilers fed moldy peanut meal naturally contaminated with aflatoxins
S. Pažoureková, J. Hojerová, Z. Klimová and M. Lucová	754–765	Dermal absorption and hydrolysis of methylparaben in different vehicles through intact and damaged skin: Using a pig-ear model in vitro
S. P. Bhatia, V. T. Politano and A. M. Api	784–792	Evaluation of genotoxicity of nitrile fragrance ingredients using <i>in vitro</i> and <i>in vivo</i> assays
Y. Mizushina, I. Kuriyama, T. Nakahara, Y. Kawashima and H. Yoshida	793–800	Inhibitory effects of $\alpha$ -mangostin on mammalian DNA polymerase, topoisomerase, and human cancer cell proliferation
J.-S. Yang, C.-W. Lin, Y.-S. Hsieh, H.-L. Cheng, K.-H. Lue, S.-F. Yang and K.-H. Lu	801–807	<i>Selaginella tamariscina</i> (Beauv.) possesses antimetastatic effects on human osteosarcoma cells by decreasing MMP-2 and MMP-9 secretions via p38 and Akt signaling pathways
<b>Brief Communication</b>		
T.-F. Cheng, G. W. Patton and K. Muldoon-Jacobs	187–190	Can the L5178Y <i>Tk</i> <sup>+/-</sup> mouse lymphoma assay detect epigenetic silencing?
<b>Letters to the Editor</b>		
F. Dal Moro	808	A sweet piece of dark chocolate in a hot cup of dark coffee: A novel elixir for a long and happy life?
C. Viljoen	809–810	Letter to the Editor
K. Huang and W. Xu	811–812	Reply to letter to the editor
S. Kapoor	813	Green propolis and its inhibitory effect on tumor growth in different systemic malignancies
T. Rodrigues	814	Response to: “Green propolis and its inhibitory effect on tumor growth in different systemic malignancies”
	I	Practical Application of Toxicology in Drug Development