

CONTENTS

Articles

- 485 Genetic parameters for natural antibody isotype titers in milk of Dutch Holstein-Friesians  
*S Wijga, H Bovenhuis, J W M Bastiaansen, J A M van Arendonk, T C W Ploegaert, E Tijhaar, JJ van der Poel*
- 493 Genes involved in muscle lipid composition in 15 European *Bos taurus* breeds  
*S Dunner, N Sevane, D Garcia, H Levéziel, J L Williams, B Mangin, A Valentini and the GeMQual Consortium*
- 502 A genome-wide association study to detect genetic variation for postpartum dysgalactia syndrome in five commercial pig breeding lines  
*R Preissler, J Tetens, K Reiners, H Loof, N Kemper*
- 509 Genetic diversity of Vietnamese domestic chicken populations as decision-making support for conservation strategies  
*M H Pham, C Berthouly-Salazar, X H Tran, W H Chang, R P M A Crooijmans, D Y Lin, V T Hoang, Y P Lee, M Tixier-Boichard, C F Chen*
- 522 Insights into the genetic history of Green-legged Partridgelike fowl: mtDNA and genome-wide SNP analysis  
*M Siwek, D Wragg, A Slawirska, M Malek, O Hanotte, J M Mwacharo*
- 533 Development of the first standardised panel of two new microsatellite multiplex PCRs for gilthead seabream (*Sparus aurata* L.)  
*I Lee-Montero, A Navarro, Y Borrell, M García-Celdrán, N Martín, D Negrín-Báez, G Blanco, E Armero, C Berbel, M J Zamorano, JJ Sánchez, A Estévez, G Ramis, M Manchado, J M Afonso*
- 547 QTL and association analysis for skin and fibre pigmentation in sheep provides evidence of a major causative mutation and epistatic effects  
*H W Raadsma, E Jonas, M R Fleet, K Fullard, J Gongora, C R Cavanagh, I Tammen, P C Thomson*
- 560 Skeletal muscle tissue transcriptome differences in lean and obese female beagle dogs  
*R W Grant, B M Vester Boler, T K Ridge, T K Graves, K S Swanson*
- 569 Simple recessive mutation in *ENAM* is associated with amelogenesis imperfecta in Italian Greyhounds  
*B Gandolfi, H Liu, L Griffioen, N C Pedersen*
- Short Communications
- 579 Detection of signatures of selective sweeps in the Blonde d'Aquitaine cattle breed  
*S Boitard, D Rocha*
- 584 A novel c.-274C>G polymorphism in bovine *SIRT1* gene contributes to diminished promoter activity and is associated with increased body size  
*M-x Li, X-m Sun, L-z Zhang, J Wang, Y-z Huang, Y-j Sun, S-r Hu, X-y Lan, C-z Lei, H Chen*
- 588 Novel polymorphisms in ovine *prion protein* gene  
*H Meydan, M M Özkan, M A Yıldız, W Goldmann*
- 592 Effects of hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 1 polymorphisms on fat androstenone level and gene expression in Duroc pigs  
*J M Kim, J H Ahn, K S Lim, E A Lee, T Chun, K C Hong*
- 596 Using molecular markers for pedigree reconstruction of the greater amberjack (*Seriola dumerili*) in the absence of parental information  
*D Rodriguez-Barreto, S Consuegra, S Jerez, J R Cejas, V Martin, A Lorenzo*

- 601 The *ACACA* gene is a potential candidate gene for fat content in sheep milk  
*B Moioli, M C Scatà, G De Matteis, G Annicchiarico, G Catillo, F Napolitano*

Brief Notes

- 604 Dopamine transporter single nucleotide polymorphisms (SNPs) in Belgian Malinois dogs  
*L Lit, J M Belanger, D Boehm, N Lybarger, A M Oberbauer*
- 605 Spotted Weimaraner dog due to *de novo KIT* mutation  
*W M Gerding, D A Akkad, J T Epplen*
- 606 Sex identification of dog by PCR based on the differences in the *AMELX* and *AMELY* genes  
*S Yan, C Bai, Y Li, Y Li, J Hou, Z Zhao, W Han*
- 607 Elimination of *keratin 71* as candidate for hairlessness in Don Sphynx cats  
*C Dierks, S Lehner, U Philipp, O Distl*