

M. Xiang, H. Su, Y. Hu, Y. Hu, T. Yang and G. Shu	420–426	Chemical composition of total flavonoids from <i>Salvia chinensis</i> Benth and their pro-apoptotic effect on hepatocellular carcinoma cells: Potential roles of suppressing cellular NF- $\kappa$ B signaling
V. Dohnal, V. Dvořák, F. Mališ, V. Ostrý and T. Roubal	427–431	A comparison of ELISA and HPLC methods for determination of ochratoxin A in human blood serum in the Czech Republic
N. Pechacek, K. Laidlaw, S. Clubb, W. Aulmann, M. Osorio and J. Caudill	436–447	Toxicological evaluation of peroxy sulfonated oleic acid (PSOA) in subacute and developmental toxicity studies
E. Celep, A. Aydın, H. Kırmızıbekmez and E. Yesilada	448–455	Appraisal of <i>in vitro</i> and <i>in vivo</i> antioxidant activity potential of cornelian cherry leaves
A. F. Aissa, T. D. U. H. Gomes, M. R. Almeida, L. C. Hernandez, J. D. C. Darin, M. L. P. Bianchi and L. M. G. Antunes	456–462	Methionine concentration in the diet has a tissue-specific effect on chromosomal stability in female mice
H.-Z. Ying, J.-N. Zang, L.-L. Deng, Z.-Y. Wang and C.-h. Yu	463–469	Pentamethylquercetin reduces fat deposition via Sirt1-mediated pathways in male obese mice induced by a high fat diet
S. M. Attia, S. F. Ahmad, M. F. Abd-Ellah, F. M. Hamada and S. A. Bakheet	470–474	Germ cell mutagenicity of topoisomerase I inhibitor topotecan detected in the male mouse-dominant lethal study
H.-L. Chen, H.-Y. Mao, M.-J. Cao, Q.-F. Cai, W.-J. Su, Y.-X. Zhang and G.-M. Liu	475–484	Purification, physicochemical and immunological characterization of arginine kinase, an allergen of crayfish ( <i>Procambarus clarkii</i> )
B. C. Remington, S. L. Taylor, D. B. Marx, B. J. Petersen and J. L. Baumert	485–491	Soy in wheat – Contamination levels and food allergy risk assessment
B.-H. Lee, C.-C. Lee, Y.-H. Cheng, W.-C. Chang, W.-H. Hsu and S.-C. Wu	492–498	<i>Graptopetalum paraguayense</i> and resveratrol ameliorates carboxymethyllysine (CML)-induced pancreas dysfunction and hyperglycemia
J.-J. Chen, N.-F. Zhang, G.-X. Mao, X.-B. He, Y.-C. Zhan, H.-B. Deng, D.-Q. Song, D.-D. Li, Z.-R. Li, S.-Y. Si, Q. Qiu and Z. Wang	499–505	Salidroside stimulates osteoblast differentiation through BMP signaling pathway
I.-S. Shin, J. Hong, C.-M. Jeon, N.-R. Shin, O.-K. Kwon, H.-S. Kim, J.-C. Kim, S.-R. Oh and K.-S. Ahn	506–513	Diallyl-disulfide, an organosulfur compound of garlic, attenuates airway inflammation via activation of the Nrf-2/HO-1 pathway and NF-kappaB suppression
J. Escobar, S. Lorán, I. Giménez, E. Ferruz, M. Herrera, A. Herrera and A. Ariño	514–520	Occurrence and exposure assessment of <i>Fusarium</i> mycotoxins in maize germ, refined corn oil and margarine
P. F. M. R. Pádua, R. R. Dihl, M. Lehmann, B. R. R. de Abreu, M. F. Richter and H. H. R. de Andrade	521–527	Genotoxic, antigenotoxic and phytochemical assessment of <i>Terminalia actinophylla</i> ethanolic extract
M. Coulet, P. Phothirath, A. Constable, E. Marsden and B. Schilter	528–537	Pre-clinical safety assessment of the synthetic human milk, nature-identical, oligosaccharide Lacto-N-neotetraose (LNnT)
T.-F. Chen, M.-C. Tang, C.-H. Chou, M.-J. Chiu and R.-F. S. Huang	538–547	Dose-dependent folic acid and memantine treatments promote synergistic or additive protection against $A\beta_{(25-35)}$ peptide-induced apoptosis in SH-SY5Y cells mediated by mitochondria stress-associated death signals
J. S. G. Diogo, L. S. O. Silva, A. Pena and C. M. Lino	548–553	Risk assessment of additives through soft drinks and nectars consumption on Portuguese population: A 2010 survey
N. S. Radulović, M. Z. Mladenović, P. D. Blagojević, Z. Z. Stojanović-Radić, T. Ilic-Tomic, L. Senerovic and J. Nikodinovic-Runic	554–565	Toxic essential oils. Part III: Identification and biological activity of new allylmethoxyphenyl esters from a Chamomile species ( <i>Anthemis segetalis</i> Ten.)
Y. Zhou, Y. Qiu, J. He, X. Chen, Y. Ding, Y. Wang and X. Liu	566–572	The toxicity mechanism of sodium fluoride on fertility in female rats
H. Qi, X. Liu, K. Wang, D. Liu, L. Huang, S. Liu and Q. Zhang	573–578	Subchronic toxicity study of ulvan from <i>Ulva pertusa</i> (Chlorophyta) in Wistar rats
H. Nam and M.-M. Kim	579–583	Ursolic acid induces apoptosis of SW480 cells via p53 activation

(Contents continued from last page)

É. Sugár, E. Tatár, G. Záray and V. G. Mihucz	601–608	Relationship between arsenic content of food and water applied for food processing
Y. Yuan, X. Zhou, J. Yang, M. Li and X. Qiu	622–627	T-2 toxin is hydroxylated by chicken CYP3A37
S. Pacifico, M. Gallicchio, P. Lorenz, N. Potenza, S. Galasso, S. Marciano, A. Fiorentino, F. C. Stintzing and P. Monaco	628–637	Apolar <i>Laurus nobilis</i> leaf extracts induce cytotoxicity and apoptosis towards three nervous system cell lines
B. O. Cho, H. W. Ryu, Y. So, J. K. Cho, H. S. Woo, C. H. Jin, K. I. Seo, J. C. Park and I. Y. Jeong	638–644	Anti-inflammatory effect of austroinulin and 6-O-acetyl-austroinulin from <i>Stevia rebaudiana</i> in lipopolysaccharide-stimulated RAW264.7 macrophages
H.-K. Chung, J. Y. Park, Y. Cho and M.-J. Shin	645–652	Contribution of dietary patterns to blood heavy metal concentrations in Korean adults: Findings from the Fifth Korea National Health and Nutrition Examination Survey 2010
A. Sztark	653–660	Chemical state of heterocyclic aromatic amines in grilled beef: Evaluation by <i>in vitro</i> digestion model and comparison of alkaline hydrolysis and organic solvent for extraction
H. Shen, J. Liu, Y. Wang, H. Lian, J. Wang, L. Xing, X. Yan, J. Wang and X. Zhang	661–669	Aflatoxin G <sub>1</sub> -induced oxidative stress causes DNA damage and triggers apoptosis through MAPK signaling pathway in A549 cells
S. Das, J. Das, A. Samadder, A. Paul and A. R. Khuda-Bukhsh	670–680	Efficacy of PLGA-loaded apigenin nanoparticles in Benzo[a]pyrene and ultraviolet-B induced skin cancer of mice: Mitochondria mediated apoptotic signalling cascades
I.-S. Shin, N.-R. Shin, C.-M. Jeon, J.-M. Hong, O.-K. Kwon, J.-C. Kim, S.-R. Oh, K.-W. Hahn and K.-S. Ahn	681–686	Inhibitory effects of Pycnogenol® (French maritime pine bark extract) on airway inflammation in ovalbumin-induced allergic asthma
Z. Xia, T. Gao, Y. Zong, X. Zhang, Y. Mao, B. Yuan and G. Lu	687–698	Evaluation of subchronic toxicity of GRD081, a dual PI3K/mTOR inhibitor, after 28-day repeated oral administration in Sprague–Dawley rats and beagle dogs
S. Zhang, G. Kuang, G. Zhao, X. Wu, C. Zhang, R. Lei, T. Xia, J. Chen, Z. Wang, R. Ma, B. Li, L. Yang and A. Wang	699–706	Involvement of the mitochondrial p53 pathway in PBDE-47-induced SH-SY5Y cells apoptosis and its underlying activation mechanism
Y. Lu, J. Sun, K. Petrova, X. Yang, J. Greenhaw, W. F. Salminen, R. D. Beger and L. K. Schnackenberg	707–721	Metabolomics evaluation of the effects of green tea extract on acetaminophen-induced hepatotoxicity in mice
J. Singh and P. Kakkar	722–731	Modulation of liver function, antioxidant responses, insulin resistance and glucose transport by <i>Oroxylum indicum</i> stem bark in STZ induced diabetic rats
K. Nishi and S. S. Hundal	732–738	Chlorpyrifos induced toxicity in reproductive organs of female Wistar rats
A. Fernández-Iglesias, H. Quesada, S. Díaz, D. Pajuelo, C. Bladé, L. Arola, M. Josepa Salvadó and M. Mulero	750–757	DHA sensitizes FaO cells to <i>tert</i> -BHP-induced oxidative effects. Protective role of EGCG
G. M. Gilad and V. H. Gilad	758–762	Evidence for oral agmatine sulfate safety – A 95-day high dosage pilot study with rats
S. K. Lim, H. Choi, M. J. Park, D. I. Kim, J. C. Kim, G. Y. Kim, S. Y. Jeong, R. N. Rodionov, H. J. Han, K. C. Yoon and S. H. Park	763–769	The ER stress-mediated decrease in DDAH1 expression is involved in formaldehyde-induced apoptosis in lung epithelial cells
Y.-L. Chu, D. Chimeddulam, L.-Y. Sheen and K.-Y. Wu	770–776	Probabilistic risk assessment of exposure to leucomalachite green residues from fish products
N. Nikoloff, L. Escobar, S. Soloneski and M. L. Larramendy	777–781	Comparative study of cytotoxic and genotoxic effects induced by herbicide S-metolachlor and its commercial formulation Twin Pack Gold® in human hepatoma (HepG2) cells
P.-F. Tsai and C.-Y. Ma	782–785	Effect of a glycoprotein from mushroom <i>Hypsizygus marmoreus</i> (Peck) Bigelow on growth and differentiation of human leukemic U937 cells

(Contents continued on previous page)

(Contents continued from last page)

- C.-C. Tang, H.-P. Huang, Y.-J. Lee, Y.-H. Tang and C.-J. Wang 786–796 Hepatoprotective effect of mulberry water extracts on ethanol-induced liver injury via anti-inflammation and inhibition of lipogenesis in C57BL/6J mice
- S. Hessel, A. Lampen and A. Seidel 797–804 Polycyclic aromatic hydrocarbons in food – Efflux of the conjugated biomarker 1-hydroxypyrene is mediated by Breast Cancer Resistance Protein (ABCG2) in human intestinal Caco-2 cells
- J. Li, X. Kong, X. Li, Y. Yang and J. Zhang 805–809 Genotoxic evaluation of aspirin eugenol ester using the Ames test and the mouse bone marrow micronucleus assay
- L. Su, X. Chen, J. Wu, B. Lin, H. Zhang, L. Lan and H. Luo 810–816 Galangin inhibits proliferation of hepatocellular carcinoma cells by inducing endoplasmic reticulum stress
- A. M. Ismail, L. L. A. In, M. Tasyriq, D. R. Syamsir, K. Awang, A. H. Omer Mustafa, O. F. Idris, I. Fadl-Elmula and N. Hasima 817–824 Extra virgin olive oil potentiates the effects of aromatase inhibitors via glutathione depletion in estrogen receptor-positive human breast cancer (MCF-7) cells
- C. Zhang, C. Wang, S. Tang, Y. Sun, D. Zhao, S. Zhang, S. Deng, Y. Zhou and X. Xiao 825–838 TNFR1/TNF- $\alpha$  and mitochondria interrelated signaling pathway mediates quinicetone-induced apoptosis in HepG2 cells
- H. J. Koo, S.-A. Jang, K.-H. Yang, S. C. Kang, S. Namkoong, T.-H. Kim, D. T. T. Hang and E.-H. Sohn 839–846 Effects of red ginseng on the regulation of cyclooxygenase-2 of spleen cells in whole-body gamma irradiated mice
- H.-K. Rim, C. H. Yun, J.-S. Shin, Y.-W. Cho, D. S. Jang, J. H. Ryu, H. Park and K.-T. Lee 847–855 5,6,7-Trimethoxyflavone suppresses pro-inflammatory mediators in lipopolysaccharide-induced RAW 264.7 macrophages and protects mice from lethal endotoxin shock
- D. González-Weller, C. Rubio, Á. J. Gutiérrez, G. L. González, J. M. C. Mesa, C. R. Gironés, A. B. Ojeda and A. Hardisson 856–868 Dietary intake of barium, bismuth, chromium, lithium, and strontium in a Spanish population (Canary Islands, Spain)
- C. L. L. Saw, A. Y. Yang, Y. Guo and A. T. Kong 869–875 Astaxanthin and omega-3 fatty acids individually and in combination protect against oxidative stress via the Nrf2–ARE pathway
- L. Wang, X. Wang, S. Zhang, G. Qu and S. Liu 880–891 A protective role of heme-regulated eIF2 $\alpha$  kinase in cadmium-induced toxicity in erythroid cells
- L. Zuo, M. Lu, Q. Zhou, W. Wei and Y. Wang 892–900 Butyrate suppresses proliferation and migration of RKO colon cancer cells through regulating endocan expression by MAPK signaling pathway
- D. Melucci, M. Locatelli and C. Locatelli 901–907 Trace level voltammetric determination of heavy metals and total mercury in tea matrices (*Camellia sinensis*)
- Y.-S. Hsieh, S.-C. Chu, L.-S. Hsu, K.-S. Chen, M.-T. Lai, C.-H. Yeh and P.-N. Chen 908–918 *Rubus idaeus* L. reverses epithelial-to-mesenchymal transition and suppresses cell invasion and protease activities by targeting ERK1/2 and FAK pathways in human lung cancer cells
- C. L. Cespedes, E. Muñoz, J. R. Salazar, L. Yamaguchi, E. Werner, J. Alarcon and I. Kubo 919–926 Inhibition of cholinesterase activity by extracts, fractions and compounds from *Calceolaria talcana* and *C. integrifolia* (Calceolariaceae: Scrophulariaceae)
- W. A. Abia, B. Warth, M. Sulyok, R. Krska, A. Tchana, P. B. Njobeh, P. C. Turner, C. Kouanfack, M. Eyongetah, M. Dutton and P. F. Moundipa 927–934 Bio-monitoring of mycotoxin exposure in Cameroon using a urinary multi-biomarker approach
- Brief Communications**
- A. Fernandez, E. N. C. Mills, M. Lovik, A. Spoek, A. Germini, A. Mikalsen and J. M. Wal 1–6 Endogenous allergens and compositional analysis in the allergenicity assessment of genetically modified plants
- C. E. Ainslie-Waldman, S. W. Simpkins, P. Upadhyaya, S. G. Carmella, S. S. Hecht and S. P. Trudo 188–193 Contamination of deconjugation enzymes derived from *Helix pomatia* with the plant bioactive compounds 3,3'-diindolylmethane, 5-methoxypsoralen, and 8-methoxypsoralen
- C. Jiang, L. Zhao, S. Li, X. Zhao, Q. Zhang and Q. Xiong 226–230 Preliminary characterization and immunostimulatory activity of polysaccharides from *Glossaulax didyma*

(Contents continued on previous page)

(Contents continued from last page)

<i>Q. Lu, L. Yang, H.-Y. Zhao, J.-G. Jiang and X.-L. Xu</i>	432–435	Protective effect of compounds from the flowers of <i>Citrus aurantium</i> L. var. <i>amara</i> Engl against carbon tetrachloride-induced hepatocyte injury
<i>H. Wu, R. E. Baynes, L. A. Tell and J. E. Riviere</i>	876–879	Prediction of flunixin tissue residue concentrations in livers from diseased cattle
<b>Letter to the Editor</b>		
<i>S. Kapoor</i>	964	Ursolic acid and its emerging anti-neoplastic effects in systemic malignancies
<b>Addendum</b>		
<i>T. G. Osimitz, M. L. Eldridge, E. Slotter, W. Welsh, N. Ai, G. S. Saylor, F. Menn and C. Toole</i>	965	Addendum to “Lack of androgenicity and estrogenicity of the three monomers used in Eastman’s Tritan <sup>TM</sup> copolyesters” [Food Chem. Toxicol. 50 (2012) 2196–2205]