

CONTENTS

Research Reports

- Analysis of growth characteristics in short-term divergently selected Japanese quail lines and their cross**
E. Rezvannejad, A. Pakdel, S. R. Mirae Ashtianee, H. Mehrabani Yeganeh, and M. M. Yaghoobi 663
- Effects of supplementing a multienzyme to broiler diets containing a high level of wheat or canola meal on intestinal morphology and performance of chicks**
S. D. Sharifi, G. Golestani, A. Yaghobfar, A. Khadem, and H. Pashazanussi 671
- Effects of a monocomponent protease on performance and protein utilization in 1- to 26-day-of-age turkey poults**
S. L. Vieira, C. R. Angel, D. J. A. Miranda, A. Favero, R. F. A. Cruz, and J. O. B. Sorbara 680
- Comparison of different molting methods and evaluation of the effects of postmolt diets supplemented with humate and carnitine on performance, egg quality, and profitability of laying hens**
S. Sariözkan, B. K. Güçlü, K. Kara, and S. Gürcan 689
- Effect of different intermediate amendments on pH and ammonia emissions of composted poultry mortalities**
J. L. Spencer and B. J. Van Heyst 700
- Modeling flume transport of broiler offal to predict the environmental effect on poultry processing wastewater: I. Feathers**
B. H. Kiepper, H. S. Plumber, and C. W. Ritz 715
- Modeling flume transport of broiler offal to predict environmental impact on poultry processing wastewater: II. Viscera**
B. H. Kiepper, H. S. Plumber, and C. W. Ritz 722
- Evaluation of different strategies for broiler feed formulation using near infrared reflectance spectroscopy as a source of information for determination of amino acids and metabolizable energy**
C. Soto, E. Avila, J. Arce, F. Rosas, and D. McIntyre 730
- Effects of oregano or red pepper essential oil supplementation to diets for broiler chicks with delayed feeding after hatching. 1. Performance and microbial population**
M. Corduk, S. Sarica, and G. F. Yarim 738
- Free-choice feeding of free-range meat chickens**
A. C. Fanatico, V. B. Brewer, C. M. Owens-Hanning, D. J. Donoghue, and A. M. Donoghue 750

Spatial and temporal analysis of microbial populations in production broiler house litter in the southeastern United States	
B. N. Roberts, R. H. Bailey, M. R. McLaughlin, D. M. Miles, and J. P. Brooks	759
<i>Clostridium perfringens</i> in ingredients of poultry feed and control of contamination by chemical treatments	
M. F. Casagrande, M. V. Cardozo, M. C. Beraldo-Massoli, L. Boarini, F. A. Longo, A. C. Paulilo, and R. P. Schocken-Iturrino	771
Sulfation of <i>Agrocybe chaxingu</i> polysaccharides can enhance the immune response in broiler chicks	
Xuhui Zhang, Fuliang Cao, Zhiyuan Sun, Wanwen Yu, Linguo Zhao, and Tian Wang	778
Effects of yeast cell wall on early production laying hen performance	
M. Hashim, J. Fowler, A. Haq, and C. A. Bailey	792
Growth performance, antioxidant status, and nonspecific immunity in broilers under different lighting regimens	
L. Zheng, Y. E. Ma, L. Y. Gu, D. Yuan, M. L. Shi, X. Y. Guo, and X. A. Zhan	798
Effect of vitamin E on reproductive performance of heavy broiler breeder hens	
M. Zaghari, V. Sedaghat, and M. Shivazad	808
Correlations between chemical assays and near-infrared reflectance spectroscopy for nutrient components and correlations between nutrients and color scores of distillers dried grains with solubles	
A. Y. Pekel, E. O. Çakır, M. Polat, K. Çakır, G. İnan, and N. Kocabağlı	814
A <i>Bacillus subtilis</i> (QST 713) spore-based probiotic for necrotic enteritis control in broiler chickens	
G. B. Tactacan, J. K. Schmidt, M. J. Miille, and D. R. Jimenez	825
Nutrient digestibility, egg quality, and fatty acid composition of brown laying hens fed camelina or flaxseed meal	
A. E. Aziza, A. K. Panda, N. Quezada, and G. Cherian	832
Spray application of live attenuated F strain-derived <i>Mycoplasma gallisepticum</i> vaccines	
J. D. Evans, R. Jacob, S. A. Leigh, S. D. Collier, E. D. Peebles, and S. L. Branton	842
Influence of amount and form of sorghum in the diet on the performance of overfed geese	
J. Arroyo, A. Auvergne, J. P. Dubois, F. Lavigne, M. Bijja, and L. Fortun-Lamothe	849
Different sources of dietary zinc for broilers submitted to immunological, nutritional, and environmental challenge	
M. M. Vieira, A. M. L. Ribeiro, A. M. Kessler, M. L. Moraes, M. A. Kunrath, and V. S. Ledur	855
Ratio of digestible total sulfur amino acids to lysine of broiler chicks from 1 to 15 days of age	
W. A. Dozier III and Y. Mercier	862
A study assessing hen and progeny performance through dam diet fortification with a <i>Saccharomyces cerevisiae</i> fermentation product	
M. T. Kidd, L. Araujo, C. Araujo, C. D. McDaniel, and D. McIntyre	872
Effects of lead contamination in feed on laying performance, lead retention of organs and eggs, protein metabolism, and hormone levels of laying hens	
C. Yuan, H. H. Song, Y. J. Jiang, M. M. M. Azzam, S. Zhu, and X. T. Zou	878

Effects of the addition of collagen and degree of comminution in the quality of chicken ham

Rosa C. Prestes, Adriana Graboski, Silvane S. Roman, Aniela P. Kempka, Geciane Toniazzo, Ivo Mottin Demiate, and Marco Di Luccio

885

Effect of dried peppermint (*Mentha cordifolia*) on growth performance, nutrient digestibility, carcass traits, antioxidant properties, and ammonia production in broilers

S. Khempaka, U. Pudpila, and W. Molee

904

Field Reports

Virulence genes and antimicrobial resistance profiles of *Staphylococcus aureus* isolated from chicken meat in Isfahan province, Iran

Hassan Momtaz, Farhad Safarpour Dehkordi, Ebrahim Rahimi, Amin Asgarifar, and Mahmood Momeni

913

Live performance of roasters raised in houses receiving different acidifier application rates

E. O. Oviedo-Rondón, S. B. Shah, J. L. Grimes, P. W. Westerman, and D. Campeau

922

Market survey of quality and freshness of eggs produced under an enhanced hen nutrition and egg production program

H. K. Burley and C. L. Johnson

929

Comparison of broiler flock daily water consumption and water-to-feed ratios for flocks grown in 1991, 2000–2001, and 2010–2011

C. L. Williams, G. T. Tabler, and S. E. Watkins

934

A survey on the incidence and magnitude of intestinal helminthiasis in broiler breeders originating from the southeastern United States

T. Yazwinski, C. Tucker, E. Wray, L. Jones, Z. Johnson, S. Steinlage, and J. Bridges

942