

Reviews

- S. Shelhutt, J. Kind and W. Allaben* 284–295 Bisphenol A: Update on newly developed data and how they address NTP's 2008 finding of "Some Concern"
- L. Yi and Q. Su* 362–370 Molecular mechanisms for the anti-cancer effects of diallyl disulfide

Research Papers

- D. L. Moran, P. A. Marone,
M. R. Bauter and M. G. Soni* 1–10 Safety assessment of Apoaeguorin, a protein preparation: Subchronic toxicity study in rats
- K. Kullik, B. Brosig, S. Kersten,
H. Valenta, A.-K. Diesing, P. Panther,
N. Reinhardt, J. Kluess,
H.-J. Rothkötter, G. Breves and
S. Dänicke* 11–20 Interactions between the *Fusarium* toxin deoxynivalenol and lipopolysaccharides on the *in vivo* protein synthesis of acute phase proteins, cytokines and metabolic activity of peripheral blood mononuclear cells in pigs
- A. Shao, A. Broadmeadow, G. Goddard,
E. Bejar and V. Frankos* 21–31 Safety of purified decolorized (low anthraquinone) whole leaf *Aloe vera* (L) Burm. f. juice in a 3-month drinking water toxicity study in F344 rats
- V. Cardenia, M. T. Rodriguez-Estrada,
E. Baldacci and G. Lercker* 32–38 Health-related lipids components of sardine muscle as affected by photooxidation
- Y. Liu, J. Sun, S. Rao, Y. Su and
Y. Yang* 39–45 Antihyperglycemic, antihyperlipidemic and antioxidant activities of polysaccharides from *Catathelasma ventricosum* in streptozotocin-induced diabetic mice
- J. T. M. Ngatchic, S. D. Sokeng,
N. Y. Njintang, T. Maoundombaye,
J. Oben and C. M. F. Mbofung* 46–53 Evaluation of some selected blood parameters and histopathology of liver and kidney of rats fed protein-substituted mucuna flour and derived protein rich product
- A. R. M. Sperotto, D. J. Moura,
V. F. Péres, F. C. Damasceno,
E. B. Caramão, J. A. P. Henriques and
J. Saffi* 57–68 Cytotoxic mechanism of *Piper gaudichaudianum* Kunth essential oil and its major compound nerolidol
- P. Costa, S. Gonçalves, P. Valentão,
P. B. Andrade and A. Romano* 69–74 Accumulation of phenolic compounds in *in vitro* cultures and wild plants of *Lavandula viridis* L'Hér and their antioxidant and anti-cholinesterase potential
- L. Normandin, M. Bouchard,
P. Ayotte, C. Blanchet, A. Becalski,
Y. Bonvalot, D. Phaneuf, C. Lapointe,
M. Gagné and M. Courteau* 75–83 Dietary exposure to acrylamide in adolescents from a Canadian urban center
- M.-J. Shin, Y. Cho, J. Moon,
H. J. Jeon, S.-M. Lee and J. H. Chung* 84–90 Hypocholesterolemic effect of daily fisetin supplementation in high fat fed Sprague–Dawley rats
- F. Ferreres, C. Grosso,
A. Gil-Izquierdo, P. Valentão and
P. B. Andrade* 91–98 Phenolic compounds from *Jacaranda caroba* (Vell.) A. DC.: Approaches to neurodegenerative disorders
- S.-M. Lee, J. Moon, J. H. Chung,
Y.-J. Cha and M.-J. Shin* 99–105 Effect of quercetin-rich onion peel extracts on arterial thrombosis in rats

A. Boobis, V. Flari, J. P. Gosling, A. Hart, P. Craig, L. Rushton and E. Idahosa-Taylor	106–118	Interpretation of the margin of exposure for genotoxic carcinogens – Elicitation of expert knowledge about the form of the dose response curve at human relevant exposures
C.-H. Kang, M. J. Kim, M. J. Seo, Y. H. Choi, W. S. Jo, K.-T. Lee, Y. K. Jeong and G.-Y. Kim	119–125	5-Hydroxy-3,6,7,8,3'4'-hexamethoxyflavone inhibits nitric oxide production in lipopolysaccharide-stimulated BV2 microglia via NF- κ B suppression and Nrf-2-dependent heme oxygenase-1 induction
K.-N. Kim, Y.-J. Ko, H.-M. Yang, Y.-M. Ham, S. W. Roh, Y.-J. Jeon, G. Ahn, M.-C. Kang, W.-J. Yoon, D. Kim and T. Oda	126–131	Anti-inflammatory effect of essential oil and its constituents from fingered citron (<i>Citrus medica</i> L. var. <i>sarcodactylis</i>) through blocking JNK, ERK and NF- κ B signaling pathways in LPS-activated RAW 264.7 cells
J.-W. Kang, D.-W. Kim, J. S. Choi, Y. S. Kim and S.-M. Lee	132–139	Scoparone attenuates D-galactosamine/lipopolysaccharide-induced fulminant hepatic failure through inhibition of toll-like receptor 4 signaling in mice
M. I. Rodriguez-Naranjo, J. L. Ordóñez, R. M. Callejón, E. Cantos-Villar and M. C. Garcia-Parrilla	140–146	Melatonin is formed during winemaking at safe levels of biogenic amines
S. J. Bing, D. Ha, M. J. Kim, E. Park, G. Ahn, D. S. Kim, R. K. Ko, J. W. Park, N. H. Lee and Y. Jee	147–153	Geraniin down regulates gamma radiation-induced apoptosis by suppressing DNA damage
U. Gawlik-Dziki, M. Świeca, M. Sulkowski, D. Dziki, B. Baraniak and J. Czyż	154–160	Antioxidant and anticancer activities of <i>Chenopodium quinoa</i> leaves extracts – <i>In vitro</i> study
H. Bjermo, S. Sand, C. Nälsén, T. Lundh, H. Enghardt Barbieri, M. Pearson, A. K. Lindroos, B. A. G. Jönsson, L. Barregård and P. O. Darnerud	161–169	Lead, mercury, and cadmium in blood and their relation to diet among Swedish adults
V. Ríos, I. Moreno, A. I. Prieto, M. Puerto, D. Gutiérrez-Praena, M. E. Soria-Díaz and A. M. Cameán	170–178	Analysis of MC-LR and MC-RR in tissue from freshwater fish (<i>Tinca tinca</i>) and crayfish (<i>Procambarus clarkii</i>) in tench ponds (Cáceres, Spain) by liquid chromatography–mass spectrometry (LC–MS)
M. Zarei and T. Shivanandappa	179–184	Amelioration of cyclophosphamide-induced hepatotoxicity by the root extract of <i>Decalepis hamiltonii</i> in mice
M.-P. Gomez-Berrada, F. Gautier, D. Parent-Massin and P.-J. Ferret	185–194	Retrospective exposure data for baby and children care products: An analysis of 48 clinical studies
C. Yang, Z. Li, T. Zhang, F. Liu, J. Ruan and Z. Zhang	195–200	Transcellular transport of aconitine across human intestinal Caco-2 cells
Y. Zhang, Q. Li, X. Liu, H. Zhu, A. Song and J. Jiao	201–208	Antioxidant and micronutrient-rich milk formula reduces lead poisoning and related oxidative damage in lead-exposed mice
H.-H. Kim, Y. Bae and S.-H. Kim	209–216	Galangin attenuates mast cell-mediated allergic inflammation
T. B. Zanoni, T. M. Lizier, M. das Dores Assis, M. V. B. Zanoni and D. P. de Oliveira	217–226	CYP-450 isoenzymes catalyze the generation of hazardous aromatic amines after reaction with the azo dye Sudan III
Y. Watanabe, H. Kojima, S. Takeuchi, N. Uramaru, S. Ohta and S. Kitamura	227–234	Comparative study on transcriptional activity of 17 parabens mediated by estrogen receptor α and β and androgen receptor
J. Burger and M. Gochfeld	235–245	Selenium and mercury molar ratios in commercial fish from New Jersey and Illinois: Variation within species and relevance to risk communication
E. Langner, F. M. Nunes, P. Pożarowski, M. Kandfer-Szerszeń, S. G. Pierzynowski and W. Rzeski	246–255	Melanoidins isolated from heated potato fiber (Potex) affect human colon cancer cells growth <i>via</i> modulation of cell cycle and proliferation regulatory proteins
J. Jiang, T. B. Kang, D. W. Shim, N. H. Oh, T. J. Kim and K. H. Lee	256–261	Indole-3-carbinol inhibits LPS-induced inflammatory response by blocking TRIF-dependent signaling pathway in macrophages
S. Maisanaba, M. Puerto, S. Pichardo, M. Jordá, F. J. Moreno, S. Aucejo and Á. Jos	266–275	<i>In vitro</i> toxicological assessment of clays for their use in food packaging applications
L. Y. M. Wan, P. C. Turner and H. El-Nezami	276–283	Individual and combined cytotoxic effects of <i>Fusarium</i> toxins (deoxynivalenol, nivalenol, zearalenone and fumonisins B1) on swine jejunal epithelial cells
G. A. Filip, I. D. Postescu, P. Bolfa, C. Catoi, A. Muresan and S. Clichici	296–306	Inhibition of UVB-induced skin phototoxicity by a grape seed extract as modulator of nitrosative stress, ERK/NF- κ B signaling pathway and apoptosis, in SKH-1 mice

Y. Lu, M. K. Na, S.-J. Suh, X. Li, G. J. Kim, G. H. Chao, Y.-T. Jeong, D. S. Kim, Y.-C. Chang, M. Murakami, W. Kang, C.-H. Kim and H. W. Chang	307–313	Anti-inflammatory activity of hexane extracts from bones and internal organs of <i>Anguilla japonica</i> suppresses cyclooxygenase-2-dependent prostaglandin D ₂ generation in mast cells and anaphylaxis in mice
S. Liu, C.-X. Li, X.-L. Feng, H.-L. Wang, H.-B. Liu, Y. Zhi, G.-Y. Geng, J. Zhao and H.-B. Xu	314–321	Safety assessment of meat from transgenic cattle by 90-day feeding study in rats
D. Zhou, A. Wei, C. Cao and J. Ruan	322–329	DICO, a novel nonaromatic B-ring flavonoid, induces G2/M cell cycle arrest and apoptosis in human hepatoma cells
J. Chen, T. Zeng, X. Zhao, K. Xiea, Y. Bi, Z. Zhong and X. Zhao	330–337	Docosahexaenoic acid (DHA) ameliorates paraquat-induced pulmonary fibrosis in rats possibly through up-regulation of Smad 7 and SnoN
J. Li, Y. Li, Y. Zhang, X. Liu, Z. Zhao, J. Zhang, Y. Han and D. Zhou	338–345	Toxicity study of isolated polypeptide from wool hydrolysate
Z. Tayarani-Najaran, S. H. Mousavi, F. Tajfard, J. Asili, S. Soltani, M. Hatamipour and S. A. Emami	346–351	Cytotoxic and apoptogenic properties of three isolated diterpenoids from <i>Salvia chorassanica</i> through bioassay-guided fractionation
V. Valdiglesias, C. Costa, V. Sharma, G. Kiliç, E. Pásaro, J. P. Teixeira, A. Dhawan and B. Laffon	352–361	Comparative study on effects of two different types of titanium dioxide nanoparticles on human neuronal cells
L. Xu, Y. Qiu, H. Xu, W. Ao, W. Lam and X. Yang	371–379	Acute and subacute toxicity studies on triptolide and triptolide-loaded polymeric micelles following intravenous administration in rodents
T. S. Lawler, S. B. Stanfill, L. Zhang, D. L. Ashley and C. H. Watson	380–386	Chemical characterization of domestic oral tobacco products: Total nicotine, pH, unprotonated nicotine and tobacco-specific N-nitrosamines
Brief Communications		
J. Goossens, L. De Bock, A. Osselaere, E. Verbrugghe, M. Devreese, K. Boussey, J. Van Bocxlaer, P. De Backer and S. Croubels	54–56	The mycotoxin T-2 inhibits hepatic cytochrome P4503A activity in pigs
M. He, J. Jiang, F. Qiu, S. Liu, P. Peng, C. Gao and P. Miao	262–265	Inhibitory effects of gypenosides on seven human cytochrome P450 enzymes in vitro
Letters to the Editor		
S. Chirumbolo	387–388	Hormetic effect of <i>Rosa laevigata</i> Michx in CCl ₄ -induced hepatotoxicity and the presumptive role of PPARs
S. Zhang and J. Peng	389	Response to: “Hormetic effect of <i>Rosa laevigata</i> Michx in CCl ₄ -induced hepatotoxicity and the presumptive role of PPARs”
S. A. Codrea	390	Comment on “Absorption of triphenylmethane dyes Brilliant Blue and Patent Blue through intact skin, shaven skin and lingual mucosa from daily life products” by Lucová et al. (2013) <i>Food and Chemical Toxicology</i> 52, 19–27
M. Lucová, J. Hojerová, S. Pažoureková and Z. Klimová	391	Reply to Letter to the editor