

Research Papers

<b>Osmotic dehydration of pineapple (<i>Ananas comosus</i>) pieces in cubical shape described by diffusion models</b> <i>W.P. da Silva, C.M.D.P.S. e Silva, M.A.A. Lins and J.P. Gomes</i>	1
<b><math>\beta</math>-Lactoglobulin conformation and mixed sugar beet pectin gel matrix is changed by laccase</b> <i>J. Jung and L. Wicker</i>	9
<b>Quality of carrot juice as influenced by blanching and sonication treatments</b> <i>S. Jabbar, M. Abid, B. Hu, T. Wu, M.M. Hashim, S. Lei, X. Zhu and X. Zeng</i>	16
<b>Lysozyme release from isolate pea protein and starch based films and their antimicrobial properties</b> <i>M.J. Fabra, L. Sánchez-González and A. Chiralt</i>	22
<b>Rice bolus texture changes due to <math>\alpha</math>-amylase</b> <i>G.M. Bornhorst, H. Hivert and R.P. Singh</i>	27
<b>Effects of infrared radiation heating on peeling performance and quality attributes of clingstone peaches</b> <i>X. Li, A. Zhang, G.G. Atungulu, M. Delwiche, R. Milczarek, D. Wood, T. Williams, T. McHugh and Z. Pan</i>	34
<b>Studying the effects of whole-wheat flour on the rheological properties and the quality attributes of whole-wheat saltine cracker using SRC, alveograph, rheometer, and NMR technique</b> <i>J. Li, G.G. Hou, Z. Chen, A.-L. Chung and K. Gehring</i>	43
<b>Bio-accessibility of bioactive compounds (ACE inhibitors and antioxidants) from extruded maize products added with a red seaweed <i>Porphyra columbina</i></b> <i>R.E. Cian, M.S. Caballero, N. Sabbag, R.J. González and S.R. Drago</i>	51
<b>Profiles of carotenoids during post-climacteric ripening of some important cultivars of banana and development of a dry product from a high carotenoid yielding variety</b> <i>V. Lokesh, P. Divya, B. Puthusseri, G. Manjunatha and B. Neelwarne</i>	59
<b>Viscosity changes of chitosan solution affect physico-functional properties and consumer perception of coated eggs during storage</b> <i>W. Wardy, K.D. Pujols Martínez, Z. Xu, H.K. No and W. Prinyawiwatkul</i>	67
<b>Microencapsulation properties of protein isolates from three selected <i>Phaseolus</i> legumes in comparison with soy protein isolate</b> <i>F. Liu, Z. Chen and C.-H. Tang</i>	74
<b>Chitosan biobased and intelligent films: Monitoring pH variations</b> <i>C.M.P. Yoshida, V.B.V. Maciel, M.E.D. Mendonça and T.T. Franco</i>	83
<b>Classification of Brazilian honeys by physical and chemical analytical methods and low field nuclear magnetic resonance (LF <math>^1\text{H}</math> NMR)</b> <i>R.O.R. Ribeiro, E.T. Mársico, C.S. Carneiro, M.L.G. Monteiro, C.A. Conte Júnior, S. Mano and E.F.O. de Jesus</i>	90

<b>Artificial intelligence in predicting extraction of anti-cancer compounds</b> <i>B.L. Shrestha and O.D. Baik</i>	96
<b>A combination of TiO<sub>2</sub>-UV photocatalysis and high hydrostatic pressure to inactivate <i>Bacillus cereus</i> in freshly squeezed <i>Angelica keiskei</i> juice</b> <i>C. Chai, J. Lee, Y. Lee, S. Na and J. Park</i>	104
<b>Quality and shelf life assessment of Pacific white shrimp (<i>Litopenaeus vannamei</i>) freshly harvested and stored on ice</b> <i>C.O.R. Okpala, W.S. Choo and G.A. Dykes</i>	110
<b>Pomegranate peel phenolics: Microencapsulation, storage stability and potential ingredient for functional food development</b> <i>M. Çam, N.C. İçyer and F. Erdoğan</i>	117
<b>Antioxidant activity, color characteristics, total phenol content and general HPLC fingerprints of six Polish unifloral honey types</b> <i>P.M. Kuś, F. Congiu, D. Teper, Z. Sroka, I. Jerković and C.I.G. Tuberoso</i>	124
<b>Effect of processing treatments and storage conditions on stability of fruit juice based beverages enriched with dietary fibers alone and in mixture with xanthan gum</b> <i>É. Paquet, R. Hussain, L. Bazinet, J. Makhoul, S. Lemieux and S.L. Turgeon</i>	131
<b>Soft cheese-like product development enriched with soy protein concentrates</b> <i>A.N. Rinaldoni, D.R. Palatnik, N. Zaritzky and M.E. Campderrós</i>	139
<b>Pasting and rheological properties of oat products dry-blended with ground chia seeds</b> <i>George.E. Inglett, D. Chen, S.X. Liu and S. Lee</i>	148
<b>Variability and the genotypic effect on antioxidant activity, total phenolics, carotenoids and ascorbic acid content in seventeen natural population of Seabuckthorn (<i>Hippophae rhamnoides</i> L.) from trans-Himalaya</b> <i>G. Korekar, P. Dolkar, H. Singh, R.B. Srivastava and T. Stobdan</i>	157
<b>Characterization of edible gum cordia film: Effects of plasticizers</b> <i>M.A. Haq, A. Hasnain and M. Azam</i>	163
<b>Physicochemical properties of leftover egg yolk after livetins removal</b> <i>S. Navidghasemizad, F. Temelli and J. Wu</i>	170
<b>Retarding effects of organic acids, hydrocolloids and microwave treatment on the discoloration of green tea fresh noodles</b> <i>K.-X. Zhu, X. Dai, X. Guo, W. Peng and H.-M. Zhou</i>	176
<b>Antibacterial peptides from barbel muscle protein hydrolysates: Activity against some pathogenic bacteria</b> <i>A. Sila, N. Nedjar-Aroume, K. Hedhili, G. Chataigné, R. Balti, M. Nasri, P. Dhulster and A. Bougatef</i>	183
<b>Use of response surface methodology to study the combined effects of UV-C and thermal processing on vegetable oxidative enzymes</b> <i>F. Sampedro, J. Phillips and X. Fan</i>	189
<b>Effect of peel and seed removal on the nutritional value and antioxidant activity of tomato (<i>Lycopersicon esculentum</i> L.) fruits</b> <i>A.F. Vinha, R.C. Alves, S.V.P. Barreira, A. Castro, A.S.G. Costa and M.B.P.P. Oliveira</i>	197
<b>Use of the jabuticaba (<i>Myrciaria cauliflora</i>) depulping residue to produce a natural pigment powder with functional properties</b> <i>M.C. Silva, V.B. Souza, M. Thomazini, E.R. da Silva, T. Smaniotto, R.A. Carvalho, M.I. Genovese and C.S. Favaro-Trindade</i>	203
<b>Preparation, isolation and hypothermia protection activity of antifreeze peptides from shark skin collagen</b> <i>S. Wang, J. Zhao, L. Chen, Y. Zhou and J. Wu</i>	210
<b>A peach (<i>Prunus persica</i>)-specific gene, <i>Lhcb2</i>, used as an endogenous reference gene for qualitative and real-time quantitative PCR to detect fruit products</b> <i>Y. Shang, P. Zhu, K. Huang, W. Liu, W. Tian, Y. Luo and W. Xu</i>	218
<b>Effect of initial headspace oxygen level on growth and volatile metabolite production by the specific spoilage microorganisms of fresh-cut pineapple</b> <i>B.-Y. Zhang, S. Samapundo, M. Rademaker, B. Nosedá, Q. Denon, I. de Baenst, G. Sürengil, B. De Baets and F. Devlieghere</i>	224

<b>Effects of ohmic heating for pre-cooking of meatballs on some quality and safety attributes</b> <i>I.Y. Sengun, G. Yildiz Turp, F. Icier, P. Kendirci and G. Kor</i>	232
<b>Effect of substrate composition and inoculum on the fermentation kinetics and flavour compound profiles of potentially non-dairy probiotic formulations</b> <i>I. Salmerón, K. Thomas and S.S. Pandiella</i>	240
<b>Prebiotic gluten-free bread: Sensory profiling and drivers of liking</b> <i>E.C. Morais, A.G. Cruz, J.A.F. Faria and H.M.A. Bolini</i>	248
<b>Consumer acceptability and antioxidant potential of probiotic-yogurt with spices</b> <i>V.V. Illupapalayam, S.C. Smith and S. Gamlath</i>	255
<b>Combined effect of chitosan and modified atmosphere packaging for shelf life extension of chicken breast fillets</b> <i>E. Latou, S.F. Mexis, A.V. Badeka, S. Kontakos and M.G. Kontominas</i>	263
<b>Antioxidant capacity, arabinoxylans content and <i>in vitro</i> glycaemic index of cereal-based snacks incorporated with brewer's spent grain</b> <i>S.F. Reis and N. Abu-Ghannam</i>	269
<b>Identification of antioxidant components and fatty acid profiles of the leaves and fruits from <i>Averrhoa carambola</i></b> <i>S.-D. Wei, H. Chen, T. Yan, Y.-M. Lin and H.-C. Zhou</i>	278
<b>Comparison study of chitosan, EDTA, eugenol and peppermint oil for antioxidant and antimicrobial potentials in chicken noodles and their effect on colour and oxidative stability at ambient temperature storage</b> <i>A.K. Khare, A.K. Biswas and J. Sahoo</i>	286
<b>Influence of malted finger millet and red kidney bean flour on quality characteristics of developed bread</b> <i>S. Bhol and S. John Don Bosco</i>	294
<b>Cookie making behavior of wheat–barley flour blends and effects on antioxidant properties</b> <i>P. Sharma and H.S. Gujral</i>	301
<b>Physicochemical and functional properties of whole legume flour</b> <i>S.-k. Du, H. Jiang, X. Yu and J.-l. Jane</i>	308
<b>Survival and metabolic activity of probiotic bacteria in green tea</b> <i>A.M. López de Lacey, E. Pérez-Santín, M.E. López-Caballero and P. Montero</i>	314
<b>Feasibility of using <i>Hericium erinaceus</i> as the substrate for vinegar fermentation</b> <i>T. Li, Y.M. Lo and B. Moon</i>	323
<b>Bioactive components analysis of two various gingers (<i>Zingiber officinale</i> Roscoe) and antioxidant effect of ginger extracts</b> <i>H.-y. Yeh, C.-h. Chuang, H.-c. Chen, C.-j. Wan, T.-l. Chen and L.-y. Lin</i>	329
<b>Influence of microbial conversion and change in pH on iron–gallic acid complexation during lactobacillus fermentation</b> <i>D. Knockaert, K. Raes, K. Struijs, C. Wille and J. Van Camp</i>	335
<b>Changes in <math>\gamma</math>-aminobutyric acid content and related enzyme activities in Jindou 25 soybean (<i>Glycine max</i> L.) seeds during germination</b> <i>J.-G. Xu and Q.-P. Hu</i>	341
<b>Effect of high hydrostatic pressure (HHP) treatment on flavor, physicochemical properties and biological functionalities of garlic</b> <i>K.W. Kim, Y.-T. Kim, M. Kim, B.-S. Noh and W.-S. Choi</i>	347
<b>Simultaneous determination of biogenic amines and estrogens in foodstuff by an improved HPLC method combining with fluorescence labeling</b> <i>G. Li, L. Dong, A. Wang, W. Wang, N. Hu and J. You</i>	355
<b>Effects of the addition of green tea powder on the quality and antioxidant properties of vacuum-puffed and deep-fried Yukwa (rice snacks)</b> <i>X.J. Shen, J.Y. Han and G.H. Ryu</i>	362
<b>Effect of different pressure-soaking treatments on color, texture, morphology and retrogradation properties of cooked rice</b> <i>Y. Tian, J. Zhao, Z. Xie, J. Wang, X. Xu and Z. Jin</i>	368

<b>Chemical composition, antioxidant and anti-inflammatory properties for ethanolic extracts from <i>Pleurotus eryngii</i> fruiting bodies harvested at different time</b>	
<i>J.-T. Lin, C.-W. Liu, Y.-C. Chen, C.-C. Hu, L.-D. Juang, C.-C. Shiesh and D.-J. Yang</i>	<b>374</b>
<b>Biofilm formation of <i>Salmonella</i> Typhimurium on stainless steel and acrylic surfaces as affected by temperature and pH level</b>	
<i>H.D.N. Nguyen, Y.S. Yang and H.G. Yuk</i>	<b>383</b>
<b>Mediterranean non-cultivated vegetables as dietary sources of compounds with antioxidant and biological activity</b>	
<i>P. Morales, I.C.F.R. Ferreira, A.M. Carvalho, M<sup>a</sup>.C. Sánchez-Mata, M. Cámara, V. Fernández-Ruiz, M. Pardo-de-Santayana and J. Tardío</i>	<b>389</b>
<b>Changes in S-allyl cysteine contents and physicochemical properties of black garlic during heat treatment</b>	
<i>S.E. Bae, S.Y. Cho, Y.D. Won, S.H. Lee and H.J. Park</i>	<b>397</b>
<b>Influence of olive tree irrigation and the preservation system on the fruit characteristics of Hojiblanca black ripe olives</b>	
<i>P. García, C. Romero and M. Brenes</i>	<b>403</b>
<b>Nutritive composition and free radical scavenger activity of honey enriched with of <i>Rosa</i> spp.</b>	
<i>D. Štajner, B.M. Popović, J. Čanadanović-Brunet, S. Đilas and G. Četković</i>	<b>408</b>
<b>Calendar</b>	<b>I</b>