

Food Hydrocolloids

CONTENTS

Volume 35, 2014

- 1 Comparison of different polyols as total sucrose replacers in muffins: Thermal, rheological, texture and acceptability properties
S. MARTÍNEZ-CERVERA, A. SALVADOR AND T. SANZ (Spain)
- 9 Effect of charged polysaccharides on the techno-functional properties of fractions obtained from algae soluble protein isolate
A. SCHWENZFEIER, P. A. WIERENGA, M. H. M. EPPINK AND H. GRUPPEN (The Netherlands)
- 19 The physicochemical stability and in vitro bioaccessibility of beta-carotene in oil-in-water sodium caseinate emulsions
J. YI (People's Republic of China, United States), Y. LI, F. ZHONG (People's Republic of China) AND W. YOKOYAMA (United States)
- 28 Self-assembly of hydrophobin and its co-assembly with hydrophobic nutraceuticals in aqueous solutions: Towards application as delivery systems
G. ISRAELI-LEV AND Y. D. LIVNEY (Israel)
- 36 Electrospinning and heat treatment of whey protein nanofibers
S. T. SULLIVAN, C. TANG, A. KENNEDY, S. TALWAR AND S. A. KHAN (USA)
- 51 The effects of ultrasonic/microwave assisted treatment on the water vapor barrier properties of soybean protein isolate-based oleic acid/stearic acid blend edible films
Z. WANG, J. ZHOU, X.-X. WANG, N. ZHANG (China), X.-X. SUN (USA) AND Z.-S. MA (China)
- 59 Effect of deacetylation on the glucomannan gelation process for making restructured seafood products
B. SOLO-DE-ZALDÍVAR, C. A. TOVAR, A. J. BORDERÍAS AND B. HERRANZ (Spain)
- 69 Gelation of recombined soymilk and cow's milk gels: Effect of homogenization order and mode of gelation on microstructure and texture of the final matrix
A. GRYGORCZYK, L. DUIZER, I. LESSCHAEVE AND M. CORREDIG (Canada)
- 78 Incorporation of vitamin E into chitosan and its effect on the film forming solution (viscosity and drying rate) and the solubility and thermal properties of the dried film
S.-J. LIN AND M. A. PASCALL (USA)
- 85 A comparison of the sensory and rheological properties of molecular and particulate forms of xanthan gum
R. ABSON, S. R. GADDIPATI, J. HORT, J. R. MITCHELL, B. WOLF AND S. E. HILL (UK)
- 91 Interaction of modified celluloses and pectins with gluten proteins
M. J. CORREA, E. FERRER, M. C. AÑÓN AND C. FERRERO (Argentina)
- 100 Intrinsic viscosity of cress (*Lepidium sativum*) seed gum: Effect of salts and sugars
F. BEHROUZIAN, S. M. A. RAZAVI AND H. KARAZHIYAN (Iran)
- 106 Mixed soy globulins and β -lactoglobulin systems behaviour in aqueous solutions and at the air-water interface
V. M. PIZONES RUIZ-HENESTROSA, M. J. MARTINEZ (Argentina), C. CARRERA SÁNCHEZ, J. M. RODRÍGUEZ PATINO (Spain) AND A. M. R. PILOSOFF (Argentina)
- 115 Dissolution behaviors of waxy maize amylopectin in aqueous-DMSO solutions containing NaCl and CaCl₂
J. H. LEE, S. YOU, D.-K. KWEON, H.-J. CHUNG AND S.-T. LIM (South Korea)

Contents continued on BM II

- 122 Improved emulsification performance of corn fibre gum following maturation treatment
J. CIRRE, S. AL-ASSAF, G. O. PHILLIPS (UK), M. P. YADAV AND K. B. HICKS (USA)
- 129 Design and characterization of soluble biopolymer complexes produced by electrostatic self-assembly of a whey protein isolate and sodium alginate
S. A. FIORAMONTI, A. A. PEREZ, E. E. ARÍNGOLI, A. C. RUBIOLO AND L. G. SANTIAGO (Argentina)
- 137 Antimicrobial delivery systems based on electrostatic complexes of cationic ϵ -polylysine and anionic gum arabic
Y. CHANG (United States, PR China), L. MCLANDSBOROUGH AND D. J. MCCLEMENTS (United States)
- 144 Stabilization of aqueous dispersion of CoQ10 nanoparticles using maize starches
H.-K. YOON, T.-R. SEO AND S.-T. LIM (South Korea)
- 150 Establishing the function of proteins on the rheological and quality properties of rice based gluten free muffins
M. E. MATOS (Spain, Venezuela), T. SANZ AND C. M. ROSELL (Spain)
- 159 Influence of nanoliposomes incorporation on properties of film forming dispersions and films based on corn starch and sodium caseinate
A. JIMÉNEZ (Spain), L. SÁNCHEZ-GONZÁLEZ, S. DESOBRY (France), A. CHIRALT (Spain) AND E. A. TEHRANY (France)
- 170 Influence of concentration and pH in caseinomacropeptide and carboxymethylcellulose interaction
V. C. F. BURGARDT, D. F. OLIVEIRA, I. G. EVSEEV, A. R. COELHO, C. W. I. HAMINIUK AND N. WASZCZYNSKYJ (Brazil)
- 181 Stabilizing effect of acacia gum on the xanthan helical conformation in aqueous solution
S. DESPLANQUES, M. GRISEL, C. MALHIAC AND F. RENO (France)
- 189 Competitive adsorption behavior of β -lactoglobulin, α -lactalbumin, bovin serum albumin in presence of hydroxypropylmethylcellulose. Influence of pH
F. L. JARA (Argentina), C. CARRERA SÁNCHEZ, J. M. RODRÍGUEZ PATINO (Spain) AND A. M. R. PILOSOF (Argentina)
- 198 Effects of esterified tapioca starch on the physical and thermal properties of Japanese white salted noodles prepared partly by residual heat
S. EGUCHI, N. KITAMOTO, K. NISHINARI AND M. YOSHIMURA (Japan)
- 209 The effects of pH and high hydrostatic pressure on the physicochemical properties of a sweet potato protein emulsion
N. M. KHAN, T.-H. MU, M. ZHANG AND L. A. AROGUNDADE (PR China)
- 217 Emulsion stabilizing properties of pectins extracted by high hydrostatic pressure, high-speed shearing homogenization and traditional thermal methods: A comparative study
X. GUO, W. ZHAO, X. PANG, X. LIAO, X. HU AND J. WU (China)
- 226 Rheological and microstructural characteristics of lentil starch–lentil protein composite pastes and gels
M. JOSHI, P. ALDRED, J. F. PANOZZO, S. KASAPIS AND B. ADHIKARI (Australia)
- 238 Effect of frozen storage on the conformational, thermal and microscopic properties of gluten: Comparative studies on gluten-, glutenin- and gliadin-rich fractions
P. WANG, L. XU, M. NIKOO, D. OCEN, F. WU, N. YANG, Z. JIN AND X. XU (PR China)
- 247 Antimicrobial pullulan derivative prepared by grafting with 3-aminopropyltrimethoxysilane: Characterization and ability to form transparent films
S. C. M. FERNANDES (Portugal, Spain), P. SADOCCO, J. CAUSIO (Italy), A. J. D. SILVESTRE (Portugal), I. MONDRAGON (Spain) AND C. S. R. FREIRE (Portugal)
- 253 Effect of gamma irradiation on physicochemical properties of Indian Horse Chestnut (*Aesculus indica* Colebr.) starch
I. A. WANI, M. JABEEN, H. GEELANI, F. A. MASOODI, I. SABA AND S. MUZAFFAR (India)
- 264 Effect of precooking temperature and microbial transglutaminase on the gelling properties of blue crab (*Callinectes sapidus*) proteins
M. A. MARTÍNEZ, V. ROBLEDO, G. VELAZQUEZ, J. A. RAMÍREZ (Mexico), M. VÁZQUEZ (Mexico, Spain) AND R. M. URESTI (Mexico)
- 270 Preparation and characterization of montmorillonite/brea gum nanocomposites films
A. M. SLAVUTSKY, M. A. BERTUZZI, M. ARMADA, M. G. GARCÍA AND N. A. OCHOA (Argentina)
- 279 The structure of soy soluble polysaccharide in aqueous solution
P. CHIVERO, S. GOHTANI, S. IKEDA AND A. NAKAMURA (Japan)

- 287 Edible films from pectin: Physical-mechanical and antimicrobial properties - A review
P. J. P. ESPITIA (Brazil), W.-X. DU, R. J. AVENA-BUSTILLOS (USA), N. F. F. SOARES (Brazil) AND
T. H. MCHUGH (USA)
- 297 Native tapioca starch as a potential thickener for fruit fillings. Evaluation of mixed models containing low-methoxyl pectin
A. AGUDELO, P. VARELA, T. SANZ AND S. M. FISZMAN (Spain)
- 305 Formation of heat-resistant nanocapsules of jasmine essential oil via gelatin/gum arabic based complex coacervation
Y. LV, F. YANG, X. LI, X. ZHANG AND S. ABBAS (China)
- 315 Understanding multicomponent emulsion-based products: Influence of locust bean gum on fat droplet – Starch granule
mixtures
C. CHUNG, B. DEGNER AND D. J. MCCLEMENTS (USA)
- 324 Effect of pH on heat-induced gelation of duck blood plasma protein
P. WANG, X. XU, M. HUANG, M. HUANG AND G. ZHOU (PR China)
- 332 Environmental response of pectin-stabilized whey protein aggregates
A. KRZEMINSKI, K. A. PRELL, J. WEISS AND J. HINRICHS (Germany)
- 341 Preparation and characterization of carboxymethyl-gellan and pullulan blend films
G. ZHU, L. SHENG AND Q. TONG (China)
- 348 Physicochemical and rheological characterization of *Prosopis juliflora* seed gum aqueous dispersions
F. RINCÓN (Venezuela), J. MUÑOZ, P. RAMÍREZ, H. GALÁN AND M. C. ALFARO (Spain)
- 358 Processes improving the dispersibility of spray-dried zein nanoparticles using sodium caseinate
H. CHEN AND Q. ZHONG (USA)
- 367 Modulating lipid droplet intestinal lipolysis by electrostatic complexation with anionic polysaccharides: Influence of
cosurfactants
Y. LI (China, USA) AND D. J. MCCLEMENTS (USA)
- 375 Application of micronized konjac gel for fat analogue in mayonnaise
J. LI, Y. WANG, W. JIN, B. ZHOU AND B. LI (China)
- 383 Pomelo (*Citrus maxima*) pectin: Effects of extraction parameters and its properties
P. METHACANON, J. KRONGSIN AND C. GAMONPILAS (Thailand)
- 392 Application of digital image analysis method to study the gelatinization process of starch/ sodium chloride solution systems
Q. LI, Q. XIE, S. YU AND Q. GAO (PR China)
- 403 Resistant starch III from culled banana and its functional properties in fish oil emulsion
T. A. A. NASRIN AND A. K. ANAL (Thailand)
- 410 Electrostatic adsorption and stability of whey protein–pectin complexes on emulsion interfaces
H. SALMINEN AND J. WEISS (Germany)
- 420 Sensitivity of emulsions stabilised by bovine β -casein and lactoferrin to heat and CaCl_2
N. A. MCCARTHY, A. L. KELLY, J. A. O'MAHONY AND M. A. FENELON (Ireland)
- 429 Effect of hydrolysis of soy β -conglycinin on the oxidative stability of O/W emulsions
P. Y. PHOON, M. F. SAN MARTIN-GONZALEZ AND G. NARSIMHAN (USA)
- 444 *Cordyceps sinensis*: *In vitro* anti-fibrotic bioactivity of natural and cultured preparations
X. YAO (China), S. MERAN (UK), Y. FANG (China), J. MARTIN, A. MIDGLEY (UK), M.-M. PAN, B.-C. LIU (China),
S. W. CUI (China, Canada), G. O. PHILLIPS AND A. O. PHILLIPS (UK)
- 453 Some physicochemical properties of sage (*Salvia macrosiphon*) seed gum
S. M. A. RAZAVI (Iran, Canada), S. W. CUI, Q. GUO AND H. DING (Canada)
- 463 Physical, structural and antimicrobial properties of poly vinyl alcohol–chitosan biodegradable films
J. BONILLA (Spain), E. FORTUNATI (Italy), L. ATARÉS, A. CHIRALT (Spain) AND J. M. KENNY (Italy, Spain)
- 471 Hydroxycinnamic acids, sugar composition and antioxidant capacity of arabinoxylans extracted from different maize
fiber sources
F. E. AYALA-SOTO, S. O. SERNA-SALDÍVAR, S. GARCÍA-LARA AND E. PÉREZ-CARRILLO (Mexico)
- 476 Development and characterization of food packaging film from cellulose sulfate
G. CHEN, B. ZHANG, J. ZHAO AND H. CHEN (PR China)
- 484 Rheology, texture and microstructure of gelatin gels with and without milk proteins
Z. PANG, H. DEETH, P. SOPADE, R. SHARMA AND N. BANSAL (Australia)
- 494 The size and interfacial composition of milk fat globules are key factors controlling triglycerides bioavailability in
simulated human gastro-duodenal digestion
C. GARCIA, C. ANTONA, B. ROBERT, C. LOPEZ AND M. ARMAND (France)

- 505 Green tea polyphenols- β -lactoglobulin nanocomplexes: Interfacial behavior, emulsification and oxidation stability of fish oil
M. VON STASZEWSKI, V. M. PIZONES RUIZ-HENESTROSA AND A. M. R. PILOSOFF (Argentina)
- 512 Characterisation of partially hydrolysed galactomannan from *Caesalpinia pulcherrima* seeds as a potential dietary fibre
F. C. A. BURITI, K. M. O. DOS SANTOS, V. G. SOMBRA, J. S. MACIEL, D. M. A. TEIXEIRA SÁ, H. O. SALLES, G. OLIVEIRA, R. C. M. DE PAULA, J. P. A. FEITOSA, A. C. O. MONTEIRO MOREIRA, R. A. MOREIRA AND A. S. EGITO (Brazil)
- 522 Self-structuring foods based on acid-sensitive low and high acyl mixed gellan systems to impact on satiety
J. F. BRADBEER, R. HANCOCKS, F. SPYROPOULOS AND I. T. NORTON (UK)
- 531 Gel setting of hybrid carrageenan solutions under steady shear
L. HILLIOU, A. M. SERENO AND M. P. GONÇALVES (Portugal)
- 539 Utilization of bacterial cellulose in food
Z. SHI, Y. ZHANG (PR China), G. O. PHILLIPS (UK) AND G. YANG (PR China)
- 546 Guar and xanthan gum differentially affect shear induced breakdown of native waxy maize starch
B. HEYMAN, W. H. DE VOS, F. DEYPERE, P. VAN DER MEEREN AND K. DEWETTINCK (Belgium)
- 557 Characterization of cell wall polysaccharides of purple pitaya (*Hylocereus* sp.) pericarp
A. MONTOYA-ARROYO (Costa Rica), R. M. SCHWEIGGERT (Germany), M.-L. PINEDA-CASTRO (Costa Rica), M. SRAMEK, R. KOHLUS, R. CARLE (Germany) AND P. ESQUIVEL (Costa Rica)
- 565 Thermally induced degradation of citrus pectins during storage – Alterations in molecular structure, colour and thermal analysis
U. EINHORN-STOLL, H. KASTNER AND S. DRUSCH (Germany)
- 576 Effect of cross-linked acetylated starch content on the structure and stability of set yoghurt
B. CUI, Y.-M. LU, C.-P. TAN, G.-Q. WANG AND G.-H. LI (China)
- 583 Dynamic rheological properties of *Lepidium perfoliatum* seed gum: Effect of concentration, temperature and heating/cooling rate
M. A. HESARINEJAD, A. KOOCHEKI AND S. M. A. RAZAVI (Iran)
- 590 Microemulsification–cold gelation of whey proteins for nanoencapsulation of date palm pit extract
S. SADEGHI, A. MADADLOU AND M. YARMAND (Iran)
- 597 Starch/carrageenan mixed systems: Penetration in, adsorption on or exclusion of carrageenan chains by granules?
A. MATIGNON, P. BAREY, M. DESPRAIRIES, S. MAUDUIT, J. M. SIEFFERMANN AND C. MICHON (France)
- 606 Pentosan extraction from rye bran on pilot scale for application in gluten-free products
A. MANSBERGER, S. D'AMICO, S. NOVALIN, J. SCHMIDT (Austria), S. TÖMÖSKÖZI (Hungary), E. BERGHOFER AND R. SCHOENLECHNER (Austria)
- 613 Comparative study of effect of modification with ionic gums and dry heating on the physicochemical characteristic of potato, sweet potato and taro starches
K. S. PRAMODRAO AND C. S. RIAR (India)
- 620 Effect of microwave on lamellar parameters of rice starch through small-angle X-ray scattering
D. FAN, L. WANG, W. CHEN, S. MA, W. MA, X. LIU, J. ZHAO AND H. ZHANG (China)
- 627 The use of W/O/W controlled-release coagulants to improve the quality of bittern-solidified tofu
J. LI, Y. CHENG (China), E. TATSUMI, M. SAITO (Japan) AND L. YIN (China)
- 636 Ultrasonic effect on the octenyl succinate starch synthesis and substitution patterns in starch granules
H.-M. CHEN, Q. HUANG, X. FU AND F.-X. LUO (PR China)
- 644 Physical, mechanical and antimicrobial properties of gelatin based active nanocomposite films containing AgNPs and nanoclay
P. KANMANI AND J.-W. RHIM (Republic of Korea)
- 653 A one-step procedure for elevating the quality of konjac flour: Azeotropy-assisted acidic ethanol
W. XU, Y. WANG, W. JIN, S. WANG, B. ZHOU, J. LI, B. LI AND L. WANG (PR China)
- 661 Compositional and structural characterization of pectic material from Frozen Concentrated Orange Juice
A. L. GALANT, G. A. LUZIO, W. W. WIDMER AND R. G. CAMERON (USA)
- 670 High pressure homogenization to improve the stability of casein–hydroxypropyl cellulose aqueous systems
R. YE AND F. HARTE (USA)
- 678 Microbial transglutaminase-induced polymerization of β -conglycinin and glycinin in soymilk: A proteomics approach
J.-F. HSIEH, C.-J. YU, J.-Y. CHANG, S.-T. CHEN AND H.-Y. TSAI (Taiwan)
- 686 Amylolysis of amylopectin and amylose isolated from wheat, triticale, corn and barley starches
S. NAGULESWARAN, T. VASANTHAN, R. HOOVER AND D. BRESSLER (Canada)

- 694 Effect of phosphorylation on gel properties of gelatin from the skin of unicorn leatherjacket
P. KAEWRUANG, S. BENJAKUL AND T. PRODPRAN (Thailand)
- 700 Supramolecular structural changes of waxy and high-amylose cornstarches heated in abundant water
B. ZHANG, Y. ZHAO, X. LI, L. LI (China), F. XIE (Australia) AND L. CHEN (China)
- 710 Antimicrobial and antioxidant chitosan solutions enriched with active shrimp (*Litopenaeus vannamei*) waste materials
M. Y. ARANCIBIA (Spain, Ecuador), A. ALEMÁN, M. M. CALVO, M. E. LÓPEZ-CABALLERO, P. MONTERO AND
M. C. GÓMEZ-GUILLÉN (Spain)
- 718 The effect of *in vitro* digestive processes on the viscosity of dietary fibres and their influence on glucose diffusion
H. FABEK, S. MESSERSCHMIDT, V. BRULPORT AND H. D. GOFF (Canada)
- 727 The effect of pectin and other constituents on the antioxidant activity of tea
G. SOULTANI, V. EVAGELIOU, A. E. KOUTELIDAKIS, M. KAPSOKEFALOU AND M. KOMAITIS (Greece)
- 733 Extraction, fractionation and characterization of water-soluble polysaccharide fractions from myrtle (*Myrtus communis* L.) fruit
A. CHIDOUH, S. AOUADI (Algeria) AND A. HEYRAUD (France)
- 740 Calendar