

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Lake ecoregions and nutrient criteria development in China S. Huo, C. Ma, B. Xi, R. Gao, X. Deng, T. Jiang, Z. He, J. Su, F. Wu and H. Liu (Beijing, China)	1
A large river (River Loire, France) survey to compare phytoplankton functional approaches: Do they display river zones in similar ways? A. Abonyi (Angers, France and Veszprém, Hungary), M. Leitão (Angers, France), I. Stanković (Zagreb, Croatia), G. Borics, G. Várbíró (Debrecen, Hungary) and J. Padisák (Veszprém, Hungary).....	11
Litter processing and shredder distribution as indicators of riparian and catchment influences on ecological health of tropical streams F.O. Masese (Delft, The Netherlands), N. Kitaka, J. Kipkemboi (Egerton, Kenya), G.M. Gettel, K. Irvine and M.E. McClain (Delft, The Netherlands)	23
The interactions between China's economic growth, energy production and consumption and the related air emissions during 2000–2011 H. Hu, X.-H. Zhang and L.-L. Lin (Chengdu, PR China).....	38
The resource occupancy to capacity ratio indicator—A common unit to measure sustainability M. Fujii (Tsukuba, Japan), K. Hayashi (Nagoya, Japan), H. Ito (Funabashi, Japan) and M. Ooba (Setagaya-ku, Japan)	52
Viability trade-offs in the evaluation of strategies to manage recreational fishing in a marine park O. Thébaud (Dutton Park, Australia, Floreat Park, Australia and Plouzané, France), N. Ellis (Dutton Park, Australia and Floreat Park, Australia), L.R. Little (Hobart, Australia and Floreat Park, Australia), L. Doyen (Pessac cedex, France) and R.J. Marriott (North Beach, Australia).....	59
Assessing the consequences of biological invasions on species with complex life cycles: Impact of the alien crayfish <i>Procambarus clarkii</i> on Odonata M.E. Siesa (Milan, Italy and Cinisello Balsamo, Italy), E. Padoa-Schioppa (Milan, Italy), J. Ott (Trippstadt, Germany), F. De Bernardi (Milan, Italy) and G.F. Ficetola (Milan, Italy and Grenoble, France)	70
An approach to determination of functional species pool for community research X. Zhong, G. Xu, Y. Wang and H. Xu (Qingdao, China).....	78
Structure, functional organization and biological traits of macroinvertebrate assemblages from leaf-bags and benthic samples in a third-order stream of Central Apennines (Italy) A. Di Sabatino, G. Cristiano (L'Aquila, Italy), M. Pinna (Lecce, Italy), P. Lombardo (L'Aquila, Italy and Rome, Italy), F.P. Miccoli (L'Aquila, Italy), G. Marini (Lecce, Italy), P. Vignini and B. Cicolani (L'Aquila, Italy)	84
Colourimetric variations in burnt granitic forest soils in relation to fire severity J. Cancelo-González, C. Cachaldora, F. Díaz-Fierros and B. Prieto (Santiago de Compostela, Spain)	92
Isotopic values in oysters indicate elemental sources constrained by multiple gradients B. Fertig, T.J.B. Carruthers, W.C. Dennison, K.A. Meyer and M.R. Williams (Cambridge, MD, USA).....	101
Abiotic control modelling of salt marsh sediments respiratory CO ₂ fluxes: application to increasing temperature scenarios B. Duarte, J. Freitas (Lisbon, Portugal), J. Valentim (Aveiro, Portugal), J.P. Medeiros, J.L. Costa (Lisbon, Portugal), H. Silva, J.M. Dias (Aveiro, Portugal), M.J. Costa (Lisbon, Portugal), J.C. Marques (Coimbra, Portugal) and I. Caçador (Lisbon, Portugal)	110
The protection of high quality waters in China calls for antidegradation policy S. Huo, B. Xi, J. Su, W. Sun, F. Wu and H. Liu (Beijing, China).....	119

Forest cover change and its drivers in the upstream area of the Minjiang River, China X. Hu (Fuzhou, China), C. Wu (Fuzhou, China and Nanping, China), W. Hong, R. Qiu, J. Li and T. Hong (Fuzhou, China)	121
A simple method to simulate diurnal courses of PAR absorbed by grassy canopy R. Cao (Beijing, China and Ibaraki, Japan), M. Shen, J. Chen (Beijing, China) and Y. Tang (Ibaraki, Japan)	129
Analysis of the potentials of multi criteria decision analysis methods to conduct sustainability assessment M. Cinelli, S.R. Coles and K. Kirwan (Coventry, UK)	138
Evaluating plant biodiversity measurements and exotic species detection in National Resources Inventory Sampling protocols using examples from the Northern Great Plains of the USA D. Toledo, M. Sanderson, H. Johnson (Mandan, ND, USA), J.L. Reeves, J.D. Derner (Cheyenne, WY, USA), L. Vermeire (Miles City, MT, USA) and J. Hendrickson (Mandan, ND, USA)	149
Combining indicator species and key environmental and management factors to predict restoration success of degraded ecosystems E. González, L. Rochefort, S. Boudreau and M. Poulin (Québec, Canada)	156
A comparison between GDP and ISEW in decoupling analysis P. Beça and R. Santos (Caparica, Portugal)	167
Towards a suitable ecological status assessment of highly stratified mediterranean estuaries: A comparison of benthic invertebrate fauna indices A. Nebra, N. Caiola, G. Muñoz-Camarillo, S. Rodríguez-Climent and C. Ibáñez (Sant Carles de la Ràpita, Spain) ...	177
Stability of oxidative stress biomarkers in flathead mullet, <i>Mugil cephalus</i> , serum during short-term storage F. Fazio (Messina, Italy), S. Cecchini (Potenza, Italy), C. Faggio (Messina, Italy), A.R. Caputo (Muro Lucano, Italy) and G. Piccione (Messina, Italy)	188
Assessing the erect bryozoan <i>Myriapora truncata</i> (Pallas, 1766) as indicator of recreational diving impact on coralligenous reef communities D. de la Nuez-Hernández, C. Valle, A. Forcada, J.M.G. Correa and Y. Fernández Torquemada (Alicante, Spain)	193
Wetland ecosystem service values and shrimp aquaculture relationships in Can Gio, Vietnam S. McDonough (Bangkok, Thailand), W. Gallardo (Oman), H. Berg (Sweden), N.V. Trai and N.Q. Yen (Ho Chi Minh City, Viet Nam)	201
Water footprint benchmarks for crop production: A first global assessment M.M. Mekonnen and A.Y. Hoekstra (Enschede, The Netherlands)	214
An expert system for integrating biodiversity into agricultural life-cycle assessment P. Jeanneret, D.U. Baumgartner, R. Freiermuth Knuchel, B. Koch and G. Gaillard (Zurich, Switzerland)	224
Physiological and biochemical thermal stress response of the intertidal rock goby <i>Gobius paganellus</i> D. Madeira (Caparica, Portugal), V. Mendonça, M. Dias, J. Roma (Lisboa, Portugal), P.M. Costa, M.S. Diniz (Caparica, Portugal) and C. Vinagre (Lisboa, Portugal)	232
Analysis of landscape fragmentation processes and driving forces in wetlands in arid areas: A case study of the middle reaches of the Heihe River, China P. Jiang, L. Cheng, M. Li (Nanjing, China), R. Zhao (Lanzhou, China) and Q. Huang (Nanjing, China)	240
Using an objective and probabilistic model to evaluate the impact of different factors in the dehesa agroforestry ecosystem F.J. Moral, F.J. Rebollo (Badajoz, Spain), M. Paniagua and M. Murillo (Guadajira, Spain)	253
Footworking in circles M. Giampietro and A. Saltelli	260
Hyperspectral modeling of ecological indicators – A new approach for monitoring former military training areas L. Luft (Wustermark, Germany and Potsdam, Germany), C. Neumann (Potsdam, Germany), M. Freude (Potsdam, OT Groß Glienicke, Germany), N. Blaum and F. Jeltsch (Potsdam, Germany)	264
Evaluating sampling sufficiency and the use of surrogates for assessing ant diversity in a Neotropical biodiversity hotspot H.L. Vasconcelos (Uberlândia, Brazil), T.L.M. Frizzo (Brasília, Brazil), R. Pacheco, J.B. Maravalhas (Uberlândia, Brazil), G.P. Camacho (Curitiba, Brazil), K.S. Carvalho (Jequié, Brazil), E.B.A. Koch (Uberlândia, Brazil) and J.R. Pujol-Luz (Brasília, Brazil)	286
Global mapping and estimation of ecosystem services values and gross domestic product: A spatially explicit integration of national 'green GDP' accounting G. Li and C. Fang (Beijing, China)	293
Can vegetation types work as an indicator of soil organic carbon? An insight from native vegetations in Nepal T.N. Maraseni and S.S. Pandey (Toowoomba, Australia)	315
Analysis of macrophyte indicator variation as a function of sampling, temporal, and stressor effects M.W. Beck (St. Paul, MN, USA), C.M. Tomcko (Grand Rapids, MN, USA), R.D. Valley (St. Paul, MN, USA) and D.F. Staples (Forest Lake, MN, USA)	323
Reconstructing long-term ecological data from annual census returns: A test for observer bias in counts of bird populations on Skokholm 1928–2002 D. McCollin	336
Mapping drivers of climate change: Carbon budget index for Mauritius A. Sookun, R. Boojhawon and S.D.D.V. Rughooputh (Reduit, Mauritius)	340

Complementarity of rarity, specialisation and functional diversity metrics to assess community responses to environmental changes, using an example of spider communities in salt marshes B. Leroy (Rennes Cedex, France and Orsay Cedex, France), I. Le Viol (Paris, France) and J. Pétilion (Rennes Cedex, France)	351
Vegetation and microbial indicators of nutrient status: Testing their consistency and sufficiency in restored calcareous wetlands X. Liao, P.W. Inglett and K.S. Inglett (Gainesville, FL, USA).....	358
Mapping landscape services, spatial synergies and trade-offs. A case study using variogram models and geostatistical simulations in an agrarian landscape in North-East Germany F. Ungaro (Müncheberg, Germany and Sesto Fiorentino, Italy), I. Zasada and A. Piorr (Müncheberg, Germany).....	367
Using metabarcoding to ask if easily collected soil and leaf-litter samples can be used as a general biodiversity indicator C. Yang, X. Wang (Kunming, China), J.A. Miller (RA Leiden, The Netherlands), M. de Blécourt (Göttingen, Germany), Y. Ji, C. Yang (Kunming, China), R.D. Harrison (Mengla, China) and D.W. Yu (Kunming, China and Norwich, UK)	379
Decoupling indicators of CO ₂ emissions from the tourism industry in China: 1990–2012 Z. Tang (Beijing, China and Harbin, China), J. Shang (Harbin, China), C. Shi, Z. Liu and K. Bi (Harbin, China).....	390
The potential of remote sensing in ecological status assessment of coloured lakes using aquatic plants S. Birk (Essen, Germany and Uppsala, Sweden) and F. Ecke (Uppsala, Sweden and Umeå, Sweden).....	398
Exploring shadow prices of carbon emissions at provincial levels in China X. Zhang, Q. Xu, F. Zhang, Z. Guo and R. Rao (Beijing, China).....	407
Linkages between benthic microbial and freshwater insect communities in degraded peatland ditches M.H. Whatley, E.E. van Loon, C. Cerli, J.A. Vonk, H.G. van der Geest and W. Admiraal (Amsterdam, The Netherlands)	415
Trace element transfer from soil to leaves of macrophytes along the Jalle d'Eysines River, France and their potential use as contamination biomonitors L. Marchand, F. Nsanganwimana (Cestas, France), B.J. Cook (Mankato, MN, USA), Y. Vystavna (Pessac, France and Kharkiv, Ukraine), F. Huneau (Corte, France), P. Le Coustumer (Pessac, France), J.B. Lamy, N. Oustrière and M. Mench (Cestas, France).....	425
Identification of potential surrogates to determine functional parameters of periphytic ciliate colonization for bioassessment in coastal waters Y. Xu, W. Zhang, Y. Liu and H. Xu (Qingdao, China).....	438
<i>Scrobicularia plana</i> (Mollusca, Bivalvia) as a biomonitor for mercury contamination in Portuguese estuaries J.P. Coelho, A.C. Duarte (Aveiro, Portugal), M.A. Pardal (Coimbra, Portugal) and M.E. Pereira (Aveiro, Portugal).....	447
An analysis of indicators for the detection of effects of marine reserve protection on fish communities M. Karnauskas and E.A. Babcock (Miami, FL, USA).....	454
Benthic macroinvertebrate flow sensitivity as a tool to assess effects of hydropower related ramping activities in streams in Ontario (Canada) D.G. Armanini (Milan, Italy and Fredericton, Canada), A. Idigoras Chaumel (Milan, Italy), W.A. Monk (Fredericton, Canada), J. Marty (Cornwall, Canada), K. Smokorowski (Sault Ste. Marie, Canada), M. Power (Waterloo, Canada) and D.J. Baird (Fredericton, Canada)	466
Peri-urban vegetated landscape pattern changes in relation to socioeconomic development S. Su, Y. Wang, F. Luo, G. Mai and J. Pu (Wuhan, China)	477
Proposing an indicator framework for FLEGT voluntary partnership agreements impact monitoring Y.T. Tegegne (Joensuu, Finland), J. Van Brusselen (Nancy, France), D. Tuomasjukka and M. Lindner (Joensuu, Finland).....	487
Bioindication with Ellenberg's indicator values: A comparison with measured parameters in Central European oak forests T.H. Szymura, M. Szymura and A. Macioł (Wrocław, Poland).....	495
Abundance, biomass and diversity of ground-beetles (Col. Carabidae) as indicators of climatic change effects over elevation strata in Tenerife (Canary Islands) A. de los Santos Gómez, J.P. de Nicolás and R. Dorta-Guerra (La Laguna, Spain).....	504
Coordinated development of energy, economy and environment subsystems—A case study Q. Wang, X. Yuan, X. Cheng, R. Mu (Jinan, China) and J. Zuo (Adelaide, Australia).....	514
Natural vegetation covers as indicators of the soil water content in a semiarid mountainous watershed P.J. Gómez-Giráldez (Córdoba, Spain), C. Aguilar (Spain) and M.J. Polo (Córdoba, Spain).....	524

Compliance of the macrophyte quality index (MaQI) with the WFD (2000/60/EC) and ecological status assessment in transitional areas: The Venice lagoon as study case	
A. Sfriso, C. Facca (Venice, Italy), A. Bonometto and R. Boscolo (Chioggia (Venezia), Italy)	536
How to account for mineral depletion. The exergy and economic mineral balance of Spain as a case study	
A. Valero (Zaragoza, Spain), Ó. Carpintero (Valladolid, Spain), A. Valero and G. Calvo (Zaragoza, Spain).	548
Ephemeroptera communities as bioindicators of the suitability of headwater streams for restocking with white-clawed crayfish, <i>Austropotamobius pallipes</i>	
J. Jandry (Poitiers Cedex, France), M. Brulin (Guyancourt, France), B. Parinet and F. Grandjean (Poitiers Cedex, France)	560
Element concentrations in the lichen <i>Pseudevernia furfuracea</i> (L.) Zopf transplanted around a cement factory (S Italy)	
L. Gallo, A. Corapi (Arcavacata di Rende (CS), Italy), S. Loppi (Siena, Italy) and L. Lucadamo (Arcavacata di Rende (CS), Italy).....	566
Are the variables used in building composite indicators of well-being relevant? Validating composite indexes of well-being	
A. Otoiu, E. Titan and R. Dumitrescu (Bucharest, Romania)	575
Assessing benthic ecological status of urban sandy beaches (Northeast Atlantic, Morocco) using M-AMBI	
Z. Daief (Casablanca, Morocco), A. Borja (Pasaia, Spain), L. Joulami, M. Azzi, A. Fahde (Casablanca, Morocco) and H. Bazairi (Rabat, Morocco).....	586
Sinks as limited resources? A new indicator for evaluating anthropogenic material flows	
U. Kral, P.H. Brunner (Vienna, Austria), P.-C. Chen and S.-R. Chen (Taipei, Taiwan).....	596
Footprints to nowhere	
M. Giampietro and A. Saltelli (Bellaterra, Spain).....	610
Footprint facts and fallacies: A response to Giampietro and Saltelli (2014) "Footprints to Nowhere"	
S. Goldfinger, M. Wackernagel, A. Galli, E. Lazarus and D. Lin (Oakland, CA, USA).....	622