

LWT—Food Science and Technology

Contents

Volume 56, Issue 2, 2014

Reviews

- Wheat bran-based biorefinery 1: Composition of wheat bran and strategies of functionalization**
M. Prückler, S. Siebenhandl-Ehn, S. Apprich, S. Höltinger, C. Haas, E. Schmid and W. Kneifel 211
- Wheat bran-based biorefinery 2: Valorization of products**
S. Apprich, Ö. Tirpanalan, J. Hell, M. Reisinger, S. Böhmendorfer, S. Siebenhandl-Ehn, S. Novalin and W. Kneifel 222

Research Papers

- Optimisation of soybean hydrothermal treatment for the conversion of β -glucoside isoflavones to aglycones**
F. Sanches de Lima and E.I. Ida 232
- Antifungal, antiaflatoxin and antioxidant potential of chemically characterized *Boswellia carterii* Birdw essential oil and its *in vivo* practical applicability in preservation of *Piper nigrum* L. fruits**
B. Prakash, P.K. Mishra, A. Kedia and N.K. Dubey 240
- Fat crystal-stabilized water-in-oil emulsions as controlled release systems**
M. Nadin, D. Rousseau and S. Ghosh 248
- Development and evaluation of aptamer magnetic capture assay in conjunction with real-time PCR for detection of *Campylobacter jejuni***
S.H. Suh, H.P. Dwivedi and L.-A. Jaykus 256
- Quality of Iceberg (*Lactuca sativa* L.) and Romaine (*L. sativa* L. var. *longifolia*) lettuce treated by combinations of sanitizer, surfactant, and ultrasound**
S.P. Salgado, A.J. Pearlstein, Y. Luo and H. Feng 261
- Development of bioactive edible film from turmeric dye solvent extraction residue**
B.C. Maniglia, J.R. Domingos, R.L. de Paula and D.R. Tapia-Blácido 269
- Chemical composition and antifungal activity of essential oils from three Himalayan *Erigeron* species**
V. Kumar, C.S. Mathela, G. Tewari, D. Singh, A.K. Tewari and K.S. Bisht 278
- Evaluating the *in vitro* bioaccessibility of phenolics and antioxidant activity during consumption of dried fruits with nuts**
S. Kamiloglu, A.A. Pasli, B. Ozcelik and E. Capanoglu 284
- Survival of three *Bifidobacterium animalis* subsp. *lactis* strains is related to *trans*-vaccenic and α -linolenic acids contents in organic fermented milks**
A.C.R. Florence, C. Béal, R.C. da Silva and M.N. Oliveira 290
- Effect of spray drying and freeze drying on the immunomodulatory activity, bitter taste and hygroscopicity of hydrolysate derived from whey protein concentrate**
J.-J. Ma, X.-Y. Mao, Q. Wang, S. Yang, D. Zhang, S.-W. Chen and Y.-H. Li 296

Effects of high-pressure processing on the quality of chopped raw octopus <i>C.-P. Hsu, H.-W. Huang and C.-Y. Wang</i>	303
Granola bars prepared with <i>Agave tequilana</i> ingredients: Chemical composition and <i>in vitro</i> starch hydrolysis <i>V.M. Zamora-Gasga, L.A. Bello-Pérez, R.I. Ortíz-Basurto, J. Tovar and S.G. Sáyago-Ayerdi</i>	309
Use of Fourier transform-infrared spectroscopy to predict spoilage bacteria on aerobically stored chicken breast fillets <i>A. Sahar and É. Dufour</i>	315
Extraction of water-soluble xylan from wheat bran and utilization of enzymatically produced xylooligosaccharides by <i>Lactobacillus</i>, <i>Bifidobacterium</i> and <i>Weissella</i> spp. <i>P. Immerzeel, P. Falck, M. Galbe, P. Adlercreutz, E. Nordberg Karlsson and H. Ståhlbrand</i>	321
Role of elicitation on the health-promoting properties of kidney bean sprouts <i>R.I. Limón, E. Peñas, C. Martínez-Villaluenga and J. Frias</i>	328
Two novel analytical methods based on polyclonal and monoclonal antibodies for the rapid detection of <i>Cronobacter</i> spp.: Development and application in powdered infant formula <i>X. Xu, Y. Zhang, M. Shi, W. Sheng, X. Du, M. Yuan and S. Wang</i>	335
Development of a multilayered antimicrobial edible coating for shelf-life extension of fresh-cut cantaloupe (<i>Cucumis melo</i> L.) stored at 4 °C <i>M.E. Martiñon, R.G. Moreira, M.E. Castell-Perez and C. Gomes</i>	341
Spanish cheese screening and selection of lactic acid bacteria with high gamma-aminobutyric acid production <i>M. Diana, A. Tres, J. Quílez, M. Llombart and M. Rafecas</i>	351
Effect of octenyl succinylated waxy starch as a fat mimetic on texture, microstructure and physicochemical properties of Minas fresh cheese <i>V.R. Diamantino, F.A. Beraldo, T.N. Sunakozawa and A.L.B. Penna</i>	356
On-line versus off-line NIRS analysis of intact olives <i>L. Salguero-Chaparro and F. Peña-Rodríguez</i>	363
Influence of homogenisation and the degradation of stabilizer on the stability of acidified milk drinks stabilized by carboxymethylcellulose <i>J. Wu, B. Du, J. Li and H. Zhang</i>	370
Barrier and tensile properties of whey protein–candelilla wax film/sheet <i>T. Janjarasskul, D.J. Rauch, K.L. McCarthy and J.M. Krochta</i>	377
Prediction of influence of stepwise increment of initial acetic acid concentration in charging medium on acetification rate of semi-continuous process by artificial neural network <i>W. Krusong, S. Pornpukdeewatana, S. Kerdpiboon and S. Tantratian</i>	383
Beneficial compatible microbes enhance antioxidants in chickpea edible parts through synergistic interactions <i>A. Singh, A. Jain, B.K. Sarma, R.S. Upadhyay and H.B. Singh</i>	390
Increasing the health benefits of bread: Assessment of the physical and sensory qualities of bread formulated using a renin inhibitory <i>Palmaria palmata</i> protein hydrolysate <i>C. Fitzgerald, E. Gallagher, L. Doran, M. Auty, J. Prieto and M. Hayes</i>	398
Tyramine production among lactic acid bacteria and other species isolated from kimchi <i>M.-J. Kim and K.-S. Kim</i>	406
Characterization of supercritical fluid extrusion processed rice–soy crisps fortified with micronutrients and soy protein <i>M.K. Sharif, S.S.H. Rizvi and I. Paraman</i>	414
Vitamin D₂ stability in milk during processing, packaging and storage <i>R. Kaushik, B. Sachdeva and S. Arora</i>	421
Preservation of Manzanilla Aloreña cracked green table olives by high hydrostatic pressure treatments singly or in combination with natural antimicrobials <i>H. Abriouel, N. Benomar, A. Gálvez and R. Pérez Pulido</i>	427
Quality Index Method (QIM) for the hybrid tambacu (<i>Colossoma macropomum</i> × <i>Piaractus mesopotamicus</i>) and the correlation among its quality parameters <i>A. Borges, C.A. Conte-Junior, R.M. Franco, E.T. Mársico and M.Q. Freitas</i>	432

Preservation of Kyoho grapes stored in active, slow-releasing pasteurizing packaging at room temperature <i>J. Zhang, D. Li, W. Xu and Y. Fu</i>	440
The influence of lactic acid fermentation on biogenic amines and volatile compounds formation in flaxseed and the effect of flaxseed sourdough on the quality of wheat bread <i>E. Bartkiene, G. Schleining, G. Juodeikiene, D. Vidmantiene, V. Krungleviciute, T. Rekstyte, L. Basinskiene, M. Stankevicius, I. Akuneca, O. Ragazinskiene and A. Maruska</i>	445
Advantages of sous-vide cooked red cabbage: Structural, nutritional and sensory aspects <i>C. Iborra-Bernad, A. Tárrega, P. García-Segovia and J. Martínez-Monzó</i>	451
Nanoencapsulation of EPA/DHA with sodium caseinate–gum arabic complex and its usage in the enrichment of fruit juice <i>H. Ilyasoglu and S.N. El</i>	461
Fate of enniatins and beauvericin during the malting and brewing process determined by stable isotope dilution assays <i>L. Hu, M. Gastl, A. Linkmeyer, M. Hess and M. Rychlik</i>	469
Evaluation of the use of attenuated total reflectance mid infrared spectroscopy to determine fatty acids in intact seeds of barley (<i>Hordeum vulgare</i>) <i>D. Cozzolino, S. Roumeliotis and J. Eglinton</i>	478
High hydrostatic pressure effects on bacterial bioluminescence <i>E.E. Duarte-Gómez, D. Graham, M. Budzik, B. Paxson, L. Csonka, M. Morgan, B. Applegate and M.F. San Martín-González</i>	484
HPMC and inulin as fat replacers in biscuits: Sensory and instrumental evaluation <i>L. Laguna, C. Primo-Martín, P. Varela, A. Salvador and T. Sanz</i>	494
Preparation of microcapsules containing antimicrobial lipopeptide from <i>Bacillus amyloliquefaciens</i> ES-2 by spray drying <i>Y. Wang, X. Zhu, X. Bie, F. Lu, C. Zhang, S. Yao and Z. Lu</i>	502
Effect of sourdough at different concentrations on quality and shelf life of bread <i>E. Torrieri, O. Pepe, V. Ventorino, P. Masi and S. Cavella</i>	508
Determining pesticide contamination in honey by LC-ESI-MS/MS – Comparison of pesticide recoveries of two liquid–liquid extraction based approaches <i>M.W. Kujawski, Ż. Bargańska, K. Marciniak, E. Miedzianowska, J.K. Kujawski, M. Ślebioda and J. Namieśnik</i>	517
Se-enriched sprouted seeds as functional additives in sourdough fermentation <i>A. Diowksz, E. Kordialik-Bogacka and W. Ambroziak</i>	524
Research Notes	
Furan and 5-hydroxymethylfurfural removal from high- and low-moisture foods <i>M. Anese, F. Bot and M. Suman</i>	529
Modeling total volatile basic nitrogen production as a dose function in gamma irradiated refrigerated squid rings <i>A. Tomac, R.H. Mascheroni and M.I. Yeannes</i>	533
Potential ACE-inhibitory activity and nanoLC-MS/MS sequencing of peptides derived from aflatoxin contaminated peanut meal <i>B.L. White, T.H. Sanders and J.P. Davis</i>	537
Inactivation of <i>Saccharomyces cerevisiae</i> by equipment pressurizing at ambient temperature after generating CO₂ microbubbles at lower temperature and pressure <i>F. Kobayashi, H. Ikeura, S. Odake and Y. Hayata</i>	543
Calendar	I