

ORIGINAL ARTICLES

- A. GASSMANN, I. TOSEVSKI**
Biological control of *Rhamnus cathartica*: is it feasible? A review of work done in 2002–2012 1–13
- S. NACAMBO, F. L. G. LEUTHARDT, H. WAN, H. LI, T. HAYE, B. BAUR, R. M. WEISS, M. KENIS**
Development characteristics of the box-tree moth *Cydalima perspectalis* and its potential distribution in Europe 14–26
- P. F. ROVERSI, G. S. PEVERIERI, M. MALTESE, P. FURLAN, W. B. STRONG, V. CALECA**
Pre-release risk assessment of the egg-parasitoid *Gryon pennsylvanicum* for classical biological control of *Leptoglossus occidentalis* 27–35
- I. M. PAZYUK, D. L. MUSOLIN, S. Y. REZNIK**
Geographic variation in thermal and photoperiodic effects on development of zoophytophagous plant bug *Nesidiocoris tenuis* 36–44
- V. DE PUYSELEYR, M. HÖFTE, P. DE CLERCQ**
Continuous rearing of the predatory anthocorid *Orius laevigatus* without plant materials 45–51
- J. MOOLMAN, J. VAN DEN BERG, D. CONLONG, D. CUGALA, S. SIEBERT, B. LE RU**
Species diversity and distribution of lepidopteran stem borers in South Africa and Mozambique 52–66
- D. B. ZHENG, G. HU, F. YANG, X. D. DU, H. B. YANG, G. ZHANG, G. J. QI, Z. L. LIANG, X. X. ZHANG, X. N. CHENG, B. P. ZHAI**
Ovarian development status and population characteristics of *Sogatella furcifera* (Horváth) and *Nilaparvata lugens* (Stål): implications for pest forecasting 67–77
- C. M. CRAVA, Y. BEL, J. FERRÉ, B. ESCRICHE**
Susceptibility to Cry proteins of a Spanish *Ostrinia nubilalis* glasshouse population repeatedly sprayed with *Bacillus thuringiensis* formulations 78–86
- C. R. UNELIUS, A. M. EL-SAYED, A. M. TWIDLE, L. D. STRINGER, L. M. MANNING, T. E. S. SULLIVAN, R. L. BROWN, A. D. L. NOBLE**
Volatiles from green-lipped mussel as a lead to vespid wasp attractants 87–95
- A. L. KNIGHT, D. M. LIGHT**
Combined approaches using sex pheromone and pear ester for behavioural disruption of codling moth (Lepidoptera: Tortricidae) 96–108
- B. DORN, W. JOSSI, C. HUMPHRYS, J. HILTBRUNNER**
Screening of natural products in the laboratory and the field for control of pollen beetles 109–119
- C. R. RODRIGUEZ-SAONA, D. POLK, R. HOLDCRAFT, A. M. KOPPENHÖFER**
Long-term evaluation of field-wide oriental beetle (Col., Scarabaeidae) mating disruption in blueberries using female-mimic pheromone lures 120–132
- H. GUO, M. YANG, Q. QI**
Insecticidal and antifeedant effects of two alkaloids from *Cynanchum komarovii* against larvae of *Plutella xylostella* L. 133–140
- C. HANNA, C. HANNA**
Sublethal pesticide exposure disrupts courtship in the striped lynx spider, *Oxyopes salticus* (Araneae: Oxyopidae) 141–148
- S. PIIRONEN, S. BOMAN, A. LYYTINEN, J. MAPPES, L. LINDSTRÖM**
Sublethal effects of deltamethrin exposure of parental generations on physiological traits and overwintering in *Leptinotarsa decemlineata* 149–158
- SHORT COMMUNICATION**
- H. L. CROZIER, G. C. CUTLER**
Susceptibility of *Chrysochus auratus*, a natural enemy of spreading dogbane, to insecticides used in wild blueberry production 159–162