

LWT—Food Science and Technology

Contents

Volume 57, Issue 1, 2014

Research Papers

Sucrose supplementation during traditional carob syrup processing affected its chemical characteristics and biological activities <i>K. Dhaouadi, M. Belkhir, I. Akinocho, F. Raboudi, D. Pamies, E. Barrajón, C. Estevan and S. Fattouch</i>	1
In-house validation for the determination of honey adulteration with plant sugars (C4) by Isotope Ratio Mass Spectrometry (IR-MS) <i>M.F. Cengiz, M.Z. Durak and M. Ozturk</i>	9
Chemical basis of anti-listerial effects of rosemary herb during stomaching with fresh-cut vegetables <i>J. Scollard, G.A. Francis and D. O'Beirne</i>	16
Impact of apple procyanidins on sensory perception in model cider (part 1): Polymerisation degree and concentration <i>R. Symoneaux, A. Baron, N. Marnet, R. Bauduin and S. Chollet</i>	22
Impact of apple procyanidins on sensory perception in model cider (part 2): Degree of polymerization and interactions with the matrix components <i>R. Symoneaux, S. Chollet, R. Bauduin, J.M. Le Quéré and A. Baron</i>	28
Quality of eggs coated with oil–chitosan emulsion: Combined effects of emulsifier types, initial albumen quality, and storage <i>D.D. Torrico, W. Wardy, K.M. Carabante, K.D. Pujols, Z. Xu, H.K. No and W. Prinyawiwatkul</i>	35
Characterization and <i>in vitro</i> bioavailability of β-carotene: Effects of microencapsulation method and food matrix <i>E.G. Donhowe, F.P. Flores, W.L. Kerr, L. Wicker and F. Kong</i>	42
Determination of phenolic compounds in olive oil: New method based on liquid–liquid micro extraction and ultra high performance liquid chromatography-triple-quadrupole mass spectrometry <i>M. Becerra-Herrera, M. Sánchez-Astudillo, R. Beltrán and A. Sayago</i>	49
Effects of fine grinding of millfeeds on the quality attributes of reconstituted whole-wheat flour and its raw noodle products <i>M. Niu, G. Hou, B. Lee and Z. Chen</i>	58
Influence of water status on sensory profiles of Ontario Pinot noir wines <i>D. Ledderhof, A.G. Reynolds, L. Manin and R. Brown</i>	65
The antimicrobial, mechanical, physical and structural properties of chitosan–gallic acid films <i>X. Sun, Z. Wang, H. Kadouh and K. Zhou</i>	83
Effect of simultaneous infrared dry-blanching and dehydration on quality characteristics of carrot slices <i>B. Wu, Z. Pan, W. Qu, B. Wang, J. Wang and H. Ma</i>	90

<i>In vitro</i> gastrointestinal digestion of liquid and semi-liquid dairy matrixes L. Rinaldi, S.F. Gauthier, M. Britten and S.L. Turgeon	99
Thermo-compression of biodegradable thermoplastic corn starch films containing chitin and chitosan O. Lopez, M.A. Garcia, M.A. Villar, A. Gentili, M.S. Rodriguez and L. Albertengo	106
Properties of lignin extracted from sugarcane bagasse and its efficacy in maintaining postharvest quality of limes during storage W. Jonglertjunya, T. Juntong, N. Pakkang, N. Srimarut and C. Sakdaronnarong	116
Evaluation of volatiles, phenolic compounds and antioxidant activities of rose hip (<i>Rosa L.</i>) fruits in Turkey N. Demir, O. Yildiz, M. Alpaslan and A.A. Hayaloglu	126
Comparison of direct steam injection and steam-jacketed heating in squid protein hydrolysis for energy consumption and hydrolysis performance P.D. Karayannakidis, E. Apostolidis and C.M. Lee	134
Proteome basis of red color defect in channel catfish (<i>Ictalurus punctatus</i>) fillets M.A. Desai, P. Joseph, S.P. Suman, J.L. Silva, T. Kim and M.W. Schilling	141
Response surface methodology applied to supercritical carbon dioxide extraction of <i>Piper nigrum</i> L. essential oil H. Bagheri, M.Y.B. Abdul Manap and Z. Solati	149
Impact of ethanol treatment on physiological and microbiological properties of fresh white asparagus (<i>Asparagus officinalis</i> L.) spears W.B. Herppich, S. Huyskens-Keil and K. Hassenberg	156
Effects of superchilling and cryoprotectants on the quality of common carp (<i>Cyprinus carpio</i>) surimi: Microbial growth, oxidation, and physiochemical properties Q. Liu, B. Kong, J. Han, Q. Chen and X. He	165
Evaluation of chitosan nanoparticles as a glazing material for cryogenically frozen shrimp K.M. Solval, L.A. Espinoza Rodezno, M. Moncada, J.D. Bankston and S. Sathivel	172
Conjugation of gluten hydrolysates with glucosamine at mild temperatures enhances antioxidant and antimicrobial properties D. Gottardi, P.K. Hong, M. Ndagijimana and M. Betti	181
Structure elucidation of catechins for modulation of starch digestion M. Miao, H. Jiang, B. Jiang, Y. Li, S.W. Cui and T. Zhang	188
Cold-induced ethylene in relation to chilling injury and chilling sensitivity in the non-climacteric fruit of zucchini (<i>Cucurbita pepo</i> L.) Z. Megías, C. Martínez, S. Manzano, A. Barrera, R. Rosales, J.L. Valenzuela, D. Garrido and M. Jamilena	194
Effect of food residues on efficiency of surfactant disinfectants against food related pathogens adhered on polystyrene and ceramic surfaces R. Li, T. Kuda and T. Yano	200
Enzymatic extraction of galactan-rich rhamnogalacturonan I from potato cell wall by-product N. Khodaei and S. Karboune	207
Effect of semolina replacement with a raw:popped amaranth flour blend on cooking quality and texture of pasta A.R. Islas-Rubio, A.M. Calderón de la Barca, F. Cabrera-Chávez, A.G. Cota-Gastélum and T. Beta	217
Effect of mash maceration and ripening stage of apples on phenolic compounds and antioxidant power of cloudy juices: A study using chemometrics A.A. Ferreira Zielinski, A. Alberti, C. Maia Braga, K. Marques da Silva, M.H. Giovanetti Canteri, L. Igarashi Mafra, D. Granato, A. Nogueira and G. Wosiacki	223
Inhibition of biofilm formation of <i>Pseudomonas aeruginosa</i> by an acylated homoserine lactones-containing culture extract Q.Q. Zhang, K.P. Ye, H.H. Wang, H.M. Xiao, X.L. Xu and G.H. Zhou	230
NARP-HPLC/MS^s and silver cationization fingerprinting of triacylglycerols in wild and cultivar Tunisian peanut kernels A.O. Cherif, N. Leveque, M. Ben Messaouda, H. Kallel, A. Tchapla and F. Moussa	236
Quality of shelf-stable low-acid vegetables processed using pressure–ohmic–thermal sterilization S.H. Park, V.M. Balasubramaniam and S.K. Sastry	243

Application of ultrasonic wave celerity measurement for evaluation of physicochemical properties of olive oil at high pressure and various temperatures P. Kiełczyński, M. Szalewski, A. Balcerzak, K. Wieja, A.J. Rostocki, R.M. Siegoczyński and S. Ptasznik	253
Utilization of germinated and heat-moisture treated brown rices in sugar-snap cookies H.-J. Chung, A. Cho and S.-T. Lim	260
Development of Quality Index Method (QIM) scheme for Acoupa weakfish (<i>Cynoscion acoupa</i>) A.P. Billar dos Santos, M.M. Kushida, E.M.M. Viegas and J. Lapa-Guimarães	267
Effect of lyoprotectants on β-glucosidase activity and viability of <i>Bifidobacterium infantis</i> after freeze-drying and storage in milk and low pH juices M. Basholli-Salihu, M. Mueller, S. Salar-Behzadi, F.M. Unger and H. Viernstein	276
Nutritional composition of low protein and phenylalanine-restricted dishes prepared for phenylketonuric patients F.B. Pimentel, R.C. Alves, A.S.G. Costa, T.J.R. Fernandes, D. Torres, M.F. Almeida and M.B.P.P. Oliveira	283
Functional properties of whey protein concentrate texturized at acidic pH: Effect of extrusion temperature M. Nor Afizah and S.S.H. Rizvi	290
Influence of processing conditions on the physicochemical and sensory properties of sesame milk: A novel nutritional beverage Z. Ahmadian-Kouchaksaraei, M. Varidi, M.J. Varidi and H. Pourazarang	299
Peanut antioxidants: Part 1. Genotypic variation and genotype-by-environment interaction in antioxidant capacity of raw kernels K.-Y. Phan-Thien, G.C. Wright, B.L. Tillman and N.A. Lee	306
Peanut antioxidants: Part 2. Quantitation of free and matrix-bound phytochemicals in five selected genotypes with diverse antioxidant capacity by high performance liquid chromatography (HPLC) K.-Y. Phan-Thien, G.C. Wright and N.A. Lee	312
Thermo-mechanical rice flour modification by planetary ball milling M.A. Loubes and M.P. Tolaba	320
Stability of phenolic compounds in dry fermented sausages added with cocoa and grape seed extracts A. Ribas-Agustí, M. Gratacós-Cubarsí, C. Sárraga, M.D. Guàrdia, J.-A. García-Regueiro and M. Castellari	329
Folate content in processed legume foods commonly consumed in Egypt M. Hefni and C.M. Withköft	337
Individual and combined effects of ultrasound, ozone and chlorine dioxide on strawberry storage life M.S. Aday and C. Caner	344
Studies on suitability of wheat flour blends with sweet potato, colocasia and water chestnut flours for noodle making B.S. Yadav, R.B. Yadav, M. Kumari and B.S. Khatkar	352
Identification of radical scavenging peptides (<3 kDa) from Burgos-type cheese M.L. Timón, V. Parra, J. Otte, J.M. Broncano and M.J. Petrón	359
Composition and inhibitory activities towards digestive enzymes of polyphenolic-rich fractions of Davidson's plum and quandong K. Sakulnarmrat, G. Srzednicki and I. Konczak	366
Emulsifying properties of proteins extracted from Australian canola meal S.H. Tan, R.J. Mailer, C.L. Blanchard and S.O. Agboola	376
Study on solids translational and rotational motions in rotating cans Z. Yang, H. Fan, D.J. Parker, P.J. Fryer, S. Bakalis and X. Fan	383
Enzymatic synthesis of lard-based ascorbyl esters in a packed-bed reactor: Optimization by response surface methodology and evaluation of antioxidant properties H. Zhao, J. Liu, F. Lv, R. Ye, X. Bie, C. Zhang and Z. Lu	393
Modification of steviol glycosides using α-amylase F. Ye, R. Yang, X. Hua, Q. Shen, W. Zhao and W. Zhang	400
Selenium enriched green tea increase stability of <i>Lactobacillus casei</i> and <i>Lactobacillus plantarum</i> in chitosan coated alginate microcapsules during exposure to simulated gastrointestinal and refrigerated conditions D.C. Vodnar and C. Socaciu	406

Antioxidant activity of twenty wild Spanish <i>Thymus mastichina</i> L. populations and its relation with their chemical composition <i>T. Delgado, P. Marinero, M.C. Asensio-S.-Manzanera, C. Asensio, B. Herrero, J.A. Pereira and E. Ramalhosa</i>	412
Co-encapsulation of probiotics with prebiotics on alginate matrix and its effect on viability in simulated gastric environment <i>S. Sathyabama, M. Ranjith kumar, P. Bruntha devi, R. Vijayabharathi and V. Brindha priyadharisini</i>	419
Stability of quercetin derivatives in vacuum impregnated apple slices after drying (microwave vacuum drying, air drying, freeze drying) and storage <i>B. Schulze, E.M. Hubermann and K. Schwarz</i>	426
Modification of enzymatic and non-enzymatic <i>in vitro</i> oxidative defence system by bioaccessible phytonutrients of selected spices <i>U. Gawlik-Dziki</i>	434
Research Notes	
Carotenoids and chlorophylls in processed xanthophyll-rich food <i>C. Arnold, U. Schwarzenbolz and V. Böhm</i>	442
Isolation of three curcuminoids for stability and simultaneous determination of only using one single standard substance in turmeric colour principles by HPLC with ternary gradient system <i>H.-X. Li, H.-L. Zhang, N. Zhang, N. Wang, Y. Yang and Z.-Z. Zhang</i>	446
Corrigendum	
Corrigendum to “Combining ozone and modified atmosphere packaging (MAP) to maximize shelf-life and quality of striped red mullet (<i>Mullus surmuletus</i>)” [LWT – Food Sci Technol 47 (2012) 500–504] <i>G. Bono and C. Badalucco</i>	452
Calendar	I