

CONTENTS

Number 9

Articles

- Effect of diethyl maleate on the toxicity of essential oil from *Citrus reticulata* fruit peels to *Tribolium castaneum* Herbst under laboratory conditions
Marzieh Mobki, Seyed Ali Safavi, Mohammad Hasan Safaralizadeh, Omid Panahi and Ali Taheri Afshar 1023
- Mating type distribution using a multiplex PCR mating assay and fertility status in *Didymella rabiei* in chickpea-growing areas in Iran
Farshid Mahmodi, Ziaeddin Banihashemi, Jugah Kadir, Adam Puteh and Abbas Nasehi 1030
- Life cycle of the rice root-knot nematode *Meloidogyne graminicola* at different temperatures under non-flooded and flooded conditions
L. Fernandez, M.T.N. Cabasan and D. De Waele 1042
- Identification of *Fusarium* species causing basal rot of onion in East Azarbaijan province, Iran and evaluation of their virulence on onion bulbs and seedlings
Bahareh Ghanbarzadeh, Ebrahim Mohammadi Goltapeh and Naser Safaie 1050
- Isolation, characterisation of major secondary metabolites of the Himalayan *Trichoderma koningii* and their antifungal activity
Vivek Ahluwalia, Suresh Walia, Om P. Sati, Jitendra Kumar, Aditi Kundu, Jay Shankar and Y.S. Paul 1063
- Evaluation of some plant products for the management of *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae) in stored maize (*Zea mays*) and their effect on nutritional composition of the kernels
Adebola Adedoyin Osipitan, Aishat Modupe Lasisi, Habibat Maugbe Mumuni and Bilikis Iyabo Ewedairo 1072
- Distribution analysis of population structures for *Rhizoctonia solani* AG-1 IA in Japanese paddy field, using rep-PCR assay
Masaru Matsumoto 1082
- Effects of traditional insecticides on *Habrobracon hebetor* (Hymenoptera: Braconidae): bioassay and life-table assays
Hajar Faal-mohammadali, Ali-Asghar Seraj and Khalil Talebi-Jahromi 1089
- Behaviour of *Heterodera zae* under stress of host nutritional status in Egypt
A.E. Ismail and A.M. Kheir 1103
- Intercropping cucumber with amaranth (*Amaranthus cruentus* L.) to suppress populations of major insect pests of cucumber (*Cucumis sativus* L.)
O.O.R. Pitan and E.O. Esan 1112
- Assessment of plant secondary metabolites in oil palm seedlings after being treated with calcium, copper ions and salicylic acid
M. Rahamah Bivi, M.D. Siti Noor Farhana, A. Khairulmazmi, A.S. Idris, K. Susilawati and M. Sariah 1120
- Reaction of some wheat cultivars and breeding lines to *Puccinia striiformis* f. sp. *tritici* hot races in Iran
Ali Omrani, Manoochehr Khodarahmi and Farzad Afshari 1136

Number 10

Articles

- Are *Helicoverpa armigera* and *Tetranychus* spp. populations still susceptible to pesticides? A Zimbabwean study
Handsen Tibugari and Peter Jowah 1146
- Seasonal population trend of the peach fruit fly (PFF), *Bactrocera zonata* (Saunders) (Diptera: Tephritidae), in Assiut, Northern Upper Egypt
Dalia Y.A. Darwish, M.M.A. Rizk, F.A. Abdel-Galil and S.A.H. Temerak 1158
- Bio-efficacy of different oil carriers in ultra low volume sprayer for management of pod borer, *Helicoverpa armigera* (Hübner) in pigeonpea ecosystem
Mahantesh Kapasi, Suhas Yelshetty, Rachappa Haveri, Jayashree Mekali, N.M. Sunilkumar and Kathirvelu Baskar 1166
- Efficacy of some medicinal plant extracts and essential oils against Colorado potato beetle, *Leptinotarsa decemlineata* Say (Coleoptera: Chrysomelidae)
H. Rafiee-Dastjerdi, F. Khorrami, G. Nouri Ganbalani, A.A. Fathi and B. Esmatelpour 1175
- Colletotrichum fructicola* and *C. siamense* are involved in chilli anthracnose in India
Gunjan Sharma and Belle Damodara Shenoy 1179
- Interaction effects between time and cultivar on the seasonal fluctuations of the safflower fly, *Acanthiophilus helianthi* (Rossi) (Diptera: Tephritidae) and its parasitoids in the south of Tehran
Zahra Dustiy, Habib Abbasipour and Alireza Askarianzadeh 1195
- Inheritance of resistance to wheat yellow rust at adult plant stage
Hadis Farahani, Manoochehr Khodarahmi, Khodadad Mostafavi and Shapur Ebrahimnejad 1202
- Diagnosis and management of *Sclerotinia* stem rot (white mould) of lentils in Greece
Ioannis Vagelas 1209
- Field application of bio-control agents for controlling fungal root rot and root-knot nematode in potato
H. Abd-El-Khair and Wafaa M.A. El-Nagdi 1218
- Chilli rhizosphere fungus *Aspergillus* spp. PPA1 promotes vegetative growth of cucumber (*Cucumis sativus*) plants upon root colonisation
Shaikhul Islam, Abdul Mannan Akanda, Farjana Sultana and Md. Motaher Hossain 1231
- Activities of plant cell wall-degrading enzymes by bacterial soft rot of orchid
Tri Joko, Ahmad Subandi, Nanda Kusumandari, Arif Wibowo and Achmadi Priyatmojo 1239
- Papilio machaon* (Linnaeus) midgut α -amylase and the effect of wheat seed proteinaceous extracts on its activity
Ehsan Borzoui and Ali R. Bandani 1251
- Research article**
- Enhancement of shelf life of tomatoes by postharvest herbal treatment, during storage under ambient conditions
Manasi K. Bhagwat and Ajit G. Datar 1262
- ## Number 11
- ### Articles
- Effect of PGPR on population growth parameters of cotton aphid
Azadeh Fahimi, Ahmad Ashouri, Masoud Ahmadzadeh, Vahid Hoseini Naveh, Ahmad Asgharzadeh, Feizollah Maleki and Gary W. Felton 1274

New report of <i>Lasiodiplodia theobromae</i> causing <i>Jatropha</i> decline in Eastern Plateau and Hill region of India <i>Ritesh Kumar, Anjali Kumari, Animesh Sinha and Sudarshan Maurya</i>	1286
Fumigant toxicity of <i>Carum copticum</i> L. (Apiaceae) essential oil on <i>Trialeurodes vaporariorum</i> (Westwood) (Hemiptera: Aleyrodidae) adults under greenhouse conditions <i>Leila Mahmoodi and Oroj Valizadegan</i>	1291
Molecular detection of <i>Cucumber green mottle mosaic virus</i> variants from cucurbits fields in Iran <i>Sevil Nematollahi, Elnaz Haghtaghi, Davoud Koolivand and Mohammad Hajizadeh</i>	1303
Plumieride from <i>Allamanda cathartica</i> as an inhibitory compound to plant pathogenic fungi <i>M. Mone, M.A.U. Saieed, K.M.G. Dastogeer, M.A. Ali and M.B. Meah</i>	1311
Functional response of the phytoseiid mite <i>Typhlodromus negevi</i> Swirski and Amitai to the two-spotted spider mite <i>Tetranychus urticae</i> (Acari: Tetranychidae) <i>Aly H. Rasmy, G.M. Abou-Élella and M.A. Osman</i>	1327
Prediction of citrus canker epidemics generated through different inoculation methods <i>Muhammad Mohsin Raza, Muhammad Aslam Khan, Muhammad Atiq, Rana Binyamin and Makky Javaid</i>	1335
Inhibitory effects of some invasive alien species leaf extracts against tomato (<i>Lycopersicon esculentum</i> Mill.) bacterial wilt (<i>Ralstonia solanacearum</i>) <i>Derib Alemu, Fikre Lemessa, Mulatu Wakjira and Gezahegn Berecha</i>	1349
Biocontrol efficacy of protoplast fusants between <i>Bacillus thuringiensis</i> and <i>Bacillus subtilis</i> against <i>Spodoptera litura</i> Fabr. <i>Kannan Revathi, Rajamanickam Chandrasekaran, Annamalai Thanigaivel, Suyambulingam Arunachalam Kirubakaran and Sengottayan Senthil-Nathan</i>	1365
Relative preference of peach fruit fly, <i>Bactrocera zonata</i> (Saunders) (Diptera: Tephritidae) to some fruit and vegetables under laboratory conditions <i>Moustafa M.A. Rizk, Farouk A. Abdel-Galil, Sobhy A.H. Temerak and Dalia Y.A. Darwish</i>	1376
General esterases of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) change in response to feed on cotton varieties <i>Zahra Khorsand, Saeid Moharramipour, Mahmood Shojaee and Vahid Hosseininaveh</i>	1381
Differential response of cultivated rice to pathogen challenge and abiotic stresses with reference to cationic peroxidase <i>Vylassery Deepthi, Bawankar Raksha, Singh Pooja, Rathinasamy Subashkumar, Govindasamy Vivekanandhan, Ramamoorthy Siva and Subramanian Babu</i>	1390
Number 12	
Articles	
Molecular identification of 16S rII phytoplasma group in commercial pistachio cultivars in Iran <i>Pejman Khodaygan, Cobra Moslemkhani, Raheleh Shahbazi, Mohammad Moradi and Hakimeh Habibi</i>	1400
Regulation of defence response in <i>Eruca sativa</i> plants inoculated with <i>Alternaria brassicicola</i> <i>Poonam Gupta, Indu Ravi and Vinay Sharma</i>	1408
Demographic parameters of greenbug, <i>Schizaphis graminum</i> (Rondani) (Hemiptera: Aphididae), on six Iranian genotypes of barley <i>Rozhin Ahmadi and Seyed Ali Safavi</i>	1415

Research article

- Detection of nucleopolyhedroviruses in the eggs and caterpillars of tea looper caterpillar *Hyposidra infixaria* (Walk.) (Lepidoptera: Geometridae) as evidence of transovarial transmission
Binu Antony 1426
- Serological and molecular characterisations of the Egyptian isolate of *Bean common mosaic virus*
Mohamed Ali El-Sawy, Hisham Abd Elmonem Mohamed and Mohsen Mohamed Elsharkawy 1431
- Life table parameters of large white butterfly *Pieris brassicae* (Lepidoptera: Pieridae) on different cabbage varieties
Fariba Mehrkhou and Mehdi Taheri Sarhozaki 1444
- Efficacy of *Beauveria bassiana* (Blas.) Vuill. against cabbage aphid *Brevicoryne brassicae* L. (Hem.: Aphididae) in laboratory condition
Samaneh Akbari, Seyed Ali Safavi and Yobert Ghosta 1454
- Genetic analysis of resistance to *Puccinia striiformis* f.sp. *tritici* in cv. Aflak at adult plant stage
M. Zandipour, M. Khodarahmi, E. Majidi and SH. Ebrahim-nejad 1459
- Research article**
- Genotypic characteristics of the causal agent of chinaberry gall
Milad Aeini and Seyed Mohsen Taghavi 1466
- Compost tea as soil drench: an alternative approach to control bacterial wilt in brinjal
M.R. Islam, C. Mondal, I. Hossain and M.B. Meah 1475
- Influence of rock dust-based soil re-mineralisation on root-knot disease of organic watermelon plants
Jonathan Jeremiah Atungwu, Olaide Ayodele Oladeji, Isaac Aiyelaagbe and Timothy Ipoola Olabiyi 1489
- Study on the synergistic effect of Henna in enhancement of pathogenicity of *Bacillus thuringiensis* Berliner on third and fourth instars larvae of Colorado potato beetle, *Leptinotarsa decemlineata* (Say) (Col.: Chrysomelidae)
Akbar Ghassemi-Kahrizeh and Shahram Aramideh 1497
- Virulence survey of *Puccinia striiformis*, the causal agent of wheat yellow rust, by trap nursery 2010–2012
Mohamad Dalvand, Farzad Afshari and Milad Aeini 1508
- Development and reproduction of two populations of *Heterodera zaeae* under stress of soil texture in Egypt
A.E. Ismail and A.M. Kheir 1514
- Evaluation of infestation percentage of cotton fields to the spiny bollworm, *Earias insulana* Boisduval (Lep.: Noctuidae), and its relationship with pheromone traps
Fahimeh Hajatmand, Habib Abbasipour, Gholamali Amin, Alireza Askarianzadeh and Jaber Karimi 1523