

LWT—Food Science and Technology

Contents

Volume 58, Issue 2, 2014

Editorials

Editorial

K. Hecht 313

Editorial

M. Shamtsyan 313

Special Section on “The First North and East European Congress on Food - NEEFood-2012”; Edited by Mark Shamtsyan, Huub Lelieveld, Brian McKenna and Kostadin Fikiin

Test systems and a method for express detection of synthetic food dyes in drinks

S. Komissarchik and G. Nyanikova 315

Comparison of methods for evaluation of the antioxidant capacity and phenolic compounds in common spices

M. Przygodzka, D. Zielińska, Z. Ciesarová, K. Kukurová and H. Zieliński 321

Evaluation of the *in vitro* inhibitory effects of buckwheat enhanced wheat bread extracts on the formation of advanced glycation end-products (AGEs)

D. Szawara-Nowak, G. Koutsidis, W. Wiczowski and H. Zieliński 327

Characterization of Siahmazgi cheese, an Iranian ewe’s milk variety: Assessment of physico-chemical, textural and rheological specifications during ripening

G. Farahani, H. Ezzatpanah and S. Abbasi 335

Novel milk-clotting enzyme produced by *Coprinus lagopides* basidial mushroom

M. Shamtsyan, T. Dmitriyeva, B. Kolesnikov and N. Denisova 343

High genetic and phenotypic variability of *Streptococcus thermophilus* strains isolated from artisanal Yuruk yoghurts

O. Erkus, B. Okuklu, A.F. Yenidunya and S. Harsa 348

Antibacterial activity and cholesterol assimilation of lactic acid bacteria isolated from traditional Iranian dairy products

M. Iranmanesh, H. Ezzatpanah and N. Mojgani 355

Assessment of microbiological safety of ground water used in rainbow trout farms

K. Grigoryan, G. Badalyan, M. Sargsyan and A. Harutyunyan 360

Metals migration between product and metallic package in canned meat

A. Buculei, S. Amariei, M. Oroian, G. Gutt, L. Gaceu and A. Birca 364

The influence of high pressure on bio-system reaction kinetics and the preservation of vitamin C

V. Sukhmanov, V. Shatalov, J. Petrova, A. Birca and L. Gaceu 375

Research Papers

- The effect of the structure of native banana starch from two varieties on its acid hydrolysis**
A. Aparicio-Saguilán, A. Aguirre-Cruz, G. Méndez-Montealvo, S.L. Rodríguez-Ambroz, F.J. García-Suarez, D.E. Páramo-Calderón and L.A. Bello-Pérez 381
- Effects of fermentation and rye flour on microstructure and volatile compounds of chestnut flour based sourdoughs**
M. Aponte, F. Boscaino, A. Sorrentino, R. Coppola, P. Masi and A. Romano 387
- Emulsifying and structural properties of pectin enzymatically extracted from pumpkin**
S.W. Cui and Y.H. Chang 396
- Synergistic effect of carbon dioxide atmospheres and high hydrostatic pressure to reduce spoilage bacteria on poultry sausages**
A. Al-Nehlawi, S. Guri, B. Guamis and J. Saldo 404
- Gelling properties of surimi as affected by the particle size of fish bone**
T. Yin, Z.H. Reed and J.W. Park 412
- Influence of light exposure during storage on the content of sesquiterpene lactones and photosynthetic pigments in witloof chicory (*Cichorium intybus* L. var. *foliosum* Hegi)**
S. Wulfkuehler, C. Gras and R. Carle 417
- Evaluation of natural hog casings modified by surfactant solutions combined with lactic acid by response surface methodology**
C.-H. Feng, L. Drummond, D.-W. Sun and Z.-H. Zhang 427
- Influence of thermal treatment on formation of volatile compounds, cooking loss and lipid oxidation in foal meat**
R. Domínguez, M. Gómez, S. Fonseca and J.M. Lorenzo 439
- Relationship between the thermal conductivity and rheological behavior of acerola pulp: Effect of concentration and temperature**
C.G. Pereira, J.V. de Resende and T.M.O. Giarola 446
- Changes in antioxidant capacity, isoflavone profile, phenolic and vitamin contents in soymilk during extended fermentation**
D. Zhao and N.P. Shah 454
- Pea protein exhibits a novel Pickering stabilization for oil-in-water emulsions at pH 3.0**
H.-N. Liang and C.-h. Tang 463
- Release and antioxidant activity of carvacrol and thymol from polypropylene active packaging films**
M. Ramos, A. Beltrán, M. Peltzer, A.J.M. Valente and M.C. Garrigós 470
- Chemical characterization of the medicinal mushroom *Phellinus linteus* (Berkeley & Curtis) Teng and contribution of different fractions to its bioactivity**
F.S. Reis, J.C.M. Barreira, R.C. Calhelha, L.J.I.D. van Griensven, A. Ćirić, J. Glamočlija, M. Soković and I.C.F.R. Ferreira 478
- Histological and cell wall polysaccharide chemical variability among apricot varieties**
M. Lahaye, X. Falourd, B. Quemener, M.-F. Devaux and J.-M. Audergon 486
- The effect of the incorporation of grape marc powder in fettuccini pasta properties**
V. Sant'Anna, F.D.P. Christiano, L.D.F. Marczak, I.C. Tessaro and R.C.S. Thys 497
- Methods for phosphate addition in heavy salted cod (*Gadus morhua* L.)**
I. Bjørkevoll, R.G. Reboredo and I. Fossen 502
- Effects of olive paste fast preheating on the quality of extra virgin olive oil during storage**
F. Fiori, G. Di Lecce, E. Boselli, G. Pieralisi and N.G. Frega 511
- High hydrostatic pressure effect on chemical composition, color, phenolic acids and antioxidant capacity of Cape gooseberry pulp (*Physalis peruviana* L.)**
A. Vega-Gálvez, J. López, M.J. Torres-Ossandón, M.J. Galotto, L. Puente-Díaz, I. Quispe-Fuentes and K. Di Scala 519
- Encapsulation of the phenolic compounds of the blackberry (*Rubus fruticosus*)**
C.G. da Rosa, C.D. Borges, R.C. Zambiasi, J.K. Rutz, S.R. da Luz, F.D. Krumreich, E.V. Benvenuti and M.R. Nunes 527
- Performance of enzymatic wheat gluten hydrolysis in batch and continuous processes using Flavourzyme**
P. Berends, D. Appel, T. Eisele, S. Rabe and L. Fischer 534

Comparative study of improved vs. traditional apple cultivars and their aptitude to be minimally processed as ‘ready to eat’ apple wedges <i>R. Altisent, L. Plaza, I. Alegre, I. Viñas and M. Abadias</i>	541
Non-isothermal autohydrolysis of nixtamalized maize pericarp: Production of nutraceutical extracts <i>M. Rostro, M. Sánchez-González, S. Rivas, A. Moure, H. Domínguez and J.C. Parajó</i>	550
Simultaneous determination of tocopherols, retinol, ester derivatives and β-carotene in milk- and soy-juice based beverages by HPLC with diode-array detection <i>V. Andrés, M.J. Villanueva and M.D. Tenorio</i>	557
Effect of iron and ascorbic acid addition on dry infusion process and final color of pumpkin tissue <i>C. Genevois, S. Flores and M. de Escalada Pla</i>	563
The antioxidative and anti-proliferative potential of non-edible organs of the pomegranate fruit and tree <i>O. Orgil, E. Schwartz, L. Baruch, I. Matityahu, J. Mahajna and R. Amir</i>	571
Optimization of roasting conditions as an useful approach for increasing antioxidant activity of carob powder <i>D. Vitali Čepo, A. Mornar, B. Nigović, D. Kremer, D. Radanović and I. Vedrina Dragojević</i>	578
Effect of natural extracts on the formation of acrylamide in fried potatoes <i>G. Morales, M. Jimenez, O. Garcia, M.R. Mendoza and C.I. Beristain</i>	587
Effects of superfine grinding on physicochemical and antioxidant properties of <i>Lycium barbarum</i> polysaccharides <i>M. Zhang, F. Wang, R. Liu, X. Tang, Q. Zhang and Z. Zhang</i>	594
Characteristics and functional properties of gelatin from zebra blenny (<i>Salaria basilisca</i>) skin <i>N. Ktari, M. Jridi, R. Nasri, I. Lassoued, H. Ben Ayed, A. Barkia and M. Nasri</i>	602
Determination of triterpenic acids in natural and alkaline-treated Greek table olives throughout the fermentation process <i>V. Alexandraki, M. Georgalaki, K. Papadimitriou, R. Anastasiou, G. Zoumpopoulou, I. Chatzipavlidis, M. Papadelli, N. Vallis, K. Moschochoritis and E. Tsakalidou</i>	609
Effect of flaxseed flour addition on physicochemical and sensory properties of functional bread <i>P. Marpalle, S.K. Sonawane and S.S. Arya</i>	614
Physical characteristics of extrudates from corn flour and dehulled carioca bean flour blend <i>E.M.M. Silva, J.L.R. Ascheri, C.W.P. Carvalho, C.Y. Takeiti and J.J. Berrios</i>	620
Effect of total solids content in feed emulsion on the physical properties and oxidative stability of microencapsulated kenaf seed oil <i>S.-K. Ng, Y.-H. Choong, C.-P. Tan, K. Long and K.-L. Nyam</i>	627
Biotransformation and resulting biological properties of green tea polyphenols produced by probiotic bacteria <i>A.M. López de Lacey, E. Pérez-Santín, M.E. López-Caballero and P. Montero</i>	633
Simplex lattice mixture design approach on physicochemical and sensory properties of wheat chips enriched with different legume flours: An optimization study based on sensory properties <i>A. Kayacier, F. Yüksel and S. Karaman</i>	639
Enhanced chemical stability, chromatic properties and regeneration of betalains in <i>Rivina humilis</i> L. berry juice <i>M.I. Khan and P. Giridhar</i>	649
Effect of baking conditions and storage with crust on the moisture profile, local textural properties and staling kinetics of pan bread <i>E. Besbes, V. Jury, J.-Y. Monteau and A. Le Bail</i>	658
Research Note	
Enhanced stability of curcumin in colloidosomes stabilized by silica aggregates <i>Y. Zhao, Y. Pan, N. Nitin and R.V. Tikekar</i>	667
Calendar	I