

**ORIGINAL ARTICLES****J. M. WOLTZ, D. A. LANDIS**Comparison of sampling methods of *Aphis glycines* predators across the diel cycle**475–484****A. M. NAAUM, R. G. FOOTTIT, H. E. L. MAW, R. HANNER**Real-time PCR for identification of the soybean aphid, *Aphis glycines* Matsumura**485–489****Q.-H. ZHANG, R. G. SCHNEIDMILLER, D. R. HOOVER, G. ZHOU, A. MARGARYAN, P. BRYANT**Essential oils as spatial repellents for the brown marmorated stink bug, *Halyomorpha halys* (Stål) (Hemiptera: Pentatomidae)**490–499****A. MOGHBELI GHARAEI, M. ZIAADDINI, M. A. JALALI, J. P. MICHAUD**

Sex specific responses of Asian citrus psyllid to volatiles of conspecific and host plant origin

**500–509****S. BALAGAWI, K. JACKSON, A. R. CLARKE**Resting sites, edge effects and dispersion of a polyphagous *Bactrocera* fruit fly within crops of different architecture**510–518****S. VAN TIMMEREN, R. ISAACS***Drosophila suzukii* in Michigan vineyards, and the first report of *Zaprionus indianus* from this region**519–527****P. DAMOS, C. P. BONSIGNORE, F. GARDI, D. N. AVTZIS**Phenological responses and a comparative phylogenetic insight of *Anarsia lineatella* and *Grapholita molesta* between distinct geographical regions within the Mediterranean basin**528–538****G. K. LYNEGAARD, J. OFFENBERG, T. S. FAST, J. A. AXELSEN, M. W. MWATAWALA,****G. M. RWEASIRA**Using insect traps to increase weaver ant (*Oecophylla longinoda*) prey capture**539–546****SHORT COMMUNICATIONS****S. G. MUSTAFA, S. SPIEWOK, M. DUNCAN, R. SPOONER-HART, P. ROSENKRANZ**Susceptibility of small honey bee colonies to invasion by the small hive beetle, *Aethina tumida* (Coleoptera, Nitidulidae)**547–550****F. W. SIMON, D. R. GILLESPIE**Long handling times of *Praon unicum* by *Harmonia axyridis* result in protection from predation**551–554**