

CONTENTS

Review

- Egg yolk granules: Separation, characteristics and applications in food industry**
A. Laca, B. Paredes, M. Rendueles and M. Díaz 1

Research Papers

- Development of low-fat gluten and starch fried matrices with high fiber content**
V. Dueik, O. Sobukola and P. Bouchon 6
- Influence of acidification on dough viscoelasticity of gluten-free rice starch-based dough matrices enriched with exogenous protein**
F. Ronda, M. Villanueva and C. Collar 12
- Liquid chromatography–electrospray ionization–tandem mass spectrometry method for determination of twenty multi-class pesticide residues in cashew**
R. de Oliveira Silva, R.C. de Castro, M.A.L. Milhome and R.F. do Nascimento 21
- Antibacterial activity produced by *Enterococcus* spp. isolated from an artisanal Mexican dairy product, Cotija cheese**
I. García-Cano, C.E. Serrano-Maldonado, M. Olvera-García, E. Delgado-Arciniega, C. Peña-Montes, G. Mendoza-Hernández and M. Quirasco 26
- Effects of temperature and pH on angiotensin-I-converting enzyme inhibitory activity and physicochemical properties of bovine casein peptide in aqueous Maillard reaction system**
Z. Jiang, L. Wang, H. Che and B. Tian 35
- Changes in physicochemical properties and bactericidal efficiency of acidic electrolyzed water ice and available chlorine decay kinetics during storage**
J. Li, T. Lin, Q. Lu, J.J. Wang, C. Liao, Y. Pan and Y. Zhao 43
- Whey-protein-stabilized nanoemulsions as a potential delivery system for water-insoluble curcumin**
M. Li, Y. Ma and J. Cui 49
- Effects of enzymatically-extracted purple rice bran fiber as a protectant of *L. plantarum* NRRL B-4496 during freezing, freeze drying, and storage**
A. Chotiko and S. Sathivel 59
- Jasmonoid glucosides, sesquiterpenes and coumarins from the fruit of *Clausena lansium***
X. Xu, H. Xie and X. Wei 65
- Synergistic impact of sonication and high hydrostatic pressure on microbial and enzymatic inactivation of apple juice**
M. Abid, S. Jabbar, B. Hu, M.M. Hashim, T. Wu, Z. Wu, M.A. Khan and X. Zeng 70
- Evaluation of innovative immersion vacuum cooling with different pressure reduction rates and agitation for cooked sausages stuffed in natural or artificial casing**
C.-H. Feng, L. Drummond, Z.-H. Zhang and D.-W. Sun 77
- Chemical composition and antibacterial activity of *Laurus nobilis* essential oil towards foodborne pathogens and its application in fresh Tuscan sausage stored at 7 °C**
S.M. da Silveira, F.B. Luciano, N. Fronza, A. Cunha Jr., G.N. Scheuermann and C.R.W. Vieira 86
- Properties of konjac glucomannan–whey protein isolate blend films**
M. Leuangsukrerkr, T. Phupoksakul, K. Tananuwong, C. Borompichaichartkul and T. Janjarasskul 94

Fresh-cut aromatic herbs: Nutritional quality stability during shelf-life <i>J. Santos, M. Herrero, J.A. Mendiola, M.T. Oliva-Teles, E. Ibáñez, C. Delerue-Matos and M.B.P.P. Oliveira</i>	101
Development of an accelerated aging method for Brandy <i>M. Schwarz, M.C. Rodríguez, M. Sánchez, D.A. Guillén and C.G. Barroso</i>	108
Development and evaluation of lipid nanocarriers for quercetin delivery: A comparative study of solid lipid nanoparticles (SLN), nanostructured lipid carriers (NLC), and lipid nanoemulsions (LNE) <i>N.P. Aditya, A.S. Macedo, S. Doktorovova, E.B. Souto, S. Kim, P.-S. Chang and S. Ko</i>	115
Effects of different freezing treatments on physicochemical responses and microbial characteristics of Japanese sea bass (<i>Lateolabrax japonicus</i>) fillets during refrigerated storage <i>L. Cai, X. Wu, X. Li, K. Zhong, Y. Li and J. Li</i>	122
Ultrasonically enhanced desalting of cod (<i>Gadus morhua</i>). Mass transport kinetics and structural changes <i>C. Ozuna, A. Puig, J.V. Garcia-Perez and J.A. Cárcel</i>	130
Contribution to the development of a method of maple sap soft drink stabilization by electro-activation technology <i>K. Koffi, S. Labrie, A. Genois, A. Aït Aïssa and M. Aïder</i>	138
Optimization, characterization and <i>in vitro</i> evaluation of curcumin microemulsions <i>M.C. Bergonzi, R. Hamdouch, F. Mazzacuva, B. Isacchi and A.R. Bilia</i>	148
Impact of carcass scalding and chilling on muscle proteins and meat quality of broiler breast fillets <i>B.C. Bowker, H. Zhuang and R.J. Buhr</i>	156
Effect of oxygen reduction during malaxation on the quality of extra virgin olive oil (Cv. Carboncella) extracted through “two-phase” and “three-phase” centrifugal decanters <i>G. Pastore, A. D’Aloise, S. Lucchetti, M. Maldini, E. Moneta, M. Peparajo, A. Raffo and F. Sinesio</i>	163
Changes in the physico-chemical properties of casein micelles during ultrafiltration combined with diafiltration <i>M. Ferrer, M. Alexander and M. Corredig</i>	173
Extension of the shelf-life of foal meat with two antioxidant active packaging systems <i>J.M. Lorenzo, R. Batlle and M. Gómez</i>	181
Impact of different drying trajectories on degradation of nutritional compounds in broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) <i>X. Jin, T. Oliviero, R.G.M. van der Sman, R. Verkerk, M. Dekker and A.J.B. van Boxtel</i>	189
Effects of tropical fruit pulps and partially hydrolysed galactomannan from <i>Caesalpinia pulcherrima</i> seeds on the dietary fibre content, probiotic viability, texture and sensory features of goat dairy beverages <i>F.C.A. Burity, S.C. Freitas, A.S. Egito and K.M.O. dos Santos</i>	196
Potential of bacteriocinogenic <i>Lactococcus lactis</i> subsp. <i>lactis</i> inhabiting low pH vegetables to produce nisin variants <i>S. Sadiq, M. Imran, M.N. Hassan, M. Iqbal, Y. Zafar and F.Y. Hafeez</i>	204
Dessert and crab apple seeds as a promising and rich source of all four homologues of tocopherol (α, β, γ and δ) <i>P. Górnaś, D. Segliņa, G. Lācis and I. Pugajeva</i>	211
Authentication of dried distilled grain with solubles (DDGS) by fatty acid and volatile profiling <i>A. Tres, S.P. Heenan and S. van Ruth</i>	215
Peanut skins-fortified peanut butters: Effects on consumer acceptability and quality characteristics <i>C.T. Sanders III, C.L. DeMasie, W.L. Kerr, J.L. Hargrove, R.B. Pegg and R.B. Swanson</i>	222
Production of heterocyclic aromatic amines in meat: Chemistry, health risks and inhibition. A review <i>U. Rahman, A. Sahar, M.I. Khan and M. Nadeem</i>	229
Novel isolates of lactobacilli from fermented Portuguese olive as potential probiotics <i>C.M. Peres, M. Alves, A. Hernandez-Mendoza, L. Moreira, S. Silva, M.R. Bronze, L. Vilas-Boas, C. Peres and F.X. Malcata</i>	234
Synthesis and characterization of β-cyclodextrin inclusion complexes of thymol and thyme oil for antimicrobial delivery applications <i>F. Tao, L.E. Hill, Y. Peng and C.L. Gomes</i>	247

Influence of yeast strain on aromatic profile of Gewürztraminer wine <i>F. Katarína, M. Katarína, Ď. Katarína, Š. Ivan and M. Fedor</i>	256
Folate fortification of white and whole-grain bread by adding Swiss chard and spinach. Acceptability by consumers <i>R. López-Nicolás, C. Frontela-Saseta, R. González-Abellán, A. Barado-Piqueras, D. Perez-Conesa and G. Ros-Berrueto</i>	263
Antioxidant and quinone reductase inducing activities of ethanolic fractions from purple maize <i>L.X. Lopez-Martinez, K.L. Parkin and H.S. Garcia</i>	270
Microwave-assisted extraction of betalains from red beet (<i>Beta vulgaris</i>) <i>G.A. Cardoso-Ugarte, M.E. Sosa-Morales, T. Ballard, A. Liceaga and M.F. San Martín-González</i>	276
Effect of roasting method and oil reduction on volatiles of roasted <i>Pistacia terebinthus</i> using direct thermal desorption-GCxGC-TOF/MS <i>M.Z. Ozel, D.K. Yanik, F. Gogus, J.F. Hamilton and A.C. Lewis</i>	283
Effects of two different sourdoughs on the characteristics of <i>Pandoro</i>, a typical Italian sweet leavened baked good <i>C. Montanari, E. Bargossi, R. Lanciotti, F. Chinnici, F. Gardini and G. Tabanelli</i>	289
Effect of ionizing radiation on structural and functional attributes of red kidney bean (<i>Phaseolus vulgaris</i> L.) lectin <i>N. Mallikarjunan, S. Marathe, D. Rajalakshmi, S. Mahesh, S.N. Jamdar and A. Sharma</i>	300
Phenolic extracts from <i>Crataegus × mordenensis</i> and <i>Prunus virginiana</i>: Composition, antioxidant activity and performance in sunflower oil <i>F. Aladedunye, R. Przybylski, K. Niehaus, H. Bednarz and B. Matthäus</i>	308
Impact of pulsed light treatments on quality characteristics and oxidative stability of fresh-cut avocado <i>I. Aguiló-Aguayo, G. Oms-Oliu, O. Marín-Belloso and R. Soliva-Fortuny</i>	320
Damage to intact fruit affects quality of slices from ripened tomatoes <i>M. Buccheri and M. Cantwell</i>	327
Physical, chemical and microbiological characteristics of fermented surimi with <i>Actinomucor elegans</i> <i>X.-X. Zhou, D.-D. Zhao, J.-H. Liu, F. Lu and Y.-T. Ding</i>	335
Improved mapping of in-mouth creaminess of semi-solid dairy products by combining rheology, particle size, and tribology data <i>A. Sonne, M. Busch-Stockfisch, J. Weiss and J. Hinrichs</i>	342
Effect of ionic gums and dry heating on physicochemical, morphological, thermal and pasting properties of water chestnut starch <i>K. Gul, C.S. Riar, A. Bala and M.S. Sibian</i>	348
The effect of ionic strength on the rheology of pH-induced bovine serum albumin/κ-carrageenan coacervates <i>C. Chai, J. Lee and Q. Huang</i>	356
Antioxidant activity of a hydrothermal extract from watermelons <i>S.-J. Kim, Y. Matsushita, K. Fukushima, D. Aoki, S. Yagami, H.-G. Yuk and S.-C. Lee</i>	361
Milling breakage susceptibility and mechanical properties of parboiled brown rice kernels <i>J. Buggenhout, K. Brijs, J. Van Oevelen and J.A. Delcour</i>	369
Contribution of peptides and polyphenols from olive water to acrylamide formation in sterilized table olives <i>F.J. Casado, A. Montañó and R. Carle</i>	376
Release of folic acid from sodium alginate-pectin-poly(ethylene oxide) electrospun fibers under <i>in vitro</i> conditions <i>S. Alborzi, L.-T. Lim and Y. Kakuda</i>	383
Inhibiting enzymatic starch digestion by hydrolyzable tannins isolated from <i>Eugenia jambolana</i> <i>W.Y. Tong, H. Wang, V.Y. Waisundara and D. Huang</i>	389
Stage extraction of capsaicinoids and red pigments from fresh red pepper (<i>Capsicum</i>) fruits with ethanol as solvent <i>X. Dong, X. Li, L. Ding, F. Cui, Z. Tang and Z. Liu</i>	396
Study on processing and quality improvement of frozen noodles <i>Y.-g. Lü, J. Chen, X.-q. Li, L. Ren, Y.-q. He and L.-B. Qu</i>	403
A probiotic soy-based innovative product as an alternative to <i>petit-suisse</i> cheese <i>N.S. Matias, R. Bedani, I.A. Castro and S.M.I. Saad</i>	411

Bread staling: Effect of gluten on physico-chemical properties and molecular mobility <i>E. Curti, E. Carini, G. Tribuzio and E. Vittadini</i>	418
Effect of caraway, basil, and oregano extracts and their binary mixtures on fungi in growth medium and on shredded cabbage <i>S.D. Kocic-Tanackov, G.R. Dimic, L.V. Mojović, J.D. Pejin and I.J. Tanackov</i>	426
Effect of grain hardness on bioavailability of iron in wheat as determined using the coupled invitro digestion/Caco-2 model <i>R. Salunke, N. Rawat, K. Neelam, V.K. Tiwari, G.S. Randhawa, H.S. Dhaliwal and P. Roy</i>	433
Effect of food matrix and processing on release of almond protein during simulated digestion <i>G. Mandalari, N.M. Rigby, C. Bisignano, R.B. Lo Curto, F. Mulholland, M. Su, M. Venkatachalam, J.M. Robotham, L.A.N. Willison, K. Lapsley, K.H. Roux and S.K. Sathe</i>	439
Characterization of two prickly pear species flowers growing in Tunisia at four flowering stages <i>I. Ammar, M. Ennouri, O. Bali and H. Attia</i>	448
Extraction and identification of antioxidant polyhydroxynaphthoquinone pigments from the sea urchin, <i>Psammechinus miliaris</i> <i>C. Powell, A.D. Hughes, M.S. Kelly, S. Conner and G.J. McDougall</i>	455
Analysis of free and bound aroma compounds of pomegranate (<i>Punica granatum</i> L.) <i>J. Tripathi, S. Chatterjee, S. Gamre, S. Chattopadhyay, P.S. Variyar and A. Sharma</i>	461
Properties of model systems of sunflower oil and green coffee extract after heat treatment and storage <i>G. Budryn, E. Nebesny, D. Żyżelewicz and J. Oracz</i>	467
Processing and characterization of durum wheat bread enriched with antioxidant from yellow pepper flour <i>A. Danza, M. Mastromatteo, F. Cozzolino, L. Lecce, V. Lampignano, J. Laverse and M.A. Del Nobile</i>	479
Physical quality and <i>in vitro</i> starch digestibility of bread as affected by addition of extracted malva nut gum <i>A. Srichamroen</i>	486
Physical and sensory aspects of maltodextrin gel addition used as fat replacers in confectionery filling systems <i>M. Hadnađev, T. Dapčević Hadnađev, L. Dokić, B. Pajin, A. Torbica, L. Šarić and P. Ikonić</i>	495
Iron enrichment of whole potato tuber by vacuum impregnation <i>Erihemu, K. Hironaka, Y. Oda and H. Koaze</i>	504
Application of the yeast comet assay in testing of food additives for genotoxicity <i>E. Peycheva, R. Alexandrova and G. Miloshev</i>	510
<i>Cladonia</i> lichens and their major metabolites as possible natural antioxidant, antimicrobial and anticancer agents <i>M. Kosanić, B. Ranković, T. Stanojković, A. Rančić and N. Manojlović</i>	518
Effects of particle size distributions of rice flour on the quality of gluten-free rice cupcakes <i>J.-M. Kim and M. Shin</i>	526
Characterization of fish protein films incorporated with essential oils of clove, garlic and origanum: Physical, antioxidant and antibacterial properties <i>B. Teixeira, A. Marques, C. Pires, C. Ramos, I. Batista, J.A. Saraiva and M.L. Nunes</i>	533
Effect of oilseed protein concentrates and exogenous amino acids on the dialysability of iron and zinc <i>V. Joshi, P. Thatte, J. Prakash and A. Jyothi Lakshmi</i>	540
Effect of E-beam treatment on the bioaccessibility of folic acid incorporated to ready to eat meat products <i>I. Galán, M.L. García, M.D. Selgas and R. Havenaar</i>	547
Biochemical, microbial and sensory evaluation of white soft cheese made from cow and lupin milk <i>M.O. Elsamani, S.S. Habbani, E.E. Babiker and I.A. Mohamed Ahmed</i>	553
Changes in aroma profile of musts from grapes cv. <i>Pedro Ximenez</i> chamber-dried at controlled conditions destined to the production of sweet Sherry wine <i>M.J. Ruiz, L. Moyano and L. Zea</i>	560
Preparation and evaluation of chili powder-enriched layered noodles <i>L.-Y. Li, T.-C. Tan, M.-T. Liong and A.M. Easa</i>	566
Effects of γ-irradiation on the α-tocopherol and fatty acids content of raw unpeeled almond kernels (<i>Prunus dulcis</i>) <i>V. Di Stefano, R. Pitonzo, A. Bartolotta, M.C. D'Oca and P. Fuochi</i>	572
Effect of aqueous ozonation on the pasting, flow and gelatinization properties of wheat starch <i>H. Çatal and Ş. İbanoğlu</i>	577

Research Notes

Influence of different cold storage temperatures during the *Rigor mortis* phase on fillet contraction and longer-term quality changes of Atlantic cod filets

T.F. Aune, R.L. Olsen, L. Akse, E. Ytterstad and M. Esaiassen

583

Chemical composition of dehulled seeds of selected lupin cultivars in comparison to pea and soya bean

M. Bähr, A. Fechner, K. Hasenkopf, S. Mittermaier and G. Jahreis

587

Purification of polygalacturonase from *Aspergillus awamori* Nakazawa MTCC 6652 and its application in apple juice clarification

T.B. Dey, S. Adak, P. Bhattacharya and R. Banerjee

591

Book Review

Cereals and Pulses: Nutraceutical Properties and Health Benefits

S.K. Sathe

596

Calendar

I