

CONTENTS

ORIGINAL ARTICLES

- 471 Saline and alkaline stress genotypic tolerance in sweet sorghum is linked to sodium distribution
L.Y. Dai, L.J. Zhang, S.J. Jiang and K.D. Yin
- 482 Wild rocket – effect of water deficit on growth, flowering, and attractiveness to pollinators
J. Barbir, J. Dorado, C. Fernández-Quintanilla, T. Blanusa, C. Maksimovic and F.R. Badenes-Pérez
- 493 Leaf epicuticular wax as a factor of antixenotic resistance of cabbage to cabbage flea beetles and cabbage stink bugs attack
T. Bohinc, D. Markovič and S. Trdan
- 501 Growth stage-based response of wheat (*Triticum aestivum* L.) to kinetin under water-deficit environment: pigments and gas exchange attributes
I. Lalarukh, M.A. Ashraf, M. Azeem, M. Hussain, M. Akbar, M.Y. Ashraf, M.T. Javed and N. Iqbal
- 511 The possible role of organic acids as allelochemicals in *Tamarindus indica* L. leaves
S. Syed, Z.I. Ahmed, M.I. Al-Haq, A. Mohammad and Y. Fujii
- 518 Effects of irrigation volumes and organic fertilizers on eggplant grown in Mediterranean environment
R. Leogrande, O. Lopedota, C. Vitti, D. Ventrella and F. Montemurro
- 529 Organically grown *Brassica napus* – use of border strips and *Trichoderma*
J. Kowalska
- 537 *Fusarium* seedling blight of wheat and oats: effects of infection level and fungicide seed treatments on agronomic characters
S.-C. Hysing and L. Wiik
- 547 Cover crop stubble and straw management in seed production of timothy (*Phleum pratense* L.), meadow fescue (*Festuca pratensis* Huds.), and red clover (*Trifolium pratense* L.)
L.T. Havstad