

Quantification of <i>Wheat spindle streak mosaic virus</i> and <i>Soil borne cereal mosaic virus</i> in resistance testing of field samples of triticale using real-time RT-PCR	ANGELIKA ZIEGLER, KARIN KLINGEBEIL, VIOLA PAPKE, UTE KASTIRR	149–155
Sensitivity towards DMI fungicides and haplotypic diversity of their CYP51 target in the <i>Mycosphaerella graminicola</i> population of Flanders	KATRIEN CURVERS, BART PYCKE, TINA KYNDT, GEERT HAESAERT, GODELIEVE GHEYSEN	156–163
Baseline sensitivity and the population shifts of <i>Didymella rabiei</i> in chickpea to the QoI fungicide pyraclostrobin in Alberta, Canada	HAFIZ U AHMED, KAN-FA CHANG, SHEAU-FANG HWANG, BRUCE D GOSSEN, STEPHEN E STRELKOV, GEORGE D TURNBULL	164–170
Sowing, field size, and soil characteristics affect bean-Fusarium-wilt pathosystems	BITA NASERI	171–176
Postharvest efficacy of resistance inducers for the control of green mold on important Sicilian citrus varieties	SALVINA PANEBIANCO, ALESSANDRO VITALE, CLAUDIA PLATANIA, CRISTINA RESTUCCIA, GIANCARLO POLIZZI, GABRIELLA CIRVILLERI	177–183
Occurrence of a new resistant breaking pathotype of <i>Meloidogyne incognita</i> on tomato in Greece	EMMANUEL A TZORTZAKAKIS, ISABEL CONCEIÇÃO, ANA MARGARIDA DIAS, KONSTANTINOS B SIMOGLU, ISABEL ABRANTES	184–186
Report on the 42 nd joint meeting of the DPG-working group Nematology and the working group “free living nematodes”		187–189
National and International Conferences and Events		190–192