

Contents

DISEASES

- Screening of *Fusarium verticillioides* strains for cellulase activity
Á. Szécsi 1
- Pathogenicity in *Plasmopara halstedii* (Sunflower downy mildew) races 710, 714 and 704
N. Sakr 11

INSECT PESTS

- Importance of application of synthetic food lures in trapping of *Rhagoletis* spp. and *Strauzia longipennis* Wiedemann
M. Tóth, E. Voigt, B. Baric, I. Pajac, M. Subic, P. Baufeld and S. Lerche 25
- Pear ester based lures for the codling moth *Cydia pomonella* L. – A summary of research efforts in Hungary
M. Tóth, J. Jósvali, K. Hári, B. Péntzes, Zs. Vuity, I. Holb, I. Szarukán, Zs. Kecskés, I. Dorgán-Zsuga, S. Koczor and E. Voigt 37
- A new *Aculops* species (Acari: Prostigmata: Eriophyoidea) on *Ailanthus altissima* from Hungary
G. Ripka and L. Érsek 49
- A new *Aceria* species (Acari: Prostigmata: Eriophyoidea) on *Xeranthemum annuum* from Hungary
G. Ripka 57
- Aphis pulsatillicola* Holman, 1966 (Hemiptera: Aphididae) on *Pulsatilla grandis* Wender, 1831 is a new record for the Hungarian fauna
Zs. Basky 67
- Predatory efficiency of *Cheilomenes sexmaculata* (Fabricius) and *Chrysoperla zastrowi sillemi* (Esben – Petersen) on cotton mealy bug, *Phenacoccus solenopsis* Tinsley under laboratory conditions
N. Aggarwal and Neetan 73
- Effect of crop establishment methods on the abundance and the diversity of natural enemy populations in rice agro-ecosystem
P. S. Sarao and M. S. Mahal 83

Acaricidal activity of <i>Melissa officinalis</i> oil and its formulation on <i>Tetranychus urticae</i> and the predatory mite <i>Neoseiulus californicus</i> (Acari: Tetranychidae and Phytoseiidae) <i>F. M. Momen, H. A. Abdel Rahman, E. A. Sammour, S. M. Aly and S. F. Fahim.....</i>	95
Insecticidal efficacy of spinosad, <i>Beauveria bassiana</i> and <i>Metarhizium anisopliae</i> in combination with diatomaceous earth, for controlling <i>Sitophilus oryzae</i> (L.) (Coleoptera: Curculionidae) infesting stored wheat <i>Nour El-Hoda A. Zidan.....</i>	117