

ORIGINAL CONTRIBUTIONS**V. T. GKOUNTI, M. SAVOPOULOU-SOULTANI, P. G. MILONAS**Intra- and interspecific interactions between *Nephus includens* and *Cryptolaemus montrouzieri* 647–653**A. A. FERNÁNDEZ AJÓ, A. S. MARTÍNEZ, J. M. VILLACIDE, J. C. CORLEY**Behavioural response of the woodwasp *Sirex noctilio* to volatile emissions of its fungal symbiont 654–659**W. VANHOVE, N. VANHOUDT, K. R. M. BHANU, S. ABUBEKER, Y. FENG, M. YU, P. VAN DAMME, A. ZHANG**Geometric isomers of sex pheromone components do not affect attractancy of *Conopomorpha cramerella* in cocoa plantations 660–668**J. KARUNGI, N. NAMBI, A. R. IJALA, M. JONSSON, S. KYAMANYWA, B. EKBOM**

Relating shading levels and distance from natural vegetation with hemipteran pests and predators occurrence on coffee 669–678

L. VANÍCKOVÁ, R. BŘÍZOVÁ, A. L. MENDONÇA, A. POMPEIANO AND R. R. DO NASCIMENTOIntraspecific variation of cuticular hydrocarbon profiles in the *Anastrepha fraterculus* (Diptera: Tephritidae) species complex 679–689**H. AZZOUZ, J. KEBAILI-GHRIBI, F. DAOUD, N. ABDELMALAK, K. ENNOURI, N. BELGUITH-BEN HASSAN, S. TOUNSI, S. ROUIS**Selection and characterization of *Bacillus thuringiensis* strains toxic against pyralid stored-product pests 690–700**R. MODLINGER, J. HOLUŠA, J. LIŠKA**Insect pests of Norway spruce cones: incidences and altitude preferences with emphasis on *Cydia strobilella* (L.) 701–711**F. MADEIRA, X. PONS**Effects of weed density on the dispersal of *Orius majusculus* Reuter (Heteroptera Anthocoridae) within maize 712–720**SHORT COMMUNICATION****N. LACKOVIĆ, C. BERTHEAU, C. STAUFFER, M. PERNEK, D. AVTZIS**

Genetic split between coastal and continental populations of gypsy moth separated by Dinaric Alps 721–726