

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International;
Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.;
Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.;
Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Foraminiferal assemblage indices: A comparison of sediment and reef rubble samples from Conch Reef, Florida, USA C.M. Stephenson, P. Hallock (St. Petersburg, FL, USA) and F. Kelmo (Salvador, Brazil).....	1
A review on the ecological quality status assessment in aquatic systems using community based indicators and ecotoxicological tools: what might be the added value of their combination? M. Martinez-Haro (Coimbra, Portugal), R. Beiras (Galicia, Spain), J. Bellas (Vigo, Spain), R. Capela (Porto, Portugal), J.P. Coelho, I. Lopes (Aveiro, Portugal), M. Moreira-Santos (Coimbra, Portugal), A.M. Reis-Henriques (Porto, Portugal), R. Ribeiro (Coimbra, Portugal), M.M. Santos (Porto, Portugal) and J.C. Marques (Coimbra, Portugal).....	8
Evaluation method for coalmining-based cities ecosystem based on attribute mathematical model with Huainan City as an example M. Cheng-lin, S. Li-yan and Y. Li (Huainan City, China).....	17
Water displacement by sewer infrastructure and its effect on the water quality in rivers D. Vrebos, J. Staes, E. Struyf, K. Van Der Biest and P. Meire (Antwerp, Belgium).....	22
Study on the interaction and relation of society, economy and environment based on PCA-VAR model: As a case study of the Bohai Rim region, China F. Tan (Beijing, China) and Z. Lu (Beijing, China and Binzhou, China).....	31
Delinking indicators on regional industry development and carbon emissions: Beijing-Tianjin-Hebei economic band case Z. Wang and L. Yang (Beijing, China).....	41
A novel method for quantitatively evaluating agricultural vulnerability to climate change Z. Dong, Z. Pan, P. An, L. Wang, J. Zhang (Beijing, China and Hohhot, China), D. He, H. Han (Beijing, China) and X. Pan (Beijing, China and Hohhot, China).....	49
Testate amoebae colonizing a newly exposed land surface are of airborne origin M. Wanner, M. Elmer (Cottbus, Germany), M. Sommer (Müncheberg, Germany and Potsdam, Germany), R. Funk (Müncheberg, Germany) and D. Puppe (Cottbus, Germany and Müncheberg, Germany).....	55
Impacts of forest cover change on ecosystem services in high Andean mountains V. Balthazar, V. Vanacker (Louvain-la-Neuve, Belgium), A. Molina (Heverlee, Belgium and Cuenca, Ecuador) and E.F. Lambin (Louvain-la-Neuve, Belgium and Stanford, CA, USA).....	63
Effect of long-term nutrient managements on biological and biochemical properties of semi-arid tropical Alfisol during maize crop development stages S.M. Tamilselvi, C. Chinnadurai, K. Ilamurugu, K. Arulmozhiselvan and D. Balachandar (Coimbatore, India).....	76
Can we predict biological condition of stream ecosystems? A multi-stressors approach linking three biological indices to physico-chemistry, hydromorphology and land use B. Villeneuve, Y. Souchon (Villeurbanne Cedex, France), P. Usseglio-Polatera (Metz, France), M. Ferréol and L. Valette (Villeurbanne Cedex, France).....	88
Biomarker responses in <i>Corbicula fluminea</i> to the presence of dioxin-like polychlorinated biphenyls and seasonal changes J. Vranković and M. Slavić (Belgrade, Serbia).....	99
Integrated ecosystem health assessment based on eco-exergy theory: A case study of the Jiangsu coastal area D. Tang, X. Zou (Nanjing, China), X. Liu (Guangzhou, China), P. Liu (Nantong, China), N. Zhamangulova (Bishkek, Kyrgyzstan), X. Xu and Y. Zhao (Nanjing, China).....	107

A dynamic assessment of water scarcity risk in the Lower Brahmaputra River Basin: An integrated approach A.K. Gain and C. Giupponi (Venice, Italy)	120
Organic farm does not improve neither soil, or water quality in rural watersheds from southeastern Brazil A.M. da Silva (Sorocaba, Brazil), L.A. Manfre (São Paulo, Brazil), R.C. Urban (Campinas, Brazil), V.H.O. Silva (São Paulo, Brazil), M.P. Manzatto (Campinas, Brazil) and L.D. Norton (West Lafayette, IN, USA)	132
Combinations of biological attributes predict temporal dynamics of fish species in response to environmental changes C. Sirot, S. Villéger, D. Mouillot, A.M. Darnaude (Montpellier, France), J. Ramos-Miranda, D. Flores-Hernandez (Campeche, Mexico) and J. Panfili (Montpellier, France)	147
Developing a set of simulation-based indicators to assess harmfulness and contribution to biodiversity of weed communities in cropping systems D. Mézière, S. Petit, S. Granger, L. Biju-Duval and N. Colbach (Dijon, France)	157
A proposal for a Composite Index of Environmental Performance (CIEP) for countries I.-M. García-Sánchez, T.A. das N. Almeida and R.P. de B. Camara (Spain)	171
Phenology and climate relationships in aspen (<i>Populus tremuloides</i> Michx.) forest and woodland communities of southwestern Colorado G.A. Meier, J.F. Brown, R.J. Evelsizer and J.E. Vogelman (Sioux Falls, SD, USA)	189
Landscape dynamics and their effect on the functional connectivity of a Mediterranean landscape in Chile A. Hernández, M. Miranda, E.C. Arellano (Santiago, Chile), S. Saura (Madrid, Spain) and C. Ovalle (La Cruz, Chile) . . .	198
Assessment of vulnerability to climate change using a multi-criteria outranking approach with application to heat stress in Sydney A. El-Zein and F.N. Tonmoy (Australia)	207
Automated GIS-based derivation of urban ecological indicators using hyperspectral remote sensing and height information R. Behling (Potsdam, Germany), M. Bochow (Potsdam, Germany and Bayreuth, Germany), S. Foerster, S. Roessner and H. Kaufmann (Potsdam, Germany)	218
Effects of residual hydrocarbons on the reed community after 10 years of oil extraction and the effectiveness of different biological indicators for the long-term risk assessments L. Zhu, Y. Wang, L. Jiang, L. Lai, J. Ding, N. Liu, J. Li, N. Xiao, Y. Zheng (Beijing, China) and G.M. Rimmington (Wichita, KS, USA)	235
Bioaccumulation and translocation of heavy metals by <i>Plantago major</i> L. grown in contaminated soils under the effect of traffic pollution T.M. Galal (Helwan, Egypt) and H.S. Shehata (Zagazig, Egypt)	244
Wetland ecosystem integrity and its variation in an estuary using the EBLE index M. Jiang, H. Chen, Q. Chen, H. Wu and P. Chen (Xiamen, China)	252
Developing and testing a framework for the assessment of neighbourhood liveability in two contrasting countries: Iran and Estonia S. Norouzian-Maleki (Tehran, Iran), S. Bell (Tartu, Estonia), S.-B. Hosseini and M. Faizi (Tehran, Iran)	263
Improving and evaluating the soil cover indicator for agricultural land in Canada T. Huffman, J. Liu, M. Green, D. Coote (Ottawa, Canada), Z. Li (Ottawa, Canada and Regina, Canada), H. Liu (Ottawa, Canada and Harbin, China), T. Liu (Ottawa, Canada), X. Zhang (Ottawa, Canada and Harbin, China) and Y. Du (Ottawa, Canada)	272
Heavy metal pollution in surface water and sediment: A preliminary assessment of an urban river in a developing country M.S. Islam (Patuakhali, Bangladesh and Yokohama, Japan), M.K. Ahmed (Dhaka, Bangladesh), M. Raknuzzaman, M. Habibullah-Al-Mamun (Yokohama, Japan and Dhaka, Bangladesh) and M.K. Islam (Jinju, South Korea)	282
An ecological-economic approach to the valuation of ecosystem services to support biodiversity policy. A case study for nitrogen retention by Mediterranean rivers and lakes A. La Notte (Torino, Italy and Trento, Italy), C. Liqueste, B. Grizzetti, J. Maes (Ispra, Italy), B.N. Ego (Ispra, Italy and Scottsville, South Africa) and M.L. Paracchini (Ispra, Italy)	292
Analysis of urban impacts on aquatic habitats in the central Amazon basin: Adult odonates as bioindicators of environmental quality C. da S. Monteiro Júnior (Manaus, Brazil and Belém, Brazil), L. Juen (Belém, Brazil) and N. Hamada (Manaus, Brazil) .	303
Weighting indicators of tourism sustainability: A critical note J. Mikulić, I. Kožić and D. Krešić (Zagreb, Croatia)	312
Investigating the environmental Kuznets curve (EKC) hypothesis by utilizing the ecological footprint as an indicator of environmental degradation U. Al-mulali (Melaka, Malaysia), C. Weng-Wai, L. Sheau-Ting and A.H. Mohammed (Johor Bahru, Malaysia)	315
Comparison of volumetric and stress-weighted water footprint of grain products in China Y.B. Wang (Yangling, PR China and West Lafayette, IN, USA), P.T. Wu (Yangling, PR China), B.A. Engel (West Lafayette, IN, USA) and S.K. Sun (Yangling, PR China)	324

(Contents continued from inside back cover)

Phytoplankton alpha diversity as an indicator of environmental changes in a neotropical floodplain L.C. Rodrigues (Maringá, Brazil and Brazil), N.R. Simões (Altamira, Brazil), V.M. Bovo-Scomparin, S. Jati, N.F. Santana, M.C. Roberto and S. Train (Maringá, Brazil).....	334
Prioritizing fuel management in urban interfaces threatened by wildfires R. Laforzezza (Bari, Italy), A.J. Tanentzap (Cambridge, UK), M. Elia (Bari, Italy), R. John (East Lansing, MI, USA), G. Sanesi (Bari, Italy) and J. Chen (East Lansing, MI, USA).....	342
Proton production from nitrogen transformation drives stream export of base cations in acid-sensitive forested watersheds L.-M. Huang (Nanjing, China, Beijing, China and Athens, GA, USA), J.-L. Yang (Nanjing, China and Beijing, China), A. Thompson (Athens, GA, USA), D.G. Rossiter (Nanjing, China and Ithaca, NY, USA), S.-M. Zuo and G.-L. Zhang (Nanjing, China and Beijing, China).....	348
Geochemical baseline determination and pollution assessment of heavy metals in urban soils of Karachi, Pakistan Z. Karim, B.A. Qureshi and M. Mumtaz (Karachi, Pakistan).....	358
Validation of MEDALUS Fire Risk Index using Forest Fires Statistics through a multivariate approach L. Salvati (Rome, Italy) and A. Ferrara (Potenza, Italy).....	365
The Lusitanian toadfish as bioindicator of estuarine sediment metal burden: The influence of gender and reproductive metabolism S. Pedro, B. Duarte, N. Castro (Lisbon, Portugal), P.R. Almeida (Lisbon, Portugal and Évora, Portugal), I. Caçador and J.L. Costa (Lisbon, Portugal).....	370
Recent developments in assessment methodology reveal that the Baltic Sea eutrophication problem is expanding V. Fleming-Lehtinen (Helsinki, Finland), J.H. Andersen (Helsinki, Finland and Roskilde, Denmark), J. Carstensen (Roskilde, Denmark), E. Łysiak-Pastuszek (Gdynia, Poland), C. Murray (Roskilde, Denmark), M. Pyhälä and M. Laamanen (Helsinki, Finland).....	380
Ground level environmental protein concentrations in various ecuadorian environments: Potential uses of aerosolized protein for ecological research S.J.R. Staton (Tempe, AZ, USA), A. Woodward (Seattle, WA, USA), J.A. Castillo (Tempe, AZ, USA), K. Swing (Cumbayá, Ecuador) and M.A. Hayes (Tempe, AZ, USA).....	389
Assessing the impact of agricultural pressures on N and P loads and eutrophication risk R. Dupas (Rennes, France), M. Delmas (Orléans, France), J.-M. Dorioz (Thonon les bains, France), J. Garnier (Paris, France), F. Moatar (Tours, France) and C. Gascuel-Oudoux (Rennes, France).....	396
Response of plant functional traits during the restoration of calcareous grasslands from forest stands J. Piqueray (Gembloux, Belgium), L. Ferroni (Bologna, Italy), L.-M. Delescaille (Gembloux, Belgium), M. Speranza (Bologna, Italy), G. Mahy (Gembloux, Belgium) and P. Poschlod (Regensburg, Germany).....	408
Impact of landscape pattern at multiple spatial scales on water quality: A case study in a typical urbanised watershed in China Z. Shen, X. Hou, W. Li, G. Aini, L. Chen and Y. Gong (Beijing, China).....	417
Predicting productivity in tropical reservoirs: The roles of phytoplankton taxonomic and functional diversity A.M.C. Santos (Lisboa, Portugal, Madrid, Spain and Goiânia, Brazil), F.M. Carneiro (Iporá, Brazil) and M.V. Cianciaruso (Goiânia, Brazil).....	428
Planning horizons and end conditions for sustained yield studies in continuous cover forests J.K. Vanclay (Lismore, Australia).....	436
Development of a Flooded Forest Anthropization Index (FFAI) applied to Amazonian areas under pressure from different human activities J.L.L. Magalhães (Tefé, Brazil), M.A. Lopes (Belém, Brazil) and H.L. de Queiroz (Tefé, Brazil).....	440
ELITE cities: A low-carbon eco-city evaluation tool for China N. Zhou, G. He, C. Williams and D. Fridley (Berkeley, CA, USA).....	448
Appropriate vegetation indices for measuring the impacts of deer on forest ecosystems H. Iijima and T. Nagaike (Saishoji, Japan).....	457
Ecological footprint (EF): An expanded role in calculating resource productivity (RP) using China and the G20 member countries as examples W. Fu (Lanzhou, China and Kunming, China), J.C. Turner (Cirencester, UK), J. Zhao (Kunming, China) and G. Du (Lanzhou, China).....	464
Estimating switchgrass productivity in the Great Plains using satellite vegetation index and site environmental variables Y. Gu, B.K. Wylie and D.M. Howard (Sioux Falls, SD, USA).....	472
Land use at the reach scale as a major determinant for benthic invertebrate community in Mediterranean rivers of Cyprus S. Erba (Brugherio (MB), Italy), G. Pace (Brugherio (MB), Italy and Barcelona, Spain), D. Demartini, D. Di Pasquale (Brugherio (MB), Italy and Milano, Italy), G. Dörflinger (Nicosia, Cyprus) and A. Buffagni (Brugherio (MB), Italy).....	477

Pleurozium schreberi as an ecological indicator of polybrominated diphenyl ethers (PBDEs) in a heavily industrialized urban area G. Kosior (Wrocław, Poland), J. Klánová, L. Vaňková, P. Kukučka, M. Chropeňová (Brno, Czech Republic), A. Brudzińska-Kosior, A. Samecka-Cymerman, K. Kolon (Wrocław, Poland) and A.J. Kempers (Nijmegen, The Netherlands).....	492
Managing the environmental problem of seawater intrusion in coastal aquifers through simulation-optimization modeling A. Singh (Kharagpur, India)	498
Agricultural land use changes - a scenario-based sustainability impact assessment for Brandenburg, Germany C. Gutzler, K. Helming, D. Balla, R. Dannowski, D. Deumlich, M. Glemnitz, A. Knierim, W. Mirschel, C. Nendel, C. Paul, S. Sieber, U. Stachow, A. Starick, R. Wieland, A. Wurbs and P. Zander (Germany)	505
A set of sustainability performance indicators for seafood: Direct human consumption products from Peruvian anchoveta fisheries and freshwater aquaculture A. Avadí and P. Fréon (SETE, France)	518
MTs in <i>Palaemonetes argentinus</i> as potential biomarkers of zinc contamination in freshwaters L. Bertrand, M.V. Monferrán (Córdoba, Argentina), I. Métais, C. Mouneyrac (Angers, France) and M.V. Amé (Córdoba, Argentina)	533
Early warning indicators of changes in soil ecosystem functioning A. Muscolo, G. Settineri and E. Attinà (Reggio Calabria, Italy)	542
Estimation of wetland vegetation height and leaf area index using airborne laser scanning data S. Luo, C. Wang (Beijing, China), F. Pan (Denton, TX, USA), X. Xi, G. Li, S. Nie and S. Xia (Beijing, China)....	550
Quantitative assessment of the individual contribution of climate and human factors to desertification in northwest China using net primary productivity as an indicator W. Zhou (Chongqing, China), C. Gang (Nanjing, China), F. Zhou (Chongqing, China), J. Li (Nanjing, China), X. Dong and C. Zhao (Lanzhou, China).....	560
Biochemical indicators of salt stress in <i>Plantago maritima</i> : Implications for environmental stress assessment N. Sleimi, S. Guerfali and I. Bankaji (Tunisia).....	570
Comparative analysis of passenger transport sustainability in European cities A. Alonso, A. Monzón and R. Cascajo (Madrid, Spain)	578
Time-lagged responses of indicator taxa to temporal landscape changes in agricultural landscapes S. Yamanaka (Sapporo, Japan), T. Akasaka (Inadacho, Japan), Y. Yamaura (Tsukuba, Japan), M. Kaneko (Ebetsu, Japan) and F. Nakamura (Sapporo, Japan).....	593
Assessing trends in climate aridity and vulnerability to soil degradation in Italy A. Colantoni (Viterbo, Italy), C. Ferrara (Rome, Italy), L. Perini (Rome, Italy) and L. Salvati (Rome, Italy) ...	599
Integrated assessment of ecological status and misclassification of lakes: The role of uncertainty and index combination rules S.J. Moe, A. Lyche Solheim (Oslo, Norway), H. Soszka, M. Gołub (Warszawa, Poland), A. Hutorowicz (Olsztyn, Poland), A. Kolada (Warszawa, Poland), J. Picińska-Fałtynowicz (Wrocław, Poland) and W. Białokoz (Giżycko, Poland).....	605
Environmental and ecological risk assessment of heavy metals in sediments of Nador lagoon, Morocco M. Maanan (Nantes, France), M. Saddik (El Jadida, Morocco), M. Maanan (Casablanca, Morocco), M. Chaibi (Morocco), O. Assobhei and B. Zourarah (El Jadida, Morocco).....	616
Effects of species vs. functional diversity: Understanding the roles of complementarity and competition on ecosystem function in a tropical stream fish assemblage A.O.H.C. Leduc, E.M. da Silva (Salvador, Brazil) and J.S. Rosenfeld (Vancouver, Canada)	627
Trace metal transfer in a soil-plant-snail microcosm field experiment and biomarker responses in snails M. Boshoff (Antwerp, Belgium), K. Jordaens (Tervuren, Belgium and Antwerp, Belgium), S. Baguet and L. Bervoets (Antwerp, Belgium).....	636
Development and application of benthic macroinvertebrate-based multimetric indices for the assessment of streams and rivers in the Taihu Basin, China Q. Huang (Nanjing, PR China and Beijing, PR China), J. Gao, Y. Cai, H. Yin, Y. Gao (Nanjing, PR China), J. Zhao, L. Liu (Nanjing, PR China and Beijing, PR China) and J. Huang (Nanjing, PR China).....	649
Do green neighbourhood ratings cover sustainability? A. Reith and M. Orova (Budapest, Hungary)	660
Availability and utilization of waste fish feed by mussels <i>Mytilus edulis</i> in a commercial integrated multi-trophic aquaculture (IMTA) system: A multi-indicator assessment approach J. Irisarri, M.J. Fernández-Reiriz, U. Labarta (Vigo, Spain), P.J. Cranford (Dartmouth, Canada) and S.M.C. Robinson (New Brunswick, Canada)	673
An advanced Index of Biotic Integrity for use in tropical shallow lowland streams in Costa Rica: Fish assemblages as indicators of stream ecosystem health M.P. van Oosterhout (Nijmegen, Netherlands) and G. van der Velde (Nijmegen, Netherlands and Leiden, Netherlands)	687

Assessment of sustainable development in the EU 27 using aggregated SD index P. Bolcárová and S. Kološta (Banská Bystrica, Slovakia)	699
A multi-level approach using <i>Gambusia affinis</i> as a bioindicator of environmental pollution in the middle-lower basin of Suquia River G.E. Rautenberg, M.V. Amé, M.V. Monferrán, R.I. Bonansea and A.C. Hued (Córdoba, Argentina)	706
Dissolved reactive manganese as a new index determining the trophic status of limnic waters A. Cudowski (Białystok, Poland)	721
Corrigendum to "Estimating the cost of different strategies for measuring farmland biodiversity: Evidence from a Europe-wide field evaluation" [Ecol. Indica. 45 (2014) 434-443] S. Targetti (Italy), F. Herzog (Zurich, Switzerland), I.R. Geijzendorffer (Aix-en-Provence, France and The Netherlands), S. Wolfrum (Germany), M. Arndorfer (Austria), K. Balázs (Hungary), J.P. Choisis (Castanet-Tolosan, France), P. Dennis (UK), S. Eiter, W. Fjellstad (Norway), J.K. Friedel (Austria), P. Jeanneret (Zurich, Switzerland), R.H.G. Jongman (The Netherlands), M. Kainz (Germany), G. Luescher (Zurich, Switzerland), G. Moreno (Spain), T. Zanetti (Padova, Italy), J.P. Sarthou (Castanet-Tolosan, France), S. Stoyanova (Bulgaria), D. Wiley (Zurich, Switzerland), M.G. Paoletti (Padova, Italy) and D. Viaggi (Italy)	728