

- 1 Glyphosate-resistant *Lolium multiflorum* and *Lolium perenne* populations from New Zealand are also resistant to glufosinate and amitrole
H. Ghanizadeh, K.C. Harrington and T.K. James
- 5 Control of the strawberry mite, *Phytonemus pallidus* (Banks) in strawberry plantations by alternative acaricides
B.H. Łabanowska, W. Piotrowski, M. Korzeniowski and A.G.S. Cuthbertson
- 15 Resistance to imazamox in Clearfield soft wheat (*Triticum aestivum* L.)
F. Jiménez, P. Fernández, A.M. Rojano-Delgado, R. Alcántara and R. De Prado
- 20 Insecticidal and oviposition deterrent effects of essential oils and their constituents against the invasive pest *Drosophila suzukii* (Matsumura) (Diptera: Drosophilidae)
L.A.E. Erland, M.R. Rheault and S.S. Mahmoud
- 27 Efficacy of granular applications of clothianidin and nitenpyram against *Aphis gossypii* (Glover) and *Apolygus lucorum* (Meyer-Dür) in cotton fields in China
P. Zhang, X. Zhang, Y. Zhao, Y. Ren, W. Mu and F. Liu
- 35 Increased diphacinone and chlorophacinone metabolism in previously exposed wild caught voles, *Microtus californicus*
K.E. Horak, S.F. Volker and C.M. Campton
- 40 Weedy rice (*Oryza sativa* f. *spontanea*) problems and management in wet direct-seeded rice (*O. sativa* L.) in the Mekong Delta of Vietnam
B.S. Chauhan, O.S. Namuco, L.A.L. Ocampo, T.t.N. Son, T.t.A. Thu, N.N. Nam, L.N. Phuong and A.A. Bajwa
- 48 Phytotoxic effect of GF-120 NF fruit fly bait on fruit of mandarin (*Citrus reticulata* Blanco cv. Nadorcott): Influence of bait characteristics and fruit maturity stage
A. Manrakhan, P.R. Stephen and P.J.R. Cronje
- 54 The effects of tillage, mulching and termite control strategies on termite activity and maize yield under conservation agriculture in Mozambique
I. Nyagumbo, M. Munamati, E.F. Mutsamba, C. Thierfelder, A. Cumbane and D. Dias
- 63 Study of retention variability on an early growth stage herbaceous plant using a 3D virtual spraying model
M. Massinon, B. Dumont, N. De Cock, S.O.T. Salah and F. Lebeau

(contents continued from outside back cover)

- 72 Citrus thrips, *Scirtothrips aurantii* (Thysanoptera: Thripidae), damage and infestation in the presence of molasses
S.R. Thackeray, S.D. Moore, M. Parkinson and M.P. Hill
- 78 Efficacy and crop tolerance of 1,3-dichloropropene applied at low rates in established vineyards for the control of plant-parasitic nematodes
E. Aballay and C. Merino
- 84 Predicting winter wheat yields by comparing regression equations
A. Budka, A. Lacka, R. Gaj, E. Jajor and M. Korbas
- 92 Baseline sensitivity and toxic action of flusilazole to *Sclerotinia sclerotiorum*
X.-M. Lu, Z.-Q. Zhu, Y.-L. Di and F.-X. Zhu
- 99 Control of clethodim-resistant *Lolium rigidum* (rigid ryegrass) in triazine-tolerant canola (*Brassica napus* L.) in southern Australia
R.K. Saini, S.G.L. Kleemann, C. Preston and G.S. Gill
- 106 Structural equation modeling reveals complex relationships in mixed forage swards
E.M. McLeod, S. Banerjee, E.W. Bork, L.M. Hall and D.D. Hare
- 114 Semiochemicals of *Rhagoletis* fruit flies: Potential for integrated pest management
L. Sarles, A. Verhaeghe, F. Francis and F.J. Verheggen
- 119 Evaluation of rice genotypes for rice brown plant hopper resistance through phenotypic reaction and genotypic analysis
M. Jena, R.S. Panda, R.K. Sahu, A.K. Mukherjee and U. Dhua
- 127 New host resistances in *Brassica napus* and *Brassica juncea* from Australia, China and India: Key to managing *Sclerotinia* stem rot (*Sclerotinia sclerotiorum*) without fungicides
M.J. Barbetti, C.X. Li, S.S. Banga, S.K. Banga, D. Singh, P.S. Sandhu, R. Singh, S.Y. Liu and M.P. You
- 131 Management of *Rottboellia cochinchinensis* and other weeds through sequential application of herbicides in dry direct-seeded rice in the Philippines
B.S. Chauhan and A.A. Bajwa
- 137 The saddle gall midge, *Haplodiplosis marginata* (von Roser) (Diptera: Cecidomyiidae): Population dynamics and integrated management
F. Censier, M. De Proft and B. Bodson

(contents continued on BM IV)

- 146 Comparison of infection of *Citrus tristeza closterovirus* in Kinnow mandarin (*Citrus reticulata*) and Mosambi sweet orange (*Citrus sinensis*) in Pakistan
M. Abbas, M.M. Khan, S.M. Mughal and P. Ji
- 151 Weed management in aerobic rice systems
K. Jabran and B.S. Chauhan
- 164 Cost:Benefit analysis of insect net use in cabbage in real farming conditions among smallholder farmers in Benin
F. Vidogbéna, A. Adégbidi, F. Assogba-Komlan, T. Martin, M. Ngouajio, S. Simon, R. Tossou and L. Parrot
- 172 Post-harvest operations and aflatoxin levels in rice (*Oryza sativa*)
L. Prietto, P.S. Moraes, R.B. Kraus, V. Meneghetti, C.A.A. Fagundes and E.B. Furlong
- 178 Efficacy of seed treatments on viability of *Fusarium oxysporum* f. sp. *vasinfectum* race 4 in infected cotton seed
H.K. Doan and R.M. Davis
- 185 Characterization, geographic distribution and host range of *Curtobacterium flaccumfaciens*: An emerging bacterial pathogen in Iran
E. Osdaghi, S.M. Taghavi, A. Fazliarab, E. Elahifard and J.R. Lamichhane
- 193 Effect of manipueira on tomato plants infected by the nematode *Meloidogyne incognita*
É.d.G.C. Nasu, H.M. Formentini and C. Furlanetto
- 198 Management of soil borne diseases of groundnut through seed dressing fungicides
K.S. Jadon, P.P. Thirumalaisamy, V. Kumar, V.G. Koradia and R.D. Padavi
- 204 Influence of selected bactericides on biofilm formation and viability of *Xanthomonas citri* subsp. *citri*
C. Redondo, M. Sena-Vélez, I. Gell, E. Ferragud, P. Sabuquillo, J.H. Graham and J. Cubero
- 214 Detection of isolates of *Alternaria alternata* with multiple-resistance to fludioxonil, cyprodinil, boscalid and pyraclostrobin in California pistachio orchards
H.F. Avenot and T.J. Michailides
- 222 Virulence of brown planthopper (*Nilaparvata lugens*) populations from South and South East Asia against resistant rice varieties
F.G. Horgan, A.F. Ramal, J.S. Bentur, R. Kumar, K.V. Bhanu, P.S. Sarao, E.H. Iswanto, H. Van Chien, M.H. Phyu, C.C. Bernal, M.L.P. Almazan, M.Z. Alam, Z. Lu and S.-H. Huang
- 232 Comparison of Integrated Pest Management approaches and conventional (non-IPM) practices in late-winter-season cauliflower in Northern India
D.B. Ahuja, U.R. Ahuja, S.K. Singh and N. Singh
- 239 Efficacy and economics of different herbicides, their weed species selectivity, and the productivity of mechanized dry-seeded rice
T.H. Awan, P.C.S. Cruz and B.S. Chauhan
- 247 Resistance to organophosphate, pyrethroid and biorational insecticides in populations of spotted bollworm, *Earias vittella* (Fabricius) (Lepidoptera: Noctuidae), in Pakistan
M.T. Jan, N. Abbas, S.A. Shad and M.A. Saleem
- 253 Impact of tank-mix adjuvants on deposit formation, cuticular penetration and rain-induced removal of chlorantraniliprole
A.A. Melo, J. Usano-Aleman, J.V.C. Guedes and M. Hunsche
- 263 Efficacy of dimethyl disulfide (DMDS) against *Meloidogyne* sp. and three formae speciales of *Fusarium oxysporum* under controlled conditions
M.A. Gómez-Tenorio, M.J. Zanón, M. de Cara, B. Lupión and J.C. Tello
- 270 The smell to repel: The effect of odors on the feeding behavior of female rodents
S.C. Hansen, C. Stolter and J. Jacob
- 277 Effects of silicon on resistance to bacterial fruit blotch and growth of melon
H.A. Ferreira, C.W.A.d. Nascimento, L.E. Datnoff, G.H.d.S. Nunes, W. Preston, E.B.d. Souza and R.d.L.R. Mariano
- 284 The same host but a different *Muscodor*: A new *Muscodor albus* isolate from wild pineapple (*Ananas ananassoides*) with potential application in agriculture
A. Banguela-Castillo, P.L. Ramos-González, M. Peña-Marey, F.A.O. Tanaka, M.C. Blassioli-Moraes, L. Hernández-Rodríguez and R.I. Cabrera
- 293 Influence of air-assistance on spray application for tomato plants in greenhouses
J. Llop, E. Gil, J. Llorens, M. Gallart and P. Balsari
- 302 Highlights of IPPC2015
- 305 Calendar