

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International;
Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.;
Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.;
Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

A null model test of Floristic Quality Assessment: Are plant species' Coefficients of Conservatism valid? J.W. Matthews (Urbana, IL, USA), G. Spyreas and C.M. Long (Champaign, IL, USA).....	1
Sex-specific indicators of landscape use by servals: Consequences of living in fragmented landscapes T. Ramesh, R. Kalle and C.T. Downs (KwaZulu-Natal, South Africa).....	8
Testing Environmental Kuznets Curve hypothesis in Asian countries N. Apergis (Perth, Australia) and I. Ozturk (Mersin, Turkey).....	16
Comparing urbanization patterns in Guangzhou of China and Phoenix of the USA: The influences of roads and rivers G. Tian (Beijing, China) and J. Wu (Beijing, China and Tempe, AZ, USA).....	23
Current and historical patterns of heavy metals pollution in Estonia as reflected in natural media of different ages: ICP Vegetation, ICP Forests and ICP Integrated Monitoring data Ü. Napa (Tartu, Estonia), N. Kabral (Tartu, Estonia and Tallinn, Estonia), S. Liiv (Tallinn, Estonia), E. Asi, T. Timmusk and J. Frey (Tartu, Estonia).....	31
Biomagnetic monitoring of urban air pollution using moss bags (<i>Sphagnum girgensohnii</i>) G. Vuković, M.A. Urošević, M. Tomašević (Belgrade, Serbia), R. Samson (Antwerpen, Belgium) and A. Popović (Belgrade, Serbia).....	40
UV radiation biomonitoring using cell compartmentation of UV-absorbing compounds in herbarium samples of a liverwort L. Monforte, E. Núñez-Olivera and J. Martínez-Abaigar (Logroño, Spain).....	48
Assessment of ecological vulnerability and decision-making application for prioritizing roadside ecological restoration: A method combining geographic information system, Delphi survey and Monte Carlo simulation G. Song (Dalian, China), Z. Li (Dalian, China and Zhengzhou, China), Y. Yang (Beijing, China), H.M. Semakula and S. Zhang (Dalian, China).....	57
ECO: A new measure evaluating the degree of consistency between environmental factors and spatial arrangement of species assemblages G. Strona (Ispra (VA), Italy), S. Fattorini (Azores, Portugal), S. Montano, D. Seveso, P. Galli (Milan, Italy) and J. San-Miguel-Ayanz (Ispra (VA), Italy).....	66
The ecological footprint of dwelling construction in Spain P. González-Vallejo, M. Marrero and J. Solís-Guzmán (Seville, Spain).....	75
Structural-functional approach to identify post-disturbance recovery indicators in forests from northwestern Patagonia: A tool to prevent state transitions L. Cavallero, D.R. López, E. Raffaele and M.A. Aizen (Pcia. de Río Negro, Argentina).....	85
The impact of estuarine salinity changes on the bivalves <i>Scrobicularia plana</i> and <i>Cerastoderma edule</i> , illustrated by behavioral and mortality responses on a laboratory assay T. Verdelhos, J.C. Marques (Coimbra, Portugal) and P. Anastácio (Coimbra, Portugal and Évora, Portugal).....	96
A management approach for the ecological integrity of NE Atlantic estuaries B. Ondiviela, M. Recio and J.A. Juanes (Santander, Spain).....	105
Management for sustainability: An analysis of the key practices according to the business size C.M. Gomes, J.M. Kneipp (Santa Maria, Brazil), I. Kruglianskas (São Paulo, Brazil), L.A.B. da Rosa and R.S. Bichueti (Santa Maria, Brazil).....	116

Heterogeneous relationships between abundance of soil surface invertebrates and radiation from Chernobyl V. Bezrukov (Kyiv, Ukraine), A.P. Møller (Orsay, France), G. Milinevsky, S. Rushkovsky, M. Sobol (Kyiv, Ukraine) and T.A. Mousseau (Columbia, SC, USA)	128
Dynamic successive assessment method of water environment carrying capacity and its application T. Wang and S. Xu (Dalian, China)	134
Biological variables as soil quality indicators: Effect of sampling time and ability to classify soils by their suitability S. Benintende, M. Benintende, M. Sterren, M. Saluzzio and P. Barbagelata (Entre Ríos, Argentina)	147
Assessment of policies to reduce core forest fragmentation from Marcellus shale development in Pennsylvania L.S. Abrahams, W.M. Griffin and H.S. Matthews (Pittsburgh, PA, USA)	153
Gastrointestinal nematodes and dietary fibre: Two factors to consider when using FN for wildlife nutrition monitoring G.-C. Arturo, G. Diana, L.-O.J. Ramón, M. Gregorio, B. Jordi, M. Ignasi, F. David (Barcelona, Spain), R. Luca (Italy), G. Mathieu (Juvignac, France), L. Santiago (Barcelona, Spain), C. Marcus (Zurich, Switzerland) and S. Emmanuel (Barcelona, Spain and Aveiro, Portugal)	161
The relationship between trade and sustainable transport: A quantitative assessment with indicators of the importance of environmental performance and agglomeration externalities L. Márquez-Ramos (Castellón, Spain)	170
Determining tipping points in aquatic ecosystems: The case of biodiversity and chlorophyll α relations in fish pond systems M. Vanacker, A. Wezel, V. Payet and J. Robin (Lyon, France)	184
A system of systems approach to energy sustainability assessment: Are all renewables really green? S. Hadian (Los Angeles, CA, USA) and K. Madani (London, UK)	194
New frameworks for species surrogacy in monitoring highly variable coastal ecosystems: Applying the BestAgg approach to Mediterranean coastal lagoons S. Bevilacqua, A. Terlizzi (Lecce, Italy), M. Mistri and C. Munari (Ferrara, Italy)	207
Evaluation of leaf features in forest trees: Methods, techniques, obtainable information and limits F. Bussotti and M. Pollastrini (Firenze, Italy)	219
Estimation of the long-term nutrient budget and thresholds of regime shift for a large shallow lake in China X. Kong (Beijing, China and AB Wageningen, The Netherlands), L. Dong, W. He, Q. Wang (Beijing, China), W.M. Mooij (AB Wageningen, The Netherlands and AA Wageningen, The Netherlands) and F. Xu (Beijing, China)	231
N_{90} index: A new approach to biodiversity based on similarity and sensitive to direct and indirect fishing impact M.T. Farriols, F. Ordines, M. Hidalgo, B. Guijarro and E. Massutí (Palma de Mallorca, Spain)	245
Relationships between pollutant discharge and water quality in the rivers from "better" to "worse" water quality Y. Tsuzuki (St Lucia, Australia and Matsue, Japan)	256
RANKVET: A new ranking method for comparing and prioritizing the environmental risk of veterinary pharmaceuticals V. Di Nica, L. Menaballi, G. Azimonti and A. Finizio (Milano, Italy)	270
Virtual water and water footprints do not provide helpful insight regarding international trade or water scarcity D. Wichelns (Bloomington, IN, USA)	277
Resilience of a phytoplankton community after disturbance in a subtropical reservoir: A case study in Feitsui Reservoir, Taiwan J.-T. Wu, Y.-B. Hsu and L.-C. Kow (Taipei, Taiwan)	284
Invasive ecosystem engineers and biotic indices: Giving a wrong impression of water quality improvement? A. Zaiko and D. Daunys (Klaipeda, Lithuania)	292
Comparing environmental vulnerability in the montane cloud forest of eastern Mexico: A vulnerability index M. Esperón-Rodríguez and V.L. Barradas (México, Mexico)	300
The water footprint of Tunisia from an economic perspective H. Chouchane, A.Y. Hoekstra, M.S. Krol and M.M. Mekonnen (Enschede, The Netherlands)	311
Improving the identification of mismatches in ecosystem services assessments I.R. Geijzendorffer (Aix-en-Provence, France), B. Martín-López (Madrid, Spain) and P.K. Roche (Aix-en-Provence, France)	320
Assessing the impact of gold mining in headwater streams of Eastern Amazonia using Ephemeroptera assemblages and biological traits N. Dedieu (Toulouse, France and Kourou, France), M. Rhone, R. Vigouroux (Kourou, France) and R. Céréghino (Toulouse, France)	332
Indicator based assessment of the soil compaction risk at arable sites using the model REPRO J. Rücknagel, B. Hofmann, P. Deumelandt, F. Reinicke, J. Bauhardt (Halle/Saale, Germany), K.-J. Hülsbergen (Freising, Germany) and O. Christen (Halle/Saale, Germany)	341
A framework to assess the health of rocky reefs linking geomorphology, community assemblage, and fish biomass O. Aburto-Oropeza (La Jolla, CA, USA), E. Ezcurra (Riverside, CA, USA), J. Moxley (Beaufort, NC, USA), A. Sánchez-Rodríguez, I. Mascareñas-Osorio, C. Sánchez-Ortiz (La Paz, Mexico), B. Erisman (La Jolla, CA, USA) and T. Ricketts (Burlington, VT, USA)	353
Lichens as suitable indicators of the biological effects of atmospheric pollutants around a municipal solid waste incinerator (S Italy) L. Paoli (Siena, Italy), S. Munzi (Lisbon, Portugal), A. Guttová, D. Senko (Bratislava, Slovakia), G. Sardella (Campobasso, Italy) and S. Loppi (Siena, Italy)	362

(Contents continued from inside back cover)

Global warming caused by afforestation in the Southern Hemisphere Y. Wang (Nanjing, China), X. Yan (Beijing, China) and Z. Wang (Cambridge, UK)	371
Does globalization impede environmental quality in India? M. Shahbaz (Lahore, Pakistan), H. Mallick (Trivandrum, India), M.K. Mahalik (Rourkela, India) and N. Loganathan (Kuala Terengganu, Malaysia)	379
A comparative assessment of support vector regression, artificial neural networks, and random forests for predicting and mapping soil organic carbon stocks across an Afrotropical landscape K. Were (Ås, Norway and Nairobi, Kenya), D.T. Bui (Bø, Norway), Ø.B. Dick and B.R. Singh (Ås, Norway)	394
<i>Brachythecium rutabulum</i> and <i>Betula pendula</i> as bioindicators of heavy metal pollution around a chlor-alkali plant in Poland K. Kolon, A. Ruczakowska, A. Samecka-Cymerman (Wrocław, Poland) and A.J. Kempers (Nijmegen, The Netherlands).....	404
Spatiotemporal variations of T/ET (the ratio of transpiration to evapotranspiration) in three forests of Eastern China X.-J. Zhu, G.-R. Yu, Z.-M. Hu, Q.-F. Wang, H.-L. He (Beijing, China), J.-H. Yan (Guangzhou, China), H.-M. Wang (Beijing, China) and J.-H. Zhang (Shenyang, China)	411
Oil palm crops effects on environmental integrity of Amazonian streams and Heteropteran (Hemiptera) species diversity E.J. Cunha, L.F. de Assis Montag and L. Juen (Belém, Brazil).....	422
Remote sensing of ecosystem services: A systematic review C.C. de Araujo Barbosa, P.M. Atkinson and J.A. Dearing (Southampton, UK).....	430
An evaluation framework based on sustainability-related indicators for the comparison of conceptual approaches for ecological networks J. Théau, A. Bernier and R.A. Fournier (Sherbrooke, Canada)	444
Trophic networks: How do theories link ecosystem structure and functioning to stability properties? A review B. Saint-Béat (La Rochelle, France), D. Baird (Matieland, South Africa), H. Asmus, R. Asmus (List, Germany), C. Bacher (Plouzané, France), S.R. Pacella (La Rochelle, France), G.A. Johnson (La Rochelle, France and List, Germany), V. David (La Rochelle, France and Arcachon, France), A.F. Vézina (Dartmouth, Canada) and N. Niquil (La Rochelle, France and France).....	458
Monetary valuation of road noise. Residential property prices as an indicator of the acoustic climate quality D. Łowicki (Poznań, Poland) and S. Piotrowska (Oslo, Norway).....	472
Detecting soil salinity with MODIS time series VI data T.-T. Zhang (Shanghai, PR China), J.-G. Qi (East Lansing, MI, USA), Y. Gao (Shanghai, PR China), Z.-T. Ouyang (East Lansing, MI, USA), S.-L. Zeng (Chengdu, PR China) and B. Zhao (Shanghai, PR China)	480
Ecosystem disservices research: A review of the state of the art with a focus on cities P. von Döhren (Berlin, Germany) and D. Haase (Berlin, Germany and Leipzig, Germany).....	490
Probability functions to build composite indicators: A methodology to measure environmental impacts of genetically modified crops F.J. Areal (Reading, UK) and L. Riesgo (Seville, Spain)	498
Vulnerability of wheat farmers: Toward a conceptual framework S. Nazari, G.P. Rad, H. Sedighi (Iran) and H. Azadi (Diepenbeek, Belgium).....	517
A hitchhiker's guide to European lake ecological assessment and intercalibration S. Poikane (Ispra, Italy), S. Birk (Essen, Germany), J. Böhmer (Kirchheim/Teck, Germany), L. Carvalho (Penicuik, UK), C. de Hoyos (Madrid, Spain), H. Gassner (Mondsee, Austria), S. Hellsten (Oulu, Finland), M. Kelly (Durham, UK), A. Lyche Solheim (Oslo, Norway), M. Olin (Helsinki, Finland), K. Pall (Vienna, Austria), G. Phillips (Reading, UK), R. Portielje (Lelystad, The Netherlands), D. Ritterbusch (Potsdam, Germany), L. Sandin (Silkeborg, Denmark), A.-K. Schartau (Oslo, Norway), A.G. Solimini (Rome, Italy), M. van den Berg (Lelystad, The Netherlands), G. Wolfram (Vienna, Austria) and W. van de Bund (Ispra, Italy)	533
Assessing ecological habitat structure from local to landscape scales using synthetic aperture radar J. Betbeder, L. Hubert-Moy, F. Burel, S. Corgne and J. Baudry (France).....	545
Effect of time on consistent and repeatable macrophyte index for wetland condition E.C. Hernandez (Gainesville, FL, USA), K.C. Reiss (Gainesville, FL, USA and Charles Town, WV, USA) and M.T. Brown (Gainesville, FL, USA).....	558
Coralligenous reefs state along anthropized coasts: Application and validation of the COARSE index, based on a rapid visual assessment (RVA) approach G. Gatti (Genoa, Italy and La Seyne-sur-mer, France), C.N. Bianchi, C. Morri, M. Montefalcone (Genoa, Italy) and S. Sartoretto (La Seyne-sur-mer, France).....	567

Evaluation of environmental efficiency in China using data envelopment analysis	
J. Chen (Chengdu, China), M. Song and L. Xu (Bengbu, China)	577
Corrigendum to "Analysis of landscape fragmentation processes and driving forces in wetlands in arid areas: A case study of the middle reaches of the Heihe River, China" [Ecol. Indic. 46 (2014) 240-252]	
P. Jiang (Nanjing, China), R. Zhao (Lanzhou, China), L. Cheng, M. Li and Q. Huang (Nanjing, China).....	584