

## CONTENTS

Vol. 62 (2015) Issue 1 Part 1

## Research Papers

- Effects of culture conditions on the biofilm formation of *Cronobacter sakazakii* strains and distribution of genes involved in biofilm formation**  
Y. Ye, N. Ling, R. Jiao, Q. Wu, Y. Han and J. Gao 1
- Egg yolk plasma: Separation, characteristics and future prospects**  
A. Laca, B. Paredes, M. Rendueles and M. Díaz 7
- Toward enhancement in prediction of *Pseudomonas* counts distribution in salmon fillets using NIR hyperspectral imaging**  
H.-J. He and D.-W. Sun 11
- Quality attributes of table olives as affected by regulated deficit irrigation**  
M. Cano-Lamadrid, I.F. Girón, R. Pleite, F. Burló, M. Corell, A. Moriana and A.A. Carbonell-Barrachina 19
- Determination of indole compounds released from selected edible mushrooms and their biomass to artificial stomach juice**  
B. Muszyńska, K. Kała, Katarzyna Sułkowska-Ziaja, K. Gawel, M. Zając and W. Opoka 27
- Nutritional parameters of infusions and decoctions obtained from *Fragaria vesca* L. roots and vegetative parts**  
M.I. Dias, L. Barros, P. Morales, M.C. Sánchez-Mata, M.B.P.P. Oliveira and I.C.F.R. Ferreira 32
- Influence of surfactant and oil composition on the stability and antibacterial activity of eugenol nanoemulsions**  
W. Li, H. Chen, Z. He, C. Han, S. Liu and Y. Li 39
- Effect of blanching pretreatment on carrot texture attribute, rheological behavior, and cell structure during cooking process**  
C. Xu, C. Yu and Y. Li 48
- Effects of gamma irradiation on the survival of *Pseudomonas fluorescens* inoculated on romaine lettuce and baby spinach**  
O.M. Olanya, B.A. Niemira and J.G. Phillips 55
- The impact of addition of shiitake on quality characteristics of frankfurter during refrigerated storage**  
S. Pil-Nam, K.-M. Park, G.-H. Kang, S.-H. Cho, B.-Y. Park and H. Van-Ba 62
- Discrimination of Polish unifloral honeys using overall PTR-MS and HPLC fingerprints combined with chemometrics**  
P.M. Kuś and S. van Ruth 69
- Nutritional contents of advanced breeding clones of *Solanum tuberosum* group Phureja**  
C. Peña, L.-P. Restrepo-Sánchez, A. Kushalappa, L.-E. Rodríguez-Molano, T. Mosquera and C.-E. Narváez-Cuenca 76
- Effect of pH for inactivation of *Escherichia coli* O157:H7, *Salmonella* Typhimurium and *Listeria monocytogenes* in orange juice by ohmic heating**  
J.-Y. Lee, S.-S. Kim and D.-H. Kang 83
- Crystallinity and quality of spray-dried lactose powder improved by soluble soybean polysaccharide**  
X. Shi and Q. Zhong 89
- Inactivation of polyphenol oxidase using 254 nm ultraviolet light in a model system**  
L. Haddouche, A. Phalak and R.V. Tikekar 97
- Tocochromanols composition in seeds recovered from different pear cultivars: RP-HPLC/FLD and RP-UPLC-ESI/MS<sup>n</sup> study**  
P. Górnas, I. Mišina, B. Lāce, G. Lācis and D. Segliņa 104

[Contents continued on inside back cover]



<b>Arabica coffee extract shows antibacterial activity against <i>Staphylococcus epidermidis</i> and <i>Enterococcus faecalis</i> and low toxicity towards a human cell line</b> <i>G. Runti, S. Pacor, S. Colombaro, R. Gennaro, L. Navarini and M. Scocchi</i>	108
<b>Suppression of volatile production in tomato fruit exposed to chilling temperature and alleviation of chilling injury by a pre-chilling heat treatment</b> <i>L. Wang, E.A. Baldwin, W. Zhao, A. Plotto, X. Sun, Z. Wang, J.K. Brecht, J. Bai and Z. Yu</i>	115
<b>Sorbitan and sucrose esters as modifiers of the solidification properties of zero trans fats</b> <i>M.A. Fontenele Domingues, A.P. Badan Ribeiro, M.C. Chiu and L.A.G. Gonçalves</i>	122
<b>Extracts from mango peel by-product obtained by supercritical CO<sub>2</sub> and pressurized solvent processes</b> <i>M.P. Garcia-Mendoza, J.T. Paula, L.C. Paviani, F.A. Cabral and H.A. Martinez-Correa</i>	131
<b>The physicochemical properties of fibrous residues from the agro industry</b> <i>G.A. Jacometti, L.R.P.F. Mello, P.H.A. Nascimento, A.C. Sueiro, F. Yamashita and S. Mali</i>	138
<b>Drying kinetics and hygroscopic behavior of pirarucu (<i>Arapaima gigas</i>) fillet with different salt contents</b> <i>M.G. Martins, D.E.G. Martins and R.S. Pena</i>	144
<b>Determination of active radical scavenging compounds in polar fruit and vegetable extracts by an on-line HPLC method</b> <i>R. Van Der Werf, S. Dal, J. Le Grandois, D. Aoude-Werner, F. Digel, S. Ennahar, S. Sigrist and E. Marchioni</i>	152
<b>Microwave-assisted extraction of lycopene in tomato peels: Effect of extraction conditions on all-trans and cis-isomer yields</b> <i>K.K.H.Y. Ho, M.G. Ferruzzi, A.M. Liceaga and M.F. San Martín-González</i>	160
<b>Encapsulation of a citrus by-product extract: Development, characterization and stability studies of a nutraceutical with antioxidant and metalloproteinases inhibitory activity</b> <i>M.R. Lauro, L. Crasci, C. Carbone, R.P. Aquino, A.M. Panico and G. Puglisi</i>	169
<b>Microencapsulation of phenolic compounds from olive pomace using spray drying: A study of operative parameters</b> <i>M. Paini, B. Aliakbarian, A.A. Casazza, A. Lagazzo, R. Botter and P. Perego</i>	177
<b>Encapsulation of spray dried <math>\beta</math>-carotene emulsion by fluidized bed coating technology</b> <i>C.P. Coronel-Aguilera and M.F. San Martín-González</i>	187
<b>Comparison of ten major constituents in seven types of processed tea using HPLC-DAD-MS followed by principal component and hierarchical cluster analysis</b> <i>T. Yi, L. Zhu, W.-L. Peng, X.-C. He, H.-L. Chen, J. Li, T. Yu, Z.-T. Liang, Z.-Z. Zhao and H.-B. Chen</i>	194
<b>Discrimination of shelled shrimp (<i>Metapenaeus ensis</i>) among fresh, frozen-thawed and cold-stored by hyperspectral imaging technique</b> <i>J.-H. Qu, J.-H. Cheng, D.-W. Sun, H. Pu, Q.-J. Wang and J. Ma</i>	202
<b>Cholesterol-lowering effects of a putative probiotic strain <i>Lactobacillus plantarum</i> EM isolated from kimchi</b> <i>E.A. Choi and H.C. Chang</i>	210
<b>Time after apple pressing and insoluble solids influence the efficiency of the UV treatment of cloudy apple juice</b> <i>J. Usaga, R.W. Worobo, C.I. Moraru and O.I. Padilla-Zakour</i>	218
<b>Chickpea and tiger nut flours as alternatives to emulsifier and shortening in gluten-free bread</b> <i>N. Aguilar, E. Albanell, B. Miñarro and M. Capellas</i>	225
<b>Development of real-time PCR assays to detect cashew (<i>Anacardium occidentale</i>) and macadamia (<i>Macadamia intergrifolia</i>) residues in market analysis of processed food products</b> <i>I.M. López-Calleja, S. de la Cruz, I. González, T. García and R. Martín</i>	233
<b>Use of gelatin-maltodextrin composite as an encapsulation support for clarified juice from purple cactus pear (<i>Opuntia stricta</i>)</b> <i>R. Castro-Muñoz, B.E. Barragán-Huerta and J. Yáñez-Fernández</i>	242

<b>Synthesis of <i>trans</i>-10,<i>cis</i>-12 conjugated linoleic acid-enriched triacylglycerols via two-step lipase-catalyzed esterification</b> <i>I. Kang, H.-J. Bang, I.-H. Kim, H.-D. Choi and B.H. Kim</i>	249
<b>Linseed (<i>Linum usitatissimum</i> L.) mucilage as a novel structure forming agent in gluten-free bread</b> <i>J. Korus, T. Witzczak, R. Ziobro and L. Juszczyk</i>	257
<b>Effect of processing of cow milk by high pressures under conditions up to 900 MPa on the composition of neutral, polar lipids and fatty acids</b> <i>L.M. Rodríguez-Alcalá, P. Castro-Gómez, X. Felipe, L. Noriega and J. Fontecha</i>	265
<b>Effect of natural antioxidants and modified atmosphere packaging in preventing lipid oxidation and increasing the shelf-life of common dolphinfish (<i>Coryphaena hippurus</i>) fillets</b> <i>C.M. Messina, G. Bono, G. Renda, L. La Barbera and A. Santulli</i>	271
<b>Antimicrobial packaging based on linear low-density polyethylene compounded with potassium sorbate</b> <i>N. Kuplennik, R. Tchoudakov, Z. Ben-Barak Zelas, A. Sadovski, A. Fishman and M. Narkis</i>	278
<b>Frozen, chilled and spray dried emulsions for whipped cream: Influence of emulsion preservation approaches on product functionality</b> <i>Q. Zhao, W. Kuang, M. Fang, D. Sun-Waterhouse, T. Liu, Z. Long and M. Zhao</i>	287
<b>Descriptive sensory analysis and consumers' preference for dietary fibre- and polyphenol-enriched tomato purees obtained using winery by-products</b> <i>L. Torri, M. Piochi, V. Lavelli and E. Monteleone</i>	294
<b>Physicochemical composition and techno-functional properties of bee pollen collected in Serbia</b> <i>A.Ž. Kostić, M.B. Barać, S.P. Stanojević, D.M. Milojković-Opsenica, Ž.L. Tešić, B. Šikoparija, P. Radišić, M. Prentović and M.B. Pešić</i>	301
<b>Effects of different milling processes on whole wheat flour quality and performance in steamed bread making</b> <i>C. Liu, L. Liu, L. Li, C. Hao, X. Zheng, K. Bian, J. Zhang and X. Wang</i>	310
<b>Effect of heat-moisture treatment with maltitol on physicochemical properties of wheat starch</b> <i>Q. Sun, C. Nan, L. Dai and L. Xiong</i>	319
<b>Effect of formulation variables on rheology, texture, colour, and acceptability of apple jelly: Modelling and optimization</b> <i>J.I. Garrido, J.E. Lozano and D.B. Genovese</i>	325
<b>Development of hypoimmunogenic pasta and its immunochemical validation with celiac disease patients' sera</b> <i>S. Susanna and P. Prabhasankar</i>	333
<b>Liposomal nanodelivery systems using soy and marine lecithin to encapsulate food biopreservative nisin</b> <i>M. Imran, A.-M. Revol-Junelles, C. Paris, E. Guedon, M. Linder and S. Desobry</i>	341
<b>The identification and quantification of biogenic amines in Korean turbid rice wine, Makgeolli by HPLC with mass spectrometry detection</b> <i>S. Lee, M. Yoo and D. Shin</i>	350
<b>Research Notes</b>	
<b>Fermentation-like incubation of cocoa seeds (<i>Theobroma cacao</i> L.) – Reconstruction and guidance of the fermentation process</b> <i>D. Kadow, N. Niemenak, S. Rohn and R. Lieberei</i>	357
<b>Emulsifying salt increase stability of cheese emulsions during holding</b> <i>A.B. Hougaard, A.G. Sijbrandij, C. Varming, Y. Ardö and R. Ipsen</i>	362
<b>Partitioning of resveratrol between pentane and DMSO – A contribution to resveratrol–biomembrane interactions</b> <i>C. Shen, P. Stein and B. Klösgen</i>	366
<b>Corrigendum</b>	
<b>Corrigendum to “Modified atmosphere packaging of fresh produce: Current status and future needs” [LWT Food Sci Technol 43 (2010) 381–392]</b> <i>Sandhya</i>	371
<b>Calendar</b>	I