

- 1 Intelligent versus non-intelligent mechanical intra-row weed control in transplanted onion and cabbage
B. Melander, B. Lattanzi and E. Pannacci
- 9 Evaluation of recycled bioplastic pellets and a sprayable formulation for application of an *Aspergillus flavus* biocontrol strain
C. Accinelli, H.K. Abbas, A. Vicari and W.T. Shier
- 16 A systemic bioassay to determine susceptibility of the pepper weevil, *Anthonomus eugenii* Cano (Coleoptera: Curculionidae) to cyantraniliprole and thiamethoxam
R. Caballero, D.J. Schuster, H.A. Smith, J. Mangandi and H.E. Portillo
- 22 Organic vs conventional farming: Differences in infection by mycotoxin-producing fungi on maize and wheat in Northern and Central Italy
I. Lazzaro, A. Moretti, P. Giorni, C. Brera and P. Battilani
- 31 Effects of *Parthenium hysterophorus* L. residue on early sugarcane growth in organic and mineral soils
J.V. Fernandez, D.C. Odera and A.L. Wright
- 36 Effect of *Lablab purpureus* L. cover crop and imidazolinone resistant (IR) maize on weeds in drought prone areas, Kenya
H.W. Mwangi, A.W. Kihurani, J.M. Wesonga, E.S. Ariga and F. Kanampiu
- 41 Definition of and management strategies for areas of low pest prevalence for Queensland fruit fly *Bactrocera tryoni* Froggatt
B.C. Dominiak, B. Wiseman, C. Anderson, B. Walsh, M. McMahon and R. Duthie
- 47 Thrips (Thysanoptera) damage to apples and nectarines in Western Australia
S. Broughton, J.M.A. Bennington and D.A. Cousins
- 57 Allelopathy for weed control in agricultural systems
K. Jabran, G. Mahajan, V. Sardana and B.S. Chauhan
- 66 Black pod disease on cacao (*Theobroma cacao*, L) in Ghana: Spread of *Phytophthora megakarya* and role of economic plants in the disease epidemiology
A.Y. Akrofi, I. Amoako-Atta, M. Assuah and E.K. Asare

(contents continued from outside back cover)

- 76 Germination of *Phelipanche aegyptiaca* and *Cuscuta campestris* seeds in composted farm manure
T. Yaacoby, Y. Goldwasser, A. Paporish and B. Rubin
- 83 First report of *Penicillium georgiense* as a fungal pathogen of onion (*Allium cepa* L.)
J.Y. Oh, G.D. Han, J.-J. Jeong, M.K. Sang, S.-C. Chun and K.D. Kim
- 90 Weed control in dry direct-seeded rice using tank mixtures of herbicides in South Asia
G. Mahajan and B.S. Chauhan
- 97 Farmers' knowledge, perceptions and management of diseases affecting sweet potatoes in the Lake Victoria Zone region, Tanzania
R.I. Adam, K. Sindi and L. Badstue
- 108 The effect of adhesives and solvents on the capture and specimen quality of pest thrips on coloured traps
M.M. Davidson, M.-C. Nielsen, R.C. Butler, R. Vellekoop, S. George, D. Gunawardana, C.A. Muir and D.A.J. Teulon
- 112 Further investigations on colonization of *Poncirus trifoliata* by the Asian citrus psyllid
D.G. Hall, J. George and S.L. Lapointe
- 119 Bacterial etiolation of creeping bentgrass as influenced by biostimulants and trinexapac-ethyl
J.A. Roberts, J.P. Kerns and D.F. Ritchie
- 127 Chitosan boehmite-alumina nanocomposite films and thyme oil vapour control brown rot in peaches (*Prunus persica* L.) during postharvest storage
M.D. Cindi, T. Shittu, D. Sivakumar and S. Bautista-Baños
- 132 Characterization of rice blast resistance genes in rice germplasm with monogenic lines and pathogenicity assays
J.C. Wang, J.C. Correll and Y. Jia
- 139 Importance of *cowpea mild mottle virus* on soybean (*Glycine max*) in Benin and effect of planting date on soybean (*G. max*) virus level in northern Benin
V.A. Zinsou, L.A.C. Afouda, N. Zoumarou-Wallis, L. Dossou, J. Gomez, F. Soumaïla, F. Afloukou and R. Kotchofa
- 144 Methyl eugenol bioactivities as a new potential botanical insecticide against major insect pests and their natural enemies on rice (*Oriza sativa*)
H.-X. Xu, X.-S. Zheng, Y.-J. Yang, J.-C. Tian, Y.-H. Lu, K.-H. Tan, K.-L. Heong and Z.-X. Lu

(contents continued on BM IV)

(contents continued from inside back cover)

- 150 Combined activity of *Maruca vitrata* multi-nucleopolyhedrovirus, *MaviMNPV*, and oil from neem, *Azadirachta indica* Juss and *Jatropha curcas* L., for the control of cowpea pests
B.M. Sokame, A.K. Tounou, B. Datinon, E.A. Dannon, C. Agboton, R. Srinivasan, B.R. Pittendrigh and M. Tamò
- 158 Anthraquinone-based repellent for horned larks, great-tailed grackles, American crows and the protection of California's specialty crops
S.J. Werner, S.T. DeLiberto, A.M. Mangan, S.E. Pettit, J.W. Ellis and J.C. Carlson
- 163 Rodenticidal potential of bromadiolone and cholecalciferol in synergism against *Bandicota bengalensis*
N. Singla, S. Kaur and M. Javed
- 169 Efficacy and phytotoxicity of different rates of oxadiargyl and pendimethalin in dry-seeded rice (*Oryza sativa* L.) in Bangladesh
S. Ahmed and B.S. Chauhan
- 175 Effects of tillage, cultivar and fungicide on *Phomopsis longicolla* and *Cercospora kukuchii* in soybean
A. Mengistu, H.M. Kelly, P.R. Arelli and N. Bellaloui
- 182 Variety resistance to *Cercospora* leaf spot and fungicide application as tools of integrated pest management in sugar beet cultivation – A German case study
A. Gummert, E. Ladewig, K. Bürcky and B. Märländer
- 195 IAPPS Newsletter 72C
- 198 Calendar