

LWT—Food Science and Technology

Contents

Volume 63, Issue 1, 2015

Editorial

Farewell Editorial

K. Hecht

1

Research Papers

A comparison of chemical composition, bioactive components and antioxidant activity of natural and cultured *Cordyceps sinensis*

J. Wang, L. Kan, S. Nie, H. Chen, S.W. Cui, A.O. Phillips, G.O. Phillips, Y. Li and M. Xie

2

Inhibitory effects of red cabbage and sour cherry pomace anthocyanin extracts on food borne pathogens and their antioxidant properties

A. Demirdöven, Ş. Karabiyıklı, K. Tokatlı and N. Öncül

8

Study on drying methods and their influences on effective components of loquat flower tea

M. Zheng, Q. Xia and S. Lu

14

Dynamic volatile organic compound fingerprinting of apple fruit during processing

B. Farneti, I. Khomenko, L. Cappellin, V. Ting, G. Costa, F. Biasioli and F. Costa

21

Preparation and characterization of antimicrobial cationized peptides from barley (*Hordeum vulgare* L.) proteins

F. Bamdad, X. Sun, L.L. Guan and L. Chen

29

Control of *Listeria monocytogenes* on skinless frankfurters by coating with phytochemicals

A. Upadhyay, I. Upadhyaya, D.P. Karumathil, H.-b. Yin, M.S. Nair, V. Bhattaram, C.-h. Chen, G. Flock, S. Mooyottu and K. Venkitanarayanan

37

The effects of ω -3 fatty acids and inulin addition to spelt pasta quality

J. Filipović, L. Pezo, V. Filipović, J. Brkljača and J. Krulj

43

Protective effects of *Lactobacillus* cultures in Dutch-type cheese-like products

M. Aljewicz and G. Cichosz

52

Changes on some quality characteristics of fermented soy milk beverage with added apple juice

F. İçier, G.T. Gündüz, B. Yılmaz and Z. Memeli

57

Controlling salt and aroma perception through the inclusion of air fillers

N. Chiu, L. Hewson, N. Yang, R. Linforth and I. Fisk

65

Characteristics of acid- and pepsin-soluble collagens from scale of seabass (*Lates calcarifer*)

S. Chuaychan, S. Benjakul and H. Kishimura

71

Nanoemulsions as delivery systems of hydrophobic silybin from silymarin extract: Effect of oil type on silybin solubility, *in vitro* bioaccessibility and stability

S. Calligaris, P. Comuzzo, F. Bot, G. Lippe, R. Zironi, M. Anese and M.C. Nicoli

77

Acetate cellulose film with bacteriophages for potential antimicrobial use in food packaging <i>D.M. Gouvêa, R.C.S. Mendonça, M.L. Soto and R.S. Cruz</i>	85
Novel utilization of milk-based ingredients in salt reduced fish pudding <i>K. Greiff, C.J. Staurem, B. Nordvi and T. Rustad</i>	92
Nanoencapsulation of hydrophobic phytochemicals using poly (DL-lactide-co-glycolide) (PLGA) for antioxidant and antimicrobial delivery applications: Guabiroba fruit (<i>Campomanesia xanthocarpa</i> O. Berg) study <i>M.C. Pereira, L.E. Hill, R.C. Zambiasi, S. Mertens-Talcott, S. Talcott and C.L. Gomes</i>	100
Antioxidants of 15 onions with white, yellow, and red colors and their relationship with pungency, anthocyanin, and quercetin <i>E.J. Lee, B.S. Patil and K.S. Yoo</i>	108
Antioxidant and antimicrobial edible zein/chitosan composite films fabricated by incorporation of phenolic compounds and dicarboxylic acids <i>S.-Y. Cheng, B.-J. Wang and Y.-M. Weng</i>	115
<i>In vitro</i> starch digestibility of noodles with various cereal flours and hydrocolloids <i>H.L. Jang, I.Y. Bae and H.G. Lee</i>	122
Selection of EPS-producing <i>Lactobacillus</i> strains isolated from kefir grains and rheological characterization of the fermented milks <i>M.F. Hamet, J.A. Piernaria and A.G. Abraham</i>	129
Effects of high pressure in combination with thermal treatment on lipid hydrolysis and oxidation in pork <i>Y. Huang, Y. Gan, F. Li, C. Yan, H. Li and Q. Feng</i>	136
Antioxidant, antimicrobial, mineral, volatile, physicochemical and microbiological characteristics of traditional home-made Turkish vinegars <i>I. Ozturk, O. Caliskan, F. Tornuk, N. Ozcan, H. Yalcin, M. Baslar and O. Sagdic</i>	144
Effect of oxalic acid application on Samar Bahisht Chaunsa mango during ripening and postharvest <i>K. Razzaq, A.S. Khan, A.U. Malik, M. Shahid and S. Ullah</i>	152
Digestion of protein and protein gels in simulated gastric environment <i>Q. Luo, R.M. Boom and A.E.M. Janssen</i>	161
Physicochemical characterization of wheat bran and <i>Kappaphycus alvarezii</i> dietary fibres and their ability to bind mutagens, PhIP, Trp-P-2, AαC and BαP <i>M. Raman and M. Doble</i>	169
Carotenoids, flavonoids, chlorophylls, phenolic compounds and antioxidant activity in fresh and cooked broccoli (<i>Brassica oleracea</i> var. Avenger) and cauliflower (<i>Brassica oleracea</i> var. Alphina F1) <i>L.C.R. dos Reis, V.R. de Oliveira, M.E.K. Hagen, A. Jablonski, S.H. Flôres and A. de Oliveira Rios</i>	177
Effect of partial replacement of corn flour with durian seed flour and pumpkin flour on cooking yield, texture properties, and sensory attributes of gluten free pasta <i>H. Mirhosseini, N.F. Abdul Rashid, B. Tabatabaee Amid, K.W. Cheong, M. Kazemi and M. Zulkurnain</i>	184
Thermal and storage characteristics of tomato seed oil <i>D. Shao, C. Venkitasamy, X. Li, Z. Pan, J. Shi, B. Wang, H.E. Teh and T.H. McHugh</i>	191
Galacto-oligosaccharides formation during manufacture of different varieties of yogurt. Stability through storage <i>C.I. Vénica, C.V. Bergamini, S.R. Rebecchi and M.C. Perotti</i>	198
Optimization of water extraction of naturally emulsified oil from maize germ <i>A. Matsakidou, F.T. Mantzouridou and V. Kiosseoglou</i>	206
Physical properties of gluten-free sugar cookies made from amaranth–oat composites <i>G.E. Inglett, D. Chen and S.X. Liu</i>	214
Dynamic behavior of <i>Saccharomyces cerevisiae</i>, <i>Pichia kluyveri</i> and <i>Hanseniaspora uvarum</i> during spontaneous and inoculated cocoa fermentations and their effect on sensory characteristics of chocolate <i>N.N. Batista, C.L. Ramos, D.D. Ribeiro, A.C.M. Pinheiro and R.F. Schwan</i>	221
Effect of grape dehydration under controlled conditions on chemical composition and sensory characteristics of Cabernet Sauvignon and Merlot wines <i>C.P. Panceri, J.S. De Gois, D.L.G. Borges and M.T. Bordignon-Luiz</i>	228

Low-sodium fish burgers: Sensory profile and drivers of liking <i>D.A.d. Quadros, I.F.d.O. Rocha, S.M.R. Ferreira and H.M.A. Bolini</i>	236
Optimization of malaxing conditions using CaCO₃ as a coadjuvant: A method to increase yield and quality of extra virgin olive oil cv. Chemlali <i>S. Ben Brahim, F. Marrakchi, B. Gargouri and M. Bouaziz</i>	243
Quantitative human exposure model to assess the level of glucosinolates upon thermal processing of cruciferous vegetables <i>U. Tiwari, E. Sheehy, D. Rai, M. Gaffney, P. Evans and E. Cummins</i>	253
Potential application of <i>Micromeria dalmatica</i> essential oil as a protective agent in a food system <i>D. Bukvicki, D. Stojkovic, M. Sokovic, M. Nikolic, L. Vannini, C. Montanari and P.D. Marin</i>	262
Nondestructive detection of total volatile basic nitrogen (TVB-N) content in pork meat by integrating hyperspectral imaging and colorimetric sensor combined with a nonlinear data fusion <i>H. Li, Q. Chen, J. Zhao and M. Wu</i>	268
Cysteine alone or in combination with glycine simultaneously reduced the contents of acrylamide and hydroxymethylfurfural <i>Y. Zou, C. Huang, K. Pei, Y. Cai, G. Zhang, C. Hu and S. Ou</i>	275
Effect of extraction conditions and storage time on the sensory profile of monovarietal extra virgin olive oil (cv <i>Carboncella</i>) and chemical drivers of sensory changes <i>F. Sinesio, E. Moneta, A. Raffo, S. Lucchetti, M. Peparaio, A. D'Aloise and G. Pastore</i>	281
Effect of amino acid supply on the transcription of flavour-related genes and aroma compound production during lager yeast fermentation <i>S. Procopio, P. Sprung and T. Becker</i>	289
Evaluation of autochthonous lactic acid bacteria as starter cultures for production of white pickled and fresh soft cheeses <i>A. Terzić-Vidojević, K. Tonković, A. Leboš Pavunc, J. Beganović, I. Strahinić, M. Kojić, K. Veljović, N. Golić, B. Kos, N. Čadež, L. Gregurek, J. Šuško, P. Raspor and L. Topisirović</i>	298
Formula optimization and storage stability of extruded puffed corn-shrimp snacks <i>A.R. Shaviklo, M. Azaribeh, Y. Moradi and P. Zangeneh</i>	307
Improvement of barrier properties of fish gelatin films promoted by gelatin glycation with lactose at high temperatures <i>A. Etxabide, J. Uranga, P. Guerrero and K. de la Caba</i>	315
Growth of <i>Lactobacillus rhamnosus</i> 64 in whey permeate and study of the effect of mild stresses on survival to spray drying <i>L. Lavari, R. Ianniello, R. Pérez, T. Zotta, A. Cuatrin, J. Reinheimer, E. Parente and G. Vinderola</i>	322
Recovery of caprine whey protein and its application in a food protein formulation <i>D.R. Palatnik, M.V. Ostermann Porcel, U. González, N. Zaritzky and M.E. Campderrós</i>	331
Fat replacement in shortbread cookies using an emulsion filled gel based on inulin and extra virgin olive oil <i>M. Giarnetti, V.M. Paradiso, F. Caponio, C. Summo and A. Pasqualone</i>	339
Quantitative assessment of the main antioxidant compounds, antioxidant activities and FTIR spectra from commonly consumed fruits, compared to standard kiwi fruit <i>Y.-S. Park, M.H. Im, K.-S. Ham, S.-G. Kang, Y.-K. Park, J. Namiesnik, H. Leontowicz, M. Leontowicz, S. Trakhtenberg and S. Gorinstein</i>	346
Ascorbic acid microencapsulation by spray chilling: Production and characterization <i>T. Sartori, L. Consoli, M.D. Hubinger and F.C. Menegalli</i>	353
Wheat starch swelling, gelatinization and pasting: Effects of enzymatic modification of wheat endogenous lipids <i>L.R. Gerits, B. Pareyt and J.A. Delcour</i>	361
Effect of packaging and storage conditions on microbial survival, physicochemical characteristics and colour of non-thermally preserved green Spanish-style Manzanilla olives <i>F. Rodríguez-Gómez, V. Romero-Gil, F.N. Arroyo-López, J. Bautista Gallego, P. García-García and A. Garrido-Fernández</i>	367
Comparison of microcalorimetry and haze formation to quantify the association of B-type procyanidins to poly-L-proline and bovine serum albumin <i>A.A. Watrelot, C.M.G.C. Renard and C. Le Bourvellec</i>	376

The mechanism of ethanol treatment on inhibiting lettuce enzymatic browning and microbial growth <i>S. Yan, T. Yang and Y. Luo</i>	383
Effect of high temperature drying on gluten-free pasta properties <i>S. D'Amico, J. Mäschle, M. Jekle, S. Tömösközi, B. Langó and R. Schoenlechner</i>	391
Selection and use of a <i>Saccharomyces cerevisiae</i> strain to reduce phytate content of wholemeal flour during bread-making or under simulated gastrointestinal conditions <i>L. Caputo, A. Visconti and M. De Angelis</i>	400
UV-C treatments extend the shelf life of fresh-cut peppers by delaying pectin solubilization and inducing local accumulation of phenolics <i>L.M. Rodoni, M.J. Zaro, J.H. Hasperué, A. Concellón and A.R. Vicente</i>	408
Probiotic viability, physicochemical characteristics and acceptability during refrigerated storage of clarified apple juice supplemented with <i>Lactobacillus paracasei</i> ssp. <i>paracasei</i> and oligofructose in different package type <i>T.C. Pimentel, G.S. Madrona, S. Garcia and S.H. Prudencio</i>	415
Recovery of biomolecules from marinated herring (<i>Clupea harengus</i>) brine using ultrafiltration through ceramic membranes <i>N. Gringer, S.V. Hosseini, T. Svendsen, I. Undeland, M.L. Christensen and C.P. Baron</i>	423
Fatty acid profiles based adulteration detection for flaxseed oil by gas chromatography mass spectrometry <i>X. Sun, L. Zhang, P. Li, B. Xu, F. Ma, Q. Zhang and W. Zhang</i>	430
Evaluation of probiotic properties of <i>Lactobacillus</i> and <i>Pediococcus</i> strains isolated from <i>Omegisool</i>, a traditionally fermented millet alcoholic beverage in Korea <i>Y.J. Oh and D.S. Jung</i>	437
Mung bean (<i>Vigna radiata</i>) as probiotic food through fermentation with <i>Lactobacillus plantarum</i> B1-6 <i>H. Wu, X. Rui, W. Li, X. Chen, M. Jiang and M. Dong</i>	445
Effect of low-pressure plasma on physico-chemical properties of parboiled rice <i>C. Sarangapani, Y. Devi, R. Thirundas, U.S. Annapure and R.R. Deshmukh</i>	452
Production of instant green banana flour (<i>Musa cavendishii</i>, var. Nanicão) by a pulsed-fluidized bed agglomeration <i>L.M. Rayo, L. Chaguri e Carvalho, F.A.H. Sardá, G.C. Dacanal, E.W. Menezes and C.C. Tadini</i>	461
Effect of millet flours and carrot pomace on cooking qualities, color and texture of developed pasta <i>A. Gull, K. Prasad and P. Kumar</i>	470
Chemical composition, antioxidant activity and bioaccessibility studies in phenolic extracts of two <i>Hericium</i> wild edible species <i>S.A. Heleno, L. Barros, A. Martins, M.J.R.P. Queiroz, P. Morales, V. Fernández-Ruiz and I.C.F.R. Ferreira</i>	475
Viability during refrigerated storage in selected food products and during simulated gastrointestinal conditions of individual and combined lactobacilli encapsulated in alginate or alginate-chitosan <i>A. García-Ceja, E. Mani-López, E. Palou and A. López-Malo</i>	482
Optimum processing conditions for slowly heated surimi seafood using protease-laden Pacific whiting surimi <i>T. Yin and J.W. Park</i>	490
Influence of pre-treatments and freeze-drying temperature on the process kinetics and selected physico-chemical properties of cranberries (<i>Vaccinium macrocarpon</i> Ait.) <i>S. Rudy, D. Dziki, A. Krzykowski, U. Gawlik-Dziki, R. Polak, R. Różyło and R. Kulig</i>	497
Freshness determination of royal jelly by analyzing decomposition products of adenosine triphosphate <i>L. Wu, Y. Wei, B. Du, L. Chen, Y. Wang, Y. Li, J. Zhao and X. Xue</i>	504
Molecular features of fermented and sprouted sorghum flours relate to their suitability as components of enriched gluten-free pasta <i>M. Marengo, F. Bonomi, A. Marti, M.A. Pagani, A.E.O. Elkhailifa and S. Iametti</i>	511
Effect of chitosan nanoparticles loaded with cinnamon essential oil on the quality of chilled pork <i>J. Hu, X. Wang, Z. Xiao and W. Bi</i>	519
Physicochemical properties of WPI coated liposomes serving as stable transporters in a real food matrix <i>M. Frenzel, E. Krolak, A.E. Wagner and A. Steffen-Heins</i>	527
Variability of total phenolic, flavonoid and rosmarinic acid content among Iranian basil accessions <i>M. Moghaddam and L. Mehdizadeh</i>	535

Dependence of <i>in-vitro</i> starch and protein digestions on particle size of field peas (<i>Pisum sativum</i> L.) <i>G.T. Nguyen, M.J. Gidley and P.A. Sopade</i>	541
Identification of β-casomorphins 3 to 7 in cheeses and in their <i>in vitro</i> gastrointestinal digestates <i>I. De Noni, M. Stuknytė and S. Cattaneo</i>	550
Quality of buckwheat-enriched wheat bread and its antihyperlipidemic effect in statin treated patients <i>E. Stokić, A. Mandić, M. Sakač, A. Mišan, M. Pestorić, O. Šimurina, D. Jambrec, P. Jovanov, N. Nedeljković, I. Milovanović and I. Sedej</i>	556
Partial replacement of β-casein by napin, a rapeseed protein, as ingredient for processed foods: Thermoreversible aggregation <i>J.-M. Schwartz, V. Solé, J. Guéguen, M.-H. Ropers, A. Riaublanc and M. Anton</i>	562
Assessment of the correlations between reducing power, scavenging DPPH activity and anti-lipid-oxidation capability of phenolic antioxidants <i>Y. Zhang, Y. Shen, Y. Zhu and Z. Xu</i>	569
<i>In vitro</i> bioaccessibility assessment of phenolic compounds from selected cereal grains: A prediction tool of nutritional efficiency <i>K. Chitindingu, M.A.N. Benhura and M. Muchuweti</i>	575
Stability of β-carotene loaded emulsions vary by viscosity of hydroxypropyl methylcellulose dispersions <i>H.O. Akinosho and L. Wicker</i>	582
Aroma of wheat porridge and bread-crumbs is influenced by the wheat variety <i>G. Starr, Å.S. Hansen, M.A. Petersen and W.L.P. Bredie</i>	590
Mechanism of folic acid radiolysis in aqueous solution <i>M.M. Araújo, E. Marchioni, A.L.C.H. Villavicencio, M. Zhao, T. di Pascoli, F. Kuntz and M. Bergaentzle</i>	599
Site-heterologous haptens and competitive monoclonal antibody-based immunoassays for pyrimethanil residue analysis in foodstuffs <i>F.A. Esteve-Turrillas, J.V. Mercader, C. Agulló, A. Abad-Somovilla and A. Abad-Fuentes</i>	604
The rheology of gelatin hydrogels modified by κ-carrageenan <i>S.R. Derkach, S.O. Ilyin, A.A. Maklakova, V.G. Kulichikhin and A.Y. Malkin</i>	612
Evaluation of oil content and fatty acid composition in the seed of grapevine varieties <i>J. Lachman, A. Hejtmánková, J. Táborský, Z. Kotíková, V. Pivec, R. Stráalková, A. Vollmannová, T. Bojňanská and M. Dědina</i>	620
Investigation of changes in chemical composition and rheological properties of Kyrgyz rice cultivars (Ozgon rice) depending on long-term stack-storage after harvesting <i>J. Smanalieva, K. Salieva, B. Borkoev, E.J. Windhab and P. Fischer</i>	626
Effect of β-D-glucan concentrate and water addition on extensional rheology of wheat flour dough <i>J. Ahmed and L. Thomas</i>	633
The fortification of biscuits with bee pollen and its effect on physicochemical and antioxidant properties in biscuits <i>M. Krystijan, D. Gumul, R. Ziobro and A. Korus</i>	640
Hydration and physical properties of vacuum-dried durum wheat semolina pasta with high-fiber oat powder <i>M. Piwińska, J. Wyrwicz, M. Kurek and A. Wierzbicka</i>	647
Influence of colloidal calcium phosphate level on the microstructure and rheological properties of rennet-induced skim milk gels <i>G. Koutina, J.C. Knudsen, U. Andersen and L.H. Skibsted</i>	654
Cookies formulated from fresh okara using starch, soy flour and hydroxypropyl methylcellulose have high quality and nutritional value <i>J. Park, I. Choi and Y. Kim</i>	660
Transfer of tannin characteristics from grape skins or seeds to wine-like solutions and their impact on potential astringency <i>A. Rinaldi, N. Iturmendi, M. Jourdes, P.-L. Teissedre and L. Moio</i>	667
<i>In vitro</i> binding capacities and physicochemical properties of soluble fiber prepared by microfluidization pretreatment and cellulase hydrolysis of peach pomace <i>H. Xu, Q. Jiao, F. Yuan and Y. Gao</i>	677

Microencapsulation of probiotic <i>Saccharomyces cerevisiae</i> var. <i>boulardii</i> with different wall materials by spray drying	685
<i>S. Arslan, M. Erbas, I. Tontul and A. Topuz</i>	
Ground green coffee beans as a functional food supplement – Preliminary study	691
<i>D. Dziki, U. Gawlik-Dziki, Ł. Pecio, R. Różyło, M. Świeca, A. Krzykowski and S. Rudy</i>	
Physical properties and antimicrobial activities of porcine meat and bone meal protein films containing coriander oil	700
<i>J.-H. Lee, M. Won and K.B. Song</i>	
Improving the aroma of gluten-free bread	706
<i>M. Pacyński, R.Z. Wojtasiak and S. Mildner-Szkudlarz</i>	
Sensitivity of polymerase chain reaction (PCR)-southern hybridization and conventional PCR analysis for Halal authentication of gelatin capsules	714
<i>S.A. Motalib, N.M. Muin, A. Abdullah, O. Hassan, W.A. Wan Mustapha, N. Abdullah Sani and M.Y. Maskat</i>	
Application of FT-NIR and FT-IR spectroscopy to fish fillet authentication	720
<i>C. Alamprese and E. Casiraghi</i>	
The effect of selenium on phenolics and flavonoids in selected edible white rot fungi	726
<i>M. Gąsecka, M. Mleczek, M. Siwulski, P. Niedzielski and L. Kozak</i>	
Effect of high pressure treatment on inactivation of vegetative pathogens and on denaturation of whey proteins in different media	732
<i>S.J. Ramos, M. Chiquirrín, S. García, S. Condón and M.D. Pérez</i>	
Influence of high pressure homogenization on commercial protease from <i>Rhizomucor miehei</i>: Effects on proteolytic and milk-clotting activities	739
<i>B.R.d.C. Leite Júnior, A.A.L. Tribst and M. Cristianini</i>	
Effects of raw material on the chemical composition, organoleptic properties, antioxidant activity, physical properties and the yield of instant black tea	745
<i>G.A.A.R. Perera, A.M.T. Amarakoon, D.C.K. Illeperuma and P.K.P. Muthukumarana</i>	
Masking of bitterness in dairy protein hydrolysates: Comparison of an electronic tongue and a trained sensory panel as means of directing the masking strategy	751
<i>J. Newman, D. O’Riordan, J.C. Jacquier and M. O’Sullivan</i>	
Investigating the effect of roasting on functional properties of defatted hazelnut flour by response surface methodology (RSM)	758
<i>D. Turan, E. Capanoglu and F. Altay</i>	
Phytase-active lactic acid bacteria from sourdoughs: Isolation and identification	766
<i>L. Nuobariene, D. Cizeikiene, E. Gradzeviciute, Å.S. Hansen, S.K. Rasmussen, G. Juodeikiene and F.K. Vogensen</i>	
Bioconversion of tangerine residues by solid-state fermentation with <i>Lentinus polychrous</i> and drying the final products	773
<i>N. Nitayapat, N. Prakarnsombut, S.J. Lee and W. Boonsupthip</i>	
Studies on the stability of a carotenoid produced by a novel isolate using low cost agro-industrial residue and its application in different model systems	780
<i>G. Goswami, S. Chaudhuri and D. Dutta</i>	
Changes in phenolic profiling and antioxidant capacity of <i>Salvia aegyptiaca</i> L. by-products during three phenological stages	791
<i>M. Ben Farhat, M.J. Jordán, R. Chaouch-Hamada, A. Landoulsi and J.A. Sotomayor</i>	
Corrigendum	
Corrigendum to “The effect of pomegranate peel extract (PPE) on the polyphenol oxidase (PPO) and quality of Pacific white shrimp (<i>Litopenaeus vannamei</i>) during refrigerated storage”	
[LWT – Food Sci and Technol 60 (2015) 1025–1033]	
<i>S. Basiri, S.S. Shekarforoush, M. Aminlari and S. Akbari</i>	798
Calendar	I