

# CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Spatial distribution and historical deposition behaviors of perfluoroalkyl substances (PFASs) in sediments of Lake Chaohu, a shallow eutrophic lake in Eastern China Y. Qi (Yangling, China and Beijing, China), S. Hu (Yangling, China), S. Huo, B. Xi, J. Zhang and X. Wang (Beijing, China).....	1
Towards more predictable and consistent landscape metrics across spatial scales A. Lustig (Canterbury, New Zealand), D.B. Stouffer (Christchurch, New Zealand), M. Roigé and S.P. Worner (Canterbury, New Zealand) .....	11
Methodological aspects of moss sample preparation. Effects of freezing and duration of washing on the cellular distribution of elements in <i>Fontinalis squamosa</i> Hedw. M.D. Vázquez, R. Villares (Lugo, Spain) and A. Carballeira (Santiago de Compostela, Spain) .....	22
Shifts in leaf nitrogen to phosphorus ratio of <i>Lolium rigidum</i> grown in highly alkaline bauxite-processing residue sand with differing age of rehabilitation and amendments J.B. Goloran (Nathan, Australia), I.R. Phillips (Australia), L.M. Condrón (Christchurch, New Zealand) and C. Chen (Nathan, Australia) .....	32
Intercalibration of ecotoxicity testing protocols with <i>Artemia franciscana</i> L. Manfra (Rome, Italy and Taranto, Italy), F. Savorelli (Ferrara, Italy), B. Di Lorenzo (Rome, Italy), G. Libralato, S. Comin (Venice, Italy), D. Conti (Rome, Italy), B. Floris (Cagliari, Italy), M. Francese (Trieste, Italy), M.L. Gallo (Naples, Italy), I. Gartner (Piombino, Italy), M. Guida (Naples, Italy), T. Leoni (Macerata, Italy), G. Marino (Palermo, Italy), F. Martelli (Grosseto, Italy), D. Palazzi (Ferrara, Italy), E. Prato (Taranto, Italy), P. Righini (Livorno, Italy), E. Rossi (La Spezia, Italy), A. Volpi Ghirardini (Venice, Italy) and L. Migliore (Rome, Italy).....	41
Environmental assessment of maize production alternatives: Traditional, intensive and GMO-based cropping patterns G.C. Rótolo (Oliveros, Argentina), C. Francis (Lincoln, USA and Aas, Norway), R.M. Craviotto (Oliveros, Argentina) and S. Ulgiati (Naples, Italy) .....	48
Simultaneously protecting the environment and its residents: The need to incorporate agroforestry principles into the ecological projects of China S. Lu (Beijing, China and Nanjing, China), F. Wang (Beijing, China), P. Meng and J. Zhang (Beijing, China and Nanjing, China).....	61
Using plane tree leaves for biomonitoring of dust borne heavy metals: A case study from Isfahan, Central Iran S. Norouzi, H. Khademi (Isfahan, Iran), A. Faz Cano and J.A. Acosta (Murcia, Spain).....	64
Historical record of human impact in a lake of northern China: Magnetic susceptibility, nutrients, heavy metals and OCPs W. Guo, S. Huo and W. Ding (Beijing, China).....	74
The sustainability of a single activity, production process or product A.Y. Hoekstra (Enschede, Netherlands) .....	82
Assessment of river health based on an improved entropy-based fuzzy matter-element model in the Taihu Plain, China X. Deng (Nanjing, China and Guilin, China), Y. Xu, L. Han, Z. Yu, M. Yang and G. Pan (Nanjing, China) .....	85
Introducing the vectorial Kappa: An index to quantify congruence between vectorial mosaics V. Bonhomme (Pondicherry, India, Western Bank Sheffield, UK and Montpellier, France), M. Castets (Montpellier, France), J. Morel and C. Gaucherel (Pondicherry, India).....	96

Impact of the changing area sown to winter wheat on crop water footprint in the North China Plain X. Wang, X. Li (Beijing, China), G. Fischer, L. Sun (Laxenburg, Austria), M. Tan, L. Xin (Beijing, China) and Z. Liang (Shanghai, China) .....	100
Can putative indicator species predict habitat quality for American ginseng? J.B. Turner and J.B. McGraw (Morgantown, USA) .....	110
Simulation, quantification and comparison of in-channel and floodplain sediment processes in a lowland area – A case study of the Upper Stör catchment in northern Germany S. Song (Nanjing, China and Kiel, Germany), B. Schmalz and N. Fohrer (Kiel, Germany) .....	118
Soil salinization and waterlogging: A threat to environment and agricultural sustainability A. Singh (West Bengal, India) .....	128
An assessment of river habitat quality as an indicator of conservation status. A case study in the Northwest of Spain E. Valero, X. Álvarez and J. Picos (Spain) .....	131
Seasonal differences and response to a tropical storm reflected in diatom assemblage changes in a southwest Florida watershed E.R. Nodine and E.E. Gaiser (Miami, USA) .....	139
The use of fuzzy plant species density to indicate the effects of land-cover changes on biodiversity L. Ibrahim (Greece), I.N. Vogiatzakis (Cyprus), G. Incerti and E. Feoli (Italy) .....	149
More indebted than we know? Informing fiscal policy with an index of sustainable welfare for Greece A.N. Menegaki (Komotini, Greece and Patras, Greece) and K.P. Tsagarakis (Xanthi, Greece) .....	159
Variations in dung beetle assemblages across a gradient of hunting in a tropical forest F. Feer and O. Boissier (Brunoy, France) .....	164
Agricultural system transitions in selected Indian states: What do the related indicators say about the underlying biodiversity changes and economic trade-offs? T.S. Amjath-Babu and H. Kaechele (Müncheberg, Germany) .....	171
Environmental vulnerability assessment of eco-development zone of Great Himalayan National Park, Himachal Pradesh, India S. Nandy, C. Singh, K.K. Das (Dehradun, India), N.C. Kingma (Enschede, The Netherlands) and S.P.S. Kushwaha (Dehradun, India) .....	182
Soil-moisture conditions indicated by field-layer plants help identify vulnerable forests in the forest-steppe of semi-arid Southern Siberia O.A. Anenkhonov (Ulan-Ude, Russian Federation), A.Yu. Korolyuk (Novosibirsk, Russian Federation), D.V. Sandanov (Ulan-Ude, Russian Federation), H. Liu (Beijing, China), A.A. Zverev (Tomsk, Russian Federation) and D. Guo (Beijing, China) .....	196
Can dispersions be used for discriminating water quality status in coastal ecosystems? A case study on biofilm-dwelling microbial eukaryotes G. Xu, W. Zhang and H. Xu (Qingdao, China) .....	208
The surrogacy potential of white-tailed sea eagle nesting habitat on islands of the Baltic Sea A. Santangeli (Finland), P. Kunttu (Joensuu, Finland) and T. Laaksonen (Turku, Finland) .....	215
Multi-source and multi-date mapping of deforestation in Central India (1935-2010) and its implication on standing phytomass carbon pool C.S. Reddy, G. Rajashekar, P.H. Krishna, C.S. Jha and V.K. Dadhwal (Hyderabad, India) .....	219
Stable isotope proxies for evaluating biodiversity in stream biota M. Yoshimura (Kyoto, Japan) .....	228
Effects of salinity gradients on benthic invertebrate and diatom communities in a German lowland river M. Schröder, M. Sondermann, B. Sures and D. Hering (Essen, Germany) .....	236
A dynamic water quality index model based on functional data analysis F. Yan, L. Liu (Nanjing, China), Y. Li (Maanshan, China), Y. Zhang, M. Chen and X. Xing (Nanjing, China) .....	249
What lies beneath: Why knowledge of belowground biomass dynamics is crucial to effective seagrass management J.A. Vonk (Amsterdam, The Netherlands), M.J.A. Christianen (Groningen, The Netherlands), J. Stapel (Caribbean, The Netherlands) and K.R. O'Brien (St Lucia, Australia) .....	259
Structural diversity indices based on airborne LiDAR as ecological indicators for managing highly dynamic landscapes C.M.C.S. Listopad (Orlando, FL, USA and Lisboa, Portugal), R.E. Masters (Stevens Point, WI, USA), J. Drake (Tallahassee, FL, USA), J. Weishampel (Orlando, FL, USA) and C. Branquinho (Lisboa, Portugal) .....	268
The impacts of climate change on Antarctic nearshore mega-epifaunal benthic assemblages in a glacial fjord on King George Island: Responses and implications H.-W. Moon (Incheon, Republic of Korea and Daejeon, Republic of Korea), W.M.R. Wan Hussin (Kuala Terengganu, Malaysia), H.-C. Kim and I.-Y. Ahn (Incheon, Republic of Korea and Daejeon, Republic of Korea) .....	280
Confirmation bias in studies of fluctuating asymmetry M.V. Kozlov and E.L. Zvereva (Turku, Finland) .....	293
Benthic monitoring and sampling design and effort to detect spatial changes: A case study using data from offshore wind farm sites A. Franco (UK), V. Quintino (Portugal) and M. Elliott (UK) .....	298

Land abandonment as a precursor of built-up development at the sprawling periphery of former socialist cities S.R. Grădinaru (Birmensdorf, Switzerland and Bucharest, Romania), C.I. Iojă, D.A. Onose, A.A. Gavriliadis, I. Pătru-Stupariu (Bucharest, Romania), F. Kienast and A.M. Hersperger (Birmensdorf, Switzerland).....	305
Taxon-specific physico-chemical change points for stream benthic invertebrates A. Sundermann, M. Leps, S. Leisner and P. Haase (Gelnhausen, Germany) .....	314
Investigating the validity of the environmental Kuznets curve hypothesis in Cambodia I. Ozturk (Mersin, Turkey) and U. Al-Mulali (Melaka, Malaysia) .....	324
Livestock-driven land use change to model species distributions: Egyptian vulture as a case study P. Mateo-Tomás (Ciudad Real, Spain) and P.P. Olea (Ciudad Real, Spain and Madrid, Spain) .....	331
Toward standardization of sample collection and preservation for the quality of results in biomonitoring with trees – A critical review K. Tarricone, G. Wagner and R. Klein (Trier, Germany) .....	341
Indirect validation of the Environmental Sensitive Area Index using soil degradation indicators: A country-scale approach L. Salvati, C. Ferrara (Rome, Italy) and P. Corona (Arezzo, Italy) .....	360
Pine afforestation changes more strongly community structure than ecosystem functioning in grassland mountain streams R.E. Principe, J.A. Márquez, L.C. Martina (Río Cuarto, Argentina), E.G. Jobbágy (San Luis, Argentina) and R.J. Albariño (Bariloche, Argentina) .....	366
Using fledged brood counts of hedgerow birds to assess the effect of summer agri-environment scheme options R.B. Sage, S. Wilson and T. Powell (Hampshire, UK) .....	376
Lipid and fatty acid biomarkers as proxies for environmental contamination in caged mussels <i>Mytilus galloprovincialis</i> G. Signa, R. Di Leonardo, A. Vaccaro, C.D. Tramati, A. Mazzola and S. Vizzini (Palermo, Italy).....	384
Perspectives for ecosystem management based on ecosystem resilience and ecological thresholds against multiple and stochastic disturbances T. Sasaki (Chiba, Japan), T. Furukawa (Yokohama, Japan), Y. Iwasaki (Tokyo, Japan), M. Seto (Nara, Japan) and A.S. Mori (Yokohama, Japan) .....	395
Identifying indicators and essential variables for marine ecosystems K.R. Hayes, J.M. Dambacher, G.R. Hosack, N.J. Bax, P.K. Dunstan, E.A. Fulton, P.A. Thompson, J.R. Hartog, A.J. Hobday, R. Bradford, S.D. Foster, P. Hedge, D.C. Smith (Hobart, Australia) and C.J. Marshall (Kingston, Australia) .....	409
Reviewing the strength of evidence of biodiversity indicators for forest ecosystems in Europe T. Gao (Yangling, China and Alnarp, Sweden), A.B. Nielsen (Alnarp, Sweden and Frederiksberg C, Denmark) and M. Hedblom (Uppsala, Sweden).....	420
Marine space ecology and seagrasses. Does patch type matter in <i>Posidonia oceanica</i> seascapes? A. Abadie (Calvi, France, Corte, France and Belgium), S. Gobert (Belgium), M. Bonacorsi (Corte, France), P. Lejeune (Calvi, France), G. Pergent and C. Pergent-Martini (Corte, France) .....	435
A wireless sensor network to monitor and protect tigers in the wild A.-M. Badescu and L. Cotofana (Bucharest, Romania) .....	447
Defining criteria and indicators for a sustainability label of local public services A.R. Domingues (Caparica, Portugal), S. Moreno Pires (Coimbra, Portugal), S. Caeiro (Caparica, Portugal and Lisboa, Portugal) and T.B. Ramos (Caparica, Portugal) .....	452
Sustainability of the water footprint of the Spanish pork industry Á. de Miguel (Madrid, Spain), A.Y. Hoekstra (Enschede, The Netherlands) and E. García-Calvo (Madrid, Spain) .....	465
Comparing disturbance gradients and bird-based indices of biotic integrity for ranking the ecological integrity of Great Lakes coastal wetlands A.T.M. Chin (Toronto, Canada), D.C. Tozer (Port Rowan, Canada), N.G. Walton (Green Bay, WI, USA) and G.S. Fraser (Toronto, Canada).....	475
Airborne LiDAR technique for estimating biomass components of maize: A case study in Zhangye City, Northwest China W. Li, Z. Niu, N. Huang, C. Wang, S. Gao and C. Wu (Beijing, China) .....	486

Value of old forest attributes related to cryptogam species richness in temperate forests: A quantitative assessment	
J. Hofmeister, J. Hošek (Hořovice, Czech Republic), M. Brabec (Prague, Czech Republic), D. Dvořák (Brno, Czech Republic), M. Beran (České Budějovice, Czech Republic), H. Deckerová (Ostrava-Poruba, Czech Republic), J. Burel (Jihlava, Czech Republic), M. Kříž (Horní Počernice, Czech Republic), J. Borovička (Lysolaje, Czech Republic), J. Bět'ák (Brno, Czech Republic), M. Vašutová (České Budějovice, Czech Republic), J. Malíček (Prague, Czech Republic), Z. Palice (Prague, Czech Republic and Průhonice, Czech Republic), L. Syrovátková (Prague, Czech Republic), J. Steinová (Liberec, Czech Republic), I. Černajová (Prague, Czech Republic), E. Holá (České Budějovice, Czech Republic), E. Novozámská (Prague, Czech Republic), L. Čížek, V. Iarema, K. Baltaziuk and T. Svoboda (Hořovice, Czech Republic) ....	497
Vulnerability of ecosystem services provisioning to urbanization: A case of China	
B. Qiu (Jinzhong, China and Wuhan, China), H. Li (Wuhan, China), M. Zhou and L. Zhang (Wuhan, China).....	505
Energy-based indicators of regional environmental sustainability: A case study in Shanwei, Guangdong, China	
B. Lou, Y. Qiu (Guangzhou, China) and S. Ulgiati (Napoli, Italy and Beijing, China) .....	514
Tributyltin pollution biomonitoring under the Water Framework Directive: Proposal of a multi-species tool to assess the ecological quality status of EU water bodies	
F. Laranjeiro, P. Sánchez-Marín, S. Galante-Oliveira and C. Barroso (Aveiro, Portugal).....	525
A Habitat Suitability Index (HSI) for the Western Prairie Fringed Orchid ( <i>Platanthera praeclara</i> ) on the Sheyenne National Grassland, North Dakota, USA	
M.D. Knudson, J.A. VanLooy and M.J. Hill (Grand Forks, ND, USA) .....	536
Predicting aquatic vertebrate assemblages from environmental variables at three multistate geographic extents of the western USA	
R.M. Hughes, A.T. Herlihy and J.C. Sifneos (Corvallis, OR, USA).....	546
High Nature Value farming: From indication to conservation	
M.W. Strohbach (Berlin, Germany and Braunschweig, Germany), M.L. Kohler (Braunschweig, Germany and Innsbruck, Austria), J. Dauber and S. Klimek (Braunschweig, Germany) .....	557
Variation in parasite communities and health indices of juvenile <i>Lepomis gibbosus</i> across a gradient of watershed land-use and habitat quality	
J.M. Chapman (Ottawa, Canada), D.J. Marcogliese (Montreal, Canada), C.D. Suski (Urbana, IL, USA) and S.J. Cooke (Ottawa, Canada).....	564
Local ecological footprint using Principal Component Analysis: A case study of localities in Andalusia (Spain)	
A. Cano-Orellana and M. Delgado-Cabeza (Spain).....	573