

CONTENTS

December 2015 | Vol. 56, No. 6 |

>> Research Reports

Cultivation Physiology

- 721** Silicon-Mediated Enhancement of Physiological and Biochemical Characteristics of *Zinnia elegans* 'Dreamland Yellow' Grown under Salinity Stress
| Abinaya Manivannan, Prabhakaran Soundararajan, Laras Sekar Arum, Chung Ho Ko, Sowbiya Muneer, and Byoung Ryong Jeong
- 732** Effects of Cultivar and Harvest Time on the Contents of Antioxidant Phytochemicals in Strawberry Fruits
| Venti Winardiantika, Young Hun Lee, Nam Il Park, and Young-Rog Yeoung
- 740** Effects of Summer Pruning Combined with Winter Pruning on Bush Growth, Yields, and Fruit Quality of 'Misty' Southern Highbush Blueberry for Two Years after Planting
| Soo Gyeong Lee, Jung Gun Cho, Mi Hee Shin, Sung Bok Oh, Hong Lim Kim, and Jin Gook Kim
- 749** A Comprehensive Evaluation of Heat Tolerance in Nine Cultivars of Marigold
| Zhiguo Tian, Yan Yang, and Fei Wang
- 756** Dormant Season Fertigation Promotes Photosynthesis, Growth, and Flowering of 'Blueshower' Rabbiteye Blueberry in Warm Climates
| Shun-Hsin Huang and Kuo-Tan Li
- 762** Shoot Elongation and Gibberellin Contents in *Cyclamen persicum* Are Influenced by Temperature and Light Intensity
| Wook Oh, Jiseon Kim, Yoon Ha Kim, In-Jung Lee, and Ki Sun Kim

Protected Horticulture

- 769** Evaluation of Potential Morpho-physiological and Biochemical Indicators in Selecting Heat-tolerant Tomato (*Solanum lycopersicum* Mill.) Genotypes
| Jalal Ud Din, Sami Ullah Khan, Ahmad Khan, Abdul Qayyum, Kashif Sarfraz Abbasi, and Matthew A Jenks

Postharvest Technology

- 777** Effects of Salt Stress on Physiological and Postharvest Quality Characteristics of Different Iranian Genotypes of Basil
| Farzaneh Bekhradi, Mojtaba Delshad, Alicia Marín, Maria C Luna, Yolanda Garrido, Abdolkarim Kashi, Mesbah Babalar, and Maria I Gil
- 786** Effects of 1-Methylcyclopropene on Flower Senescence and Petal Abscission in *Dianthus caryophyllus* L.
| Byung-Chun In, Josh Strable, and Sara E. Patterson

Genetics and Breeding

- 793** Distribution of Various Types of Repetitive DNAs in *Allium cepa* L. Based on Dual Color FISH
| Franklin Hinosa Mancía, Seong-Han Sohn, Yul Kyun Ahn, Do-Sun Kim, Jung Sun Kim, Young-Seok Kwon, Cheol-Woo Kim, Tae-Ho Lee, and Yoon-Jung Hwang
- 800** Assessing the Genetic Variation in Cultivated Tomatoes (*Solanum lycopersicum* L.) using Genome-Wide Single Nucleotide Polymorphisms
| Sung-Chur Sim, Myungkwon Kim, Sang-Min Chung, and Younghoon Park
- 811** DNA Profiling of Commercial Pumpkin Cultivars Using Simple Sequence Repeat Polymorphisms
| Sung-Chur Sim, Jee-Hwa Hong, and Yong-Sham Kwon

Tissue Culture/Biotechnology

- 821** Cloning and Characterization of the *LFY* Homologue from Chinese Cabbage (*Brassica rapa* subsp. *pekinensis*)
| Xianhui Qi, Brad Townsley, José Antonio Aguilar-Martínez, Lihui Yin, Xingying Gao, Leiping Hou, Meiyang Gao, and Meilan Li

Others

- 830** Glucosinolate Enhancement in Leaves and Roots of Pak Choi (*Brassica rapa* ssp. *chinensis*) by Methyl Jasmonate
| Yunxiang Zang, Hao Zhang, Linghui Huang, Fang Wang, Fei Gao, Xishan Lv, Jing Yang, Biao Zhu, Seung-Beom Hong, and Zhujun Zhu
- 841** Effect of Maturity Stage at Harvest on Antioxidant Capacity and Total Phenolics in Kiwifruits (*Actinidia* spp.) Grown in Korea
| Inil Lee, Sunghin Im, Cheng-Ri Jin, Ho Jin Heo, Youn-Sup Cho, Moo-Yeol Baik, and Dae-Ok Kim
- 849** Flowering phenology and the growth of three native *Anemone* species in a montane deciduous forest on Mt. Joongwang, Korea
| Hyun Jung Kim, Jong Bin Jung, Joo Han Sung, Ah Reum Han, and Pil Sun Park
- 858** Best Associate Editor and Best Reviewer
- 859** Acknowledgement for Reviewers
- 861** Cumulative Contents (Vol. 56)
- 868** Author Index
- 871** Subject Index
- 876** Instructions to Authors

Subject Index

1-MCP

Effects of 1-MCP on Reactive Oxygen Species, Polyphenol Oxidase Activity, and Cellular Ultra-structure of Core Tissue in 'Yali' Pear (*Pyrus bretschneideri* Rehd.) during Storage. 56:207.

Control of Post-harvest Anthracnose Infection in Guava (*Psidium guajava*) Fruits with Phosphites, Calcium Chloride, Acetyl Salicylic Acid, Hot Water, and 1-MCP. 56:330.

Effects of 1-Methylcyclopropene on Flower Senescence and Petal Abscission in *Dianthus caryophyllus* L. 56:786.

Abscisic Acid, Growth, Physiology, and Abiotic Stress Response to Abscisic Acid in Tomato Seedlings. 56:294.

Abiotic stress

Growth, Physiology, and Abiotic Stress Response to Abscisic Acid in Tomato Seedlings. 56:294.

Watermelon (*Citrullus lanatus*) Late-Embryogenesis Abundant group 3 protein, CILEA3-1, Responds to Diverse Abiotic Stresses. 56:555.

Actinidia chinensis

KiwiPME1 Encoding Pectin Methyltransferase Is Specifically Expressed in the Pollen of a Dioecious Plant Species, Kiwifruit (*Actinidia chinensis*). 56:402.

Effect of Maturity Stage at Harvest on Antioxidant Capacity and Total Phenolics in Kiwifruits (*Actinidia* spp.) Grown in Korea. 56:841.

AFLP, Genetic Relationships among Diverse Spray- and Standard-type Chrysanthemum Varieties and Their Derived Radio-mutants Determined Using AFLPs. 56:498.

Agaricus bisporus, Chemical Composition and Antioxidant Properties of Cultivated Button Mushrooms (*Agaricus bisporus*). 56:376.

Air Anion, Air Anions Improve Growth and Mineral Content of Kale in Plant Factories. 56:462.

Allium cepa, Distribution of Various Types of Repetitive DNAs in *Allium cepa* L. Based on Dual Color FISH. 56:793.

Alstroemeria, Effects of Chlorination and Acidification on Postharvest Physiological Properties of Alstroemeria, cv. 'Vanilla' and on Microbial Contamination of Vase Solution. 56:478.

Ananas comosus, Prevention of natural flowering in pineapple (*Ananas comosus*) by shading and urea application. 56:9.

Anemone, Flowering phenology and the growth of three native *Anemone* species in a montane deciduous forest on Mt. Joongwang, Korea. 56:849.

Antioxidant activity

Growth, Yield, Chemical Composition, and Antioxidant Activity of Essential Oils from Two Thyme Species under Foliar Application of Jasmonic Acid and Water Deficit Conditions. 56:411.

Short-term Low Temperature Increases Phenolic Antioxidant Levels in Kale. 56:588.

Effects of Drought Stress on the Antioxidant Systems in Three Species of *Diospyros* L. 56:597.

Effects of Exogenous Salicylic Acid on Antioxidant Activity and Proline Accumulation in Apple (*Malus domestica* L.). 56:606.

Comparison of Artemisinin Content and Antioxidant Activity from Various Organs of *Artemisia* Species. 56:697.

Chemical Composition, Antioxidant and Cytoprotective Activities

of Lotus Receptacle. 56:712.

Effects of Cultivar and Harvest Time on the Contents of Antioxidant Phytochemicals in Strawberry Fruits. 56:732.

Apple, Effects of Exogenous Salicylic Acid on Antioxidant Activity and Proline Accumulation in Apple (*Malus domestica* L.). 56:606.

Artemisia, Comparison of Artemisinin content and Antioxidant Activity from Various Organs of *Artemisia* Species. 56:697.

Artemisinin, Comparison of Artemisinin Content and Antioxidant Activity from Various Organs of *Artemisia* Species. 56:697.

Bak-choi, Development of an Exponential Growth Model for Pak-choi Using the Radiation Integral and Planting Density. 56:310.

Basil, Effects of Salt Stress on Physiological and Postharvest Quality Characteristics of Different Iranian Genotypes of Basil. 56:777.

Bentgrass, Promotion of Growth and Biocontrol of Brown Patch Disease by Inoculation of *Paenibacillus ehimensis* KWN38 in Bentgrass. 56:263.

Bioreactor, Airlift Bioreactor System and Nitrogen Sources for Biomass and Antioxidant Compound Production from In Vitro Culture of *Vitis flexuosa* Plantlets. 56:358.

Blueberry

Effects of Summer Pruning Combined with Winter Pruning on Bush Growth, Yields, and Fruit Quality of 'Misty' Southern Highbush Blueberry for Two Years after Planting. 56:740.

Dormant Season Fertigation Promotes Photosynthesis, Growth, and Flowering of 'Blueshower' Rabbit-eye Blueberry in Warm Climates. 56:756.

Brassica rapa

Photosynthesis of Chinese Cabbage and Radish in Response to Rising Leaf Temperature during Spring. 56:159.

Development of an Exponential Growth Model for Pak-choi Using the Radiation Integral and Planting Density. 56:310.

Cloning and Characterization of the *LFY* Homologue from Chinese Cabbage (*Brassica rapa* subsp. *pekinensis*). 56:821.

Glucosinolate Enhancement in Leaves and Roots of Pak Choi (*Brassica rapa* ssp. *chinensis*) by Methyl Jasmonate. 56:830.

Brown patch, Promotion of Growth and Biocontrol of Brown Patch Disease by Inoculation of *Paenibacillus ehimensis* KWN38 in Bentgrass. 56:263.

Cattleya, Micropropagation of *Cattleya*: Improved In Vitro Rooting and Acclimatization. 56:89.

Capsicum

Horticultural and Chemical Quality Characterization of Accessions Selected from Four Species of *Capsicum*. 56:54.

Changes in Electrical Conductivity and Moisture Content of Substrate and their Subsequent Effects on Transpiration Rate, Water Use Efficiency, and Plant Growth in the Soilless Culture of Paprika (*Capsicum annuum* L.) 56:178.

Improved Detection of *Cucumber Mosaic Virus* Coat Protein (CMV-CP) in Genetically Modified Pepper (*Capsicum annuum*) Using a Polyclonal Antibody to a Synthetic CP Peptide. 56:316.

Coconut substrate

Water Use Efficiency, Nutrient Leaching, and Growth in Potted

- Marigolds Affected by Coconut Coir Dust Amended in Substrate Media. 56:27.
- Environmentally Sustainable Production of Tomato in a Coir Substrate Hydroponic System using a Frequency Domain Reflectometry Sensor. 56:167
- Chilling**, Consequences of Chilling Stress on Watermelon [*Citrullus lanatus* (Thunb.) Matsum. and Nakai] Germplasm Lines at Seedling Stage 56:79.
- Chinese cabbage**
Photosynthesis of Chinese Cabbage and Radish in Response to Rising Leaf Temperature during Spring. 56:159.
Development of an Exponential Growth Model for Pak-choi Using the Radiation Integral and Planting Density. 56:310.
Cloning and Characterization of the LFY Homologue from Chinese Cabbage (*Brassica rapa* subsp. *pekinensis*). 56:821.
- Chrysanthemum**
Sequence Analysis of the Internal Transcribed Spacer (ITS) Region of the Nuclear Ribosomal DNA (nrDNA) *Chrysanthemum* Species in Korea. 56:44.
Genetic Relationships among Diverse Spray- and Standard-type *Chrysanthemum* Varieties and Their Derived Radio-mutants Determined Using AFLPs. 56:498.
- Citrullus lanatus**
Consequences of Chilling Stress on Watermelon [*Citrullus lanatus* (Thunb.) Matsum. and Nakai] Germplasm Lines at Seedling Stage 56:79.
Sequence-Characterized Amplified Polymorphism Markers for Selecting Rind Stripe Pattern in Watermelon (*Citrullus lanatus* L.). 56:341.
Watermelon (*Citrullus lanatus*) Late-Embryogenesis Abundant group 3 protein, CLEA3-1, Responds to Diverse Abiotic Stresses. 56:555.
Construction of a Genetic Linkage Map Using a Frame Set of Simple Sequence Repeat and High-Resolution Melting Markers for Watermelon (*Citrullus* spp.). 56:669.
- Chloroplast**, Complete chloroplast genomic sequence of *Citrus platymamma* determined by combined analysis of Sanger and NGS data. 56:704
- Citrus**
Characterization of Microspore Development and Pollen Tube Growth Response to Self- and Cross- pollination in Jeju Old Local Citrus Species 56:225.
Efficiency of Tree-Based Water Status Indicators at the Onset of Water Deficit in Citrus. 56:305.
Complete chloroplast genomic sequence of *Citrus platymamma* determined by combined analysis of Sanger and NGS data. 56:704.
- Cold hardness**, Relationship between Cold Hardiness and Dehydrin Gene Expression in Peach Shoot Tissues under Field Conditions. 56:280.
- Cucumber mosaic virus**, Improved Detection of *Cucumber Mosaic Virus* Coat Protein (CMV-CP) in Genetically Modified Pepper (*Capsicum annuum*) Using a Polyclonal Antibody to a Synthetic CP Peptide. 56:316.
- Cut flower**
Night Interruption Improves Subsequent Cut Flower Quality in *Cymbidium* 'Red Fire'. 56:455.
Effect of Drought Stress during Supplemental Lighting on Diurnal Photosynthesis of Cut Rose 'Charming Black'. 56:582
- Cyclamen persicum**, Shoot Elongation and Gibberellin Contents in *Cyclamen persicum* Are Influenced by Temperature and Light Intensity. 56:762.
- Cymbidium**
DNA Damage and Oxidative Stress Induced by Proton Beam in *Cymbidium* Hybrid. 56:240.
Night Interruption Improves Subsequent Cut Flower Quality in *Cymbidium* 'Red Fire'. 56:455.
- Dendrobium candidum**, Establishment of Protocorm Suspension Cultures of *Dendrobium candidum* for the Production of Bioactive Compounds. 56:114.
- Dianthus caryophyllus**
Silicon Alleviates Salt stress by Modulating Antioxidant Enzyme Activities in *Dianthus caryophyllus* 'Tula'. 56:223.
Effects of 1-Methylcyclopropene on Flower Senescence and Petal Abscission in *Dianthus caryophyllus* L. 56:786.
Is the Biochemical Mechanism of Petal Senescence Similar Within a Genus? A Case Study of *Dianthus*. 56:654.
- Diospyros**, Effects of Drought Stress on the Antioxidant Systems in Three Species of *Diospyros* L. 56:597.
- Dormancy**, Non-deep Simple Morphophysiological Dormancy in Seeds of *Thalictrum rochebrunianum*, an Endemic Perennial Herb in the Korean Peninsula. 56:366.
- Drought stress**
Evaluating Biochemical Response of Some Selected Perennial Grasses under Drought Stress in Iran. 56:383.
Effect of Drought Stress during Supplemental Lighting on Diurnal Photosynthesis of Cut Rose 'Charming Black'. 56:582.
Effects of Drought Stress on the Antioxidant Systems in Three Species of *Diospyros* L. 56:597.
- Eggplant**, Pollen Degeneration in Three Functional Male-Sterile Lines of Eggplant with the Wild *Solanum* Cytoplasm. 56:350.
- Fennel**, Effectiveness of Exogenous Salicylic Acid on Root and Shoot Growth Attributes, Productivity, and Water Use Efficiency of Water-deprived Fennel Genotypes. 56:687.
- FISH**, Distribution of Various Types of Repetitive DNAs in *Allium cepa* L. Based on Dual Color FISH. 56:793.
- Fresh cut**, UV-C Treatments Enhance Antioxidant Activity, Retain Quality and Microbial Safety of Fresh-cut Paprika in MA Storage. 56:324.
- Genome-wide Analysis**, Genome-wide Analysis of Iron-Regulated Transporter 1 (*IRT1*) Genes in Plants. 56:516.
- Gibberellin**, Shoot Elongation and Gibberellin Contents in *Cyclamen persicum* Are Influenced by Temperature and Light Intensity. 56:762.
- Glucosinolate**
The Major Aliphatic Glucosinolate Content in Korean Radish during Vegetative and Reproductive Growth. 56:152.
Increase in Aliphatic Glucosinolates Synthesis during Early Seedling Growth and Insect Herbivory in Radish (*Raphanus sativus* L.) Plant. 56:255.
Glucosinolate Enhancement in Leaves and Roots of Pak Choi (*Brassica rapa* ssp. *chinensis*) by Methyl Jasmonate. 56:830.
- Grafting**, The Processes of Graft Union Formation in Tomato. 56:569.
- Guava**, Control of Post-harvest Anthracnose Infection in Guava (*Psidium guajava*) Fruits with Phosphites, Calcium Chloride,

Acetyl Salicylic Acid, Hot Water, and 1-MCP. 56:330.

Heat tolerance

A Comprehensive Evaluation of Heat Tolerance in Nine Cultivars of Marigold. 56:749.

Evaluation of Potential Morpho-physiological and Biochemical Indicators in Selecting Heat-tolerant Tomato (*Solanum lycopersicum* Mill.) Genotypes. 56:769.

Heavy Metal-Resistance, In Vitro Breeding of Heavy Metal-Resistant Plants: A Review. 56:131.

Growth model, Development of an Exponential Growth Model for Pak-choi Using the Radiation Integral and Planting Density. 56:310.

Heterosis, Crossability among Modern Roses and Heterosis of Quantitative and Qualitative Traits in Hybrids. 56:487.

High Resolution melting, Construction of a Genetic Linkage Map Using a Frame Set of Simple Sequence Repeat and High-Resolution Melting Markers for Watermelon (*Citrullus* spp.). 56:669.

IRT1, Genome-wide Analysis of Iron-Regulated Transporter 1 (*IRT1*) Genes in Plants. 56:516.

Jasmonic acid

Growth, Yield, Chemical Composition, and Antioxidant Activity of Essential Oils from Two Thyme Species under Foliar Application of Jasmonic Acid and Water Deficit Conditions. 56:411.

Protective enzymes and genes related to the JA pathway are involved in the response to root-knot nematodes at high soil temperatures in tomatoes carrying *Mi-1*. 56:546.

Kale

Air Anions Improve Growth and Mineral Content of Kale in Plant Factories. 56:462.

Short-term Low Temperature Increases Phenolic Antioxidant Levels in Kale. 56:588.

Kiwi fruit

Effect of Artificial Defoliation on Cane Regrowth and Fruit Development in 'Jecy Gold' Kiwifruit. 56:22.

KiwiPME1 Encoding Pectin Methyltransferase Is Specifically Expressed in the Pollen of a Dioecious Plant Species, Kiwifruit (*Actinidia chinensis*). 56:402.

Effect of Maturity Stage at Harvest on Antioxidant Capacity and Total Phenolics in Kiwifruits (*Actinidia* spp.) Grown in Korea. 56:841.

Kumquat, Response of Shoot Growth, Photosynthetic Capacity, Flowering, and Fruiting of Potted 'Nagami' Kumquat to Differently Regulated Deficit Irrigation. 56:444.

Lettuce, Growth, Photosynthetic and Antioxidant Parameters of Two Lettuce Cultivars as Affected by Red, Green, and Blue Light-emitting Diodes. 56:639.

Light-emitting Diodes (LED)

Blue LED Light Enhances Growth, Phytochemical Contents, and Antioxidant Enzyme Activities of *Rehmannia glutinosa* Cultured In Vitro. 56:105.

Growth and Cell Division of Lettuce Plants under Various Ratios of Red to Far-red Light-emitting Diodes. 56:186.

Storage of Grafted-Tomato Seedling under Low-Light Conditions with Light-Emitting Diodes and an Electroluminescent Sheet. 56:472.

Growth, Photosynthetic and Antioxidant Parameters of Two Lettuce Cultivars as Affected by Red, Green, and Blue Light-emitting Diodes. 56:639.

Lily, Effect of Exogenous Nitric Oxide on Vegetative and Reproductive Growth of Oriental Lily 'Siberia'. 56:677.

Linkage map, Construction of a Genetic Linkage Map Using a Frame Set of Simple Sequence Repeat and High-Resolution Melting Markers for Watermelon (*Citrullus* spp.). 56:669.

Locus, Chemical Composition, Antioxidant and Cytoprotective Activities of Lotus Receptacle. 56:712.

MA storage, UV-C Treatments Enhance Antioxidant Activity, Retain Quality and Microbial Safety of Fresh-cut Paprika in MA Storage. 56:324.

Male-Sterile, Pollen Degeneration in Three Functional Male-Sterile Lines of Eggplant with the Wild *Solanum* Cytoplasms. 56:350.

Malus domestica, Effects of Exogenous Salicylic Acid on Antioxidant Activity and Proline Accumulation in Apple (*Malus domestica* L.). 56:606.

Marigold, A Comprehensive Evaluation of Heat Tolerance in Nine Cultivars of Marigold. 56:749.

Melon

Characteristics of Root Growth and Sugar Translocation in Yellowing Symptom of Melon. 56:288.

The *CmACS-7* Gene Provides Sequence Variation for Development of DNA Markers Associated with Monoecious Sex Expression in Melon (*Cucumis melo* L.). 56:535.

Methyl jasmonate, Glucosinolate Enhancement in Leaves and Roots of Pak Choi (*Brassica rapa* ssp. *chinensis*) by Methyl Jasmonate. 56:830.

Microspore, Characterization of Microspore Development and Pollen Tube Growth Response to Self- and Cross-pollination in Jeju Old Local Citrus Species. 56:225.

Micropropagation, Micropropagation of *Cattleya*: Improved In Vitro Rooting and Acclimatization. 56:89.

Mushroom, Chemical Composition and Antioxidant Properties of Cultivated Button Mushrooms (*Agaricus bisporus*). 56:376.

Nematode, Protective enzymes and genes related to the JA pathway are involved in the response to root-knot nematodes at high soil temperatures in tomatoes carrying *Mi-1*. 56:546.

NGS, Complete chloroplast genomic sequence of *Citrus platytrichus* determined by combined analysis of Sanger and NGS data. 56:704

Night interruption, Night Interruption Improves Subsequent Cut Flower Quality in *Cymbidium* 'Red Fire'. 56:455.

Nitric oxide

Mineral Composition of 'Selva' Strawberry as Affected by Time of Application of Nitric Oxide under Saline Conditions. 56:273.

Effect of Exogenous Nitric Oxide on Vegetative and Reproductive Growth of Oriental Lily 'Siberia'. 56:677.

Onion

Comparison of Bulb and Leaf Quality, and Antioxidant Compounds of Intermediate-day Onion from Organic and Conventional Systems. 56:427.

Distribution of Various Types of Repetitive DNAs in *Allium cepa* L. Based on Dual Color FISH. 56:793.

Orchids

Development of Intergeneric Hybrids between Wind Orchids (*Sedirea*

- japonica* and *Neofinetia falcata*) and Moth Orchids (*Phalaenopsis alliances*). 56:67.
- DNA Damage and Oxidative Stress Induced by Proton Beam in *Cymbidium* Hybrid. 56:240.
- Night Interruption Improves Subsequent Cut Flower Quality in *Cymbidium* 'Red Fire'. 56:455.
- Phenotypic Analysis of Parents and Their Reciprocal F1 Hybrids in *Phalaenopsis*. 56:612.
- Inhibition of Premature Flowering by Intermittent High Temperature Treatment to Young *Phalaenopsis* Plants. 56:618.
- Oxidative stress**, DNA Damage and Oxidative Stress Induced by Proton Beam in *Cymbidium* Hybrid. 56:240.
- Paprika**, Changes in Electrical Conductivity and Moisture Content of Substrate and their Subsequent Effects on Transpiration Rate, Water Use Efficiency, and Plant Growth in the Soilless Culture of Paprika (*Capsicum annuum* L.) 56:178.
- Paenibacillus ehimensis*, Promotion of Growth and Biocontrol of Brown Patch Disease by Inoculation of *Paenibacillus ehimensis* KWN38 in Bentgrass. 56:263.
- Paeonia lactiflora*, Pre-chilling Promotes Flowering in *Paeonia lactiflora* 'Taebaek' without Flower Bud Abortion. 56:1.
- Peach**, Relationship between Cold Hardiness and Dehydrin Gene Expression in Peach Shoot Tissues under Field Conditions. 56:280.
- Pear**, Effects of 1-MCP on Reactive Oxygen Species, Polyphenol Oxidase Activity, and Cellular Ultra-structure of Core Tissue in 'Yali' Pear (*Pyrus bretschneideri* Rehd.) during Storage. 56:207.
- Perilla**
- Inactivation of Pre-existing Bacteria and Foodborne Pathogens on Perilla Leaves Using a Combined Treatment with an Organic Acid and a Surfactant. 56:195.
- Genetic diversity and population structure in cultivated and weedy types of Perilla in East Asia and other countries as revealed by SSR markers. 56:524.
- Petunia**, Enhanced Removal of Exogenous Formaldehyde Gas by *AtFALDH*-Transgenic Petunia. 56:247.
- Phalaenopsis**
- Development of Intergeneric Hybrids between Wind Orchids (*Sedirea japonica* and *Neofinetia falcata*) and Moth Orchids (*Phalaenopsis alliances*). 56:67.
- Phenotypic Analysis of Parents and Their Reciprocal F1 Hybrids in *Phalaenopsis*. 56:612.
- Inhibition of Premature Flowering by Intermittent High Temperature Treatment to Young *Phalaenopsis* Plants. 56:618.
- Phaseolus vulgaris*, Changes in Morphological and Physiological Traits and Stress-Related Enzyme Activities of Green Bean (*Phaseolus vulgaris* L.) Genotypes in Response to Waterlogging Stress and Recovery Treatment. 56:391.
- Phytosterol**, Compositions of Fatty Acids and Phytosterols of Plant-based Oils and Their Associations with Anti-oxidative Capacity: Application of Principal Component Analysis. 56:561.
- Plant factory**, Air Anions Improve Growth and Mineral Content of Kale in Plant Factories. 56:462.
- Postharvest**, Effects of Chlorination and Acidification on Postharvest Physiological Properties of Alstroemeria, cv. 'Vanilla' and on Microbial Contamination of Vase Solution. 56:478.
- Combined Effect of Hot Water Dipping and Vacuum Packaging for Maintaining the Postharvest Quality of Peeled Taro. 56:662.
- Pruning**, Effects of Summer Pruning Combined with Winter Pruning on Bush Growth, Yields, and Fruit Quality of 'Misty' Southern Highbush Blueberry for Two Years after Planting. 56:740.
- Psidium guajava*, Control of Post-harvest Anthracnose Infection in Guava (*Psidium guajava*) Fruits with Phosphites, Calcium Chloride, Acetyl Salicylic Acid, Hot Water, and 1-MCP. 56:330.
- Pumpkin**, DNA Profiling of Commercial Pumpkin Cultivars Using Simple Sequence Repeat Polymorphisms. 56:811.
- Pyrus bretschneideri*, Effects of 1-MCP on Reactive Oxygen Species, Polyphenol Oxidase Activity, and Cellular Ultra-structure of Core Tissue in 'Yali' Pear (*Pyrus bretschneideri* Rehd.) during Storage. 56:207.
- Raphanus sativus**
- Photosynthesis of Chinese Cabbage and Radish in Response to Rising Leaf Temperature during Spring. 56:159
- Development of Genomic SSR Markers and Genetic Diversity Analysis in Cultivated Radish (*Raphanus sativus* L.). 56:216.
- Increase in Aliphatic Glucosinolates Synthesis during Early Seedling Growth and Insect Herbivory in Radish (*Raphanus sativus* L.) Plant. 56:255.
- The Major Aliphatic Glucosinolate Content in Korean Radish during Vegetative and Reproductive Growth. 56:152.
- Ralstonia solanacearum*, Development of a SCAR Marker Linked to Bacterial Wilt (*Ralstonia solanacearum*) Resistance in Tomato Line Hawaii 7996 Using Bulked-Segregant Analysis. 56:506.
- Rehmannia glutinosa*, Blue LED Light Enhances Growth, Phytochemical Contents, and Antioxidant Enzyme Activities of *Rehmannia glutinosa* Cultured In Vitro. 56:105.
- Root growth**, Characteristics of Root Growth and Sugar Translocation in Yellowing Symptom of Melon. 56:288.
- Rose**
- Crossability among Modern Roses and Heterosis of Quantitative and Qualitative Traits in Hybrids. 56:487.
- Effect of Drought Stress during Supplemental Lighting on Diurnal Photosynthesis of Cut Rose 'Charming Black'. 56:582.
- Salt stress**
- Silicon Alleviates Salt stress by Modulating Antioxidant Enzyme Activities in *Dianthus caryophyllus* 'Tula'. 56:233.
- Silicon-Mediated Enhancement of Physiological and Biochemical Characteristics of *Zinnia elegans* 'Dreamland Yellow' Grown under Salinity Stress. 56:721.
- Effects of Salt Stress on Physiological and Postharvest Quality Characteristics of Different Iranian Genotypes of Basil. 56:777.
- Salicylic acid**
- Effects of Exogenous Salicylic Acid on Antioxidant Activity and Proline Accumulation in Apple (*Malus domestica* L.). 56:606.
- Effectiveness of Exogenous Salicylic Acid on Root and Shoot Growth Attributes, Productivity, and Water Use Efficiency of Water-deprived Fennel Genotypes. 56:687.
- SCAR**, Development of a SCAR Marker Linked to Bacterial Wilt (*Ralstonia solanacearum*) Resistance in Tomato Line Hawaii 7996 Using Bulked-Segregant Analysis. 56:506.
- Sex expression**, The *CmACS-7* Gene Provides Sequence Variation for Development of DNA Markers Associated with Monoecious Sex Expression in Melon (*Cucumis melo* L.). 56:535.
- Single nucleotide polymorphism**, Assessing the Genetic Variation in Cultivated Tomatoes (*Solanum lycopersicum* L.) using

Genome-Wide Single Nucleotide Polymorphisms. 56:800.

Solanum

Enhanced Salt Tolerance of Transgenic Vegetable Soybeans Resulting from Overexpression of a Novel Δ^1 -Pyrroline-5-carboxylate Synthetase Gene from *Solanum torvum* Swartz. 56:94.

Pollen Degeneration in Three Functional Male-Sterile Lines of Eggplant with the Wild *Solanum* Cytoplasts. 56:350.

Evaluation of Potential Morpho-physiological and Biochemical Indicators in Selecting Heat-tolerant Tomato (*Solanum lycopersicum* Mill.) Genotypes. 56:769.

Assessing the Genetic Variation in Cultivated Tomatoes (*Solanum lycopersicum* L.) using Genome-Wide Single Nucleotide Polymorphisms. 56:800.

Sprout, Growth and Quality of Sprouts of Six Vegetables Cultivated under Different Light Intensity and Quality. 56:437.

SSR

Genetic diversity and population structure in cultivated and weedy types of *Perilla* in East Asia and other countries as revealed by SSR markers. 56:524.

Construction of a Genetic Linkage Map Using a Frame Set of Simple Sequence Repeat and High-Resolution Melting Markers for Watermelon (*Citrullus* spp.). 56:669.

DNA Profiling of Commercial Pumpkin Cultivars Using Simple Sequence Repeat Polymorphisms. 56:811.

Sulfur Dioxide, Quality and Nutritional Property Changes in Stored Dried Apricots Fumigated by Sulfur Dioxide. 56:200.

Stilbene, Comparison of Accumulation of Stilbene Compounds and Stilbene Related Gene Expression in Two Grape Berries Irradiated with Different Light Sources. 56:36.

Strawberry

Mineral Composition of 'Selva' Strawberry as Affected by Time of Application of Nitric Oxide under Saline Conditions 56:273.

Influence of Various Nutrient Concentrations on the Growth and Yield of Summer Strawberry Cultivars Cultivated in a Hydroponic System. 56:421.

Effects of Foliar Fertilization Containing Titanium Dioxide on Growth, Yield and Quality of Strawberries During Cultivation. 56:575.

Effects of Cultivar and Harvest Time on the Contents of Antioxidant Phytochemicals in Strawberry Fruits. 56:732.

Temperature

Photosynthesis of Chinese Cabbage and Radish in Response to Rising Leaf Temperature during Spring. 56:159.

Short-term Low Temperature Increases Phenolic Antioxidant Levels in Kale. 56:588.

Effect of Rootstock on Growth, Fruit Production and Quality of Tomato Plants Grown Under Low Temperature and Light Conditions. 56:626.

A Comprehensive Evaluation of Heat Tolerance in Nine Cultivars of Marigold. 56:749.

Dormant Season Fertigation Promotes Photosynthesis, Growth, and Flowering of 'Blueshower' Rabbiteye Blueberry in Warm Climates. 56:756.

Thalictrum rochebrunianum, Non-deep Simple Morphophysiological Dormancy in Seeds of *Thalictrum rochebrunianum*, an Endemic Perennial Herb in the Korean Peninsula. 56:366.

Titanium dioxide, Effects of Foliar Fertilization Containing Titanium Dioxide on Growth, Yield and Quality of Strawberries During Cultivation. 56:575.

Tomato

Performance of seedling grafts of tomato as influenced by root substrate formulations, fertigation leaching fractions, and N concentrations in fertilizer solution. 56:17

Boron Availability Alters Its Distribution in Plant Parts of Tomato. 56:145.

Environmentally Sustainable Production of Tomato in a Coir Substrate Hydroponic System using a Frequency Domain Reflectometry Sensor. 56:167.

Growth, Physiology, and Abiotic Stress Response to Abscisic Acid in Tomato Seedlings. 56:294.

Storage of Grafted-Tomato Seedling under Low-Light Conditions with Light-Emitting Diodes and an Electroluminescent Sheet. 56:472.

Development of a SCAR Marker Linked to Bacterial Wilt (*Ralstonia solanacearum*) Resistance in Tomato Line Hawaii 7996 Using Bulked-Segregant Analysis. 56:506.

Protective enzymes and genes related to the JA pathway are involved in the response to root-knot nematodes at high soil temperatures in tomatoes carrying *Mi-1*. 56:546.

The Processes of Graft Union Formation in Tomato. 56:569.

Effect of Rootstock on Growth, Fruit Production and Quality of Tomato Plants Grown Under Low Temperature and Light Conditions. 56:626.

Evaluation of Potential Morpho-physiological and Biochemical Indicators in Selecting Heat-tolerant Tomato (*Solanum lycopersicum* Mill.) Genotypes. 56:769.

Assessing the Genetic Variation in Cultivated Tomatoes (*Solanum lycopersicum* L.) using Genome-Wide Single Nucleotide Polymorphisms. 56:800.

Total soluble protein, Comparison of Total Soluble Protein in Various Horticultural Crops and Evaluation of Its Quantification Methods 56:123.

Watermelon

Consequences of Chilling Stress on Watermelon [*Citrullus lanatus* (Thunb.) Matsum. and Nakai] Germplasm Lines at Seedling Stage 56:79.

Sequence-Characterized Amplified Polymorphism Markers for Selecting Rind Stripe Pattern in Watermelon (*Citrullus lanatus* L.). 56:341.

Watermelon (*Citrullus lanatus*) Late-Embryogenesis Abundant group 3 protein, CILEA3-1, Responds to Diverse Abiotic Stresses. 56:555.

Construction of a Genetic Linkage Map Using a Frame Set of Simple Sequence Repeat and High-Resolution Melting Markers for Watermelon (*Citrullus* spp.). 56:669.

Vitis labrusca, Changes of Volatile Compounds in *Vitis labrusca* 'Doonuri' Grapes during Stages of Fruit Development and in Wine. 56:137.

Vitis flexuosa, Airlift Bioreactor System and Nitrogen Sources for Biomass and Antioxidant Compound Production from In Vitro Culture of *Vitis flexuosa* Plantlets. 56:358.

Zinia elegans, Silicon-Mediated Enhancement of Physiological and Biochemical Characteristics of *Zinnia elegans* 'Dreamland Yellow' Grown under Salinity Stress. 56:721.