

# CONTENTS

Integrated municipal waste management systems: An indicator to assess their environmental and economic sustainability L. Rigamonti (Piacenza, Italy and Milan, Italy), I. Sterpi (Milan, Italy) and M. Grosso (Piacenza, Italy and Milan, Italy) .....	1
The functional quality of decomposing litter outputs from an Arctic plant community is affected by long-term exposure to enhanced UV-B A.G. Jones, J. Bussell, A. Winters, J. Scullion and D. Gwynn-Jones (Ceredigion, UK) .....	8
Embryo aberrations in the amphipod <i>Monoporeia affinis</i> as indicators of toxic pollutants in sediments: A field evaluation M. Löf, B. Sundelin, C. Bandh and E. Gorokhova (Stockholm, Sweden).....	18
Wastewater effects on <i>Phaeodactylum tricornutum</i> (Bohlin): Setting up a classification system G. Libralato (Venice, Italy), E. Gentile (Bari, Italy) and A. Volpi Ghirardini (Venice, Italy).....	31
A framework towards a composite indicator for urban ecosystem services M. Alam (Québec, Canada), J. Dupras and C. Messier (Ripon, Canada).....	38
Piloting a social-ecological index for measuring flood resilience: A composite index approach I. Kotzee and B. Reyers (Matieland, South Africa and Stellenbosch, South Africa) .....	45
Spatial metrics as indicators of biodegradation benefits from bacterial dispersal networks T. Banitz (Leipzig, Germany), K. Frank (Leipzig, Germany and Osnabrück, Germany), L.Y. Wick, H. Harms and K. Johst (Leipzig, Germany) .....	54
Using satellite vegetation and compound topographic indices to map highly erodible cropland buffers for cellulosic biofuel crop developments in eastern Nebraska, USA Y. Gu and B.K. Wylie (Sioux Falls, SD, USA).....	64
Disentangling the effects of land use and geo-climatic factors on diversity in European freshwater ecosystems C.K. Feld, S. Birk (Essen, Germany), D. Erme (Villeurbanne, France), M. Gerisch (Koblenz, Germany), D. Hering (Essen, Germany), M. Kernan (London, UK), K. Maileht (Tartu, Estonia), U. Mischke (Berlin, Germany), I. Ott (Tartu, Estonia), F. Pletterbauer (Vienna, Austria), S. Poikane (Ispra, Italy), J. Salgado, C.D. Sayer (London, UK), J. van Wichelen (Gent, Belgium) and F. Malard (Villeurbanne, France).....	71
Biodiesel-TBL+: A new hierarchical sustainability assessment framework of PC&I for biodiesel production - Part I S. Bautista (Bogotá, Colombia and Nancy, France), P. Narvaez (Bogotá, Colombia), M. Camargo, O. Chery and L. Morel (Nancy, France) .....	84
Unravelling the drivers of aquatic communities using disparate organismal groups and different taxonomic levels A. Vilmi, S.M. Karjalainen, T. Nokela, K. Tolonen and J. Heino (Oulu, Finland).....	108
Measuring conservation success with missing Marine Protected Area boundaries: A case study in the Coral Triangle R. Venegas-Li (Costa Rica), A. Cros, A. White and C. Mora (Honolulu, HI, USA).....	119
Magnetic properties of <i>Tillandsia recurvata</i> L. and its use for biomonitoring a Mexican metropolitan area A.G. Castañeda Miranda (Juriquilla, Mexico), M.A.E. Chaparro (Tandil, Argentina), M.A.E. Chaparro (Tandil, Argentina and Mar del Plata, Argentina) and H.N. Böhnelt (Juriquilla, Mexico) .....	125

(Contents continued on inside back cover)

Educational values and services of ecosystems and landscapes - An overview E. Mocior (Krakow, Poland) and M. Kruse (Kiel, Germany) . . . . .	137
Effects of seawater acidification on <i>Diopatra neapolitana</i> (Polychaete, Onuphidae): Biochemical and regenerative capacity responses R. Freitas, A. Pires, C. Velez, Â. Almeida, A. Moreira (Aveiro, Portugal), F.J. Wrona (Victoria, Canada), A.M.V.M. Soares and E. Figueira (Aveiro, Portugal) . . . . .	152
Implementation of a new index to assess intertidal seaweed communities as bioindicators for the European Water Framework Directory E. Ar Gall, M. Le Duff (Plouzane, France), P.-G. Sauriau (La Rochelle, France), M.-N. de Casamajor (Anglet, France), F. Gevaert (Wimereux, France), E. Poisson (Le Havre, France), P. Hacquebart, Y. Joncourt (Luc-sur-mer, France), A.-L. Barillé (Nantes, France), R. Buchet (Nantes, France), M. Bréret (La Rochelle, France) and L. Miossec (Nantes, France) . . . . .	162
Trends of harbour porpoise ( <i>Phocoena phocoena</i> ) density in the southern North Sea V. Peschko, K. Ronnenberg, U. Siebert and A. Gilles (Buesum, Germany) . . . . .	174
A modified framework for the regional assessment of climate and human impacts on net primary productivity Y. Pan, C. Yu, X. Zhang, B. Chen, J. Wu (Beijing, China), Y. Tu (Lhasa, China), Y. Miao and L. Luo (Linzi, China) . . . . .	184
On the suitability of input-output analysis for calculating product-specific biodiversity footprints D. Moran, M. Petersone and F. Verones (Trondheim, Norway) . . . . .	192
Effect of land use types on stream water quality under seasonal variation and topographic characteristics in the Wei River basin, China S. Yu, Z. Xu (Beijing, China), W. Wu (Jinan, China) and D. Zuo (Beijing, China) . . . . .	202
An assessment of soil erosion prevention by vegetation in Mediterranean Europe: Current trends of ecosystem service provision C.A. Guerra (Évora, Portugal and Ispra, Italy), J. Maes (Ispra, Italy), I. Geijzendorffer (Aix-en-Provence, France) and M.J. Metzger (Edinburgh, UK) . . . . .	213
How do ecologists select and use indicator species to monitor ecological change? Insights from 14 years of publication in <i>Ecological Indicators</i> A.A.H. Siddig (Amherst, MA, USA and Petersham, MA, USA), A.M. Ellison (Petersham, MA, USA), A. Ochs (South Hadley, MA, USA), C. Villar-Leeman (Brunswick, MA, USA) and M.K. Lau (Petersham, MA, USA) . . . . .	223
Modeling the ecological niche of long-term land use changes: The role of biophysical factors S. Bajocco (Rome, Italy), T. Ceccarelli (Wageningen, Netherlands), D. Smiraglia, L. Salvati and C. Ricotta (Rome, Italy) . . . . .	231
Environmental monitoring through functional biodiversity tools T. Di Battista, F. Fortuna and F. Maturo (Chieti-Pescara, Italy) . . . . .	237
The influence of watershed land use cover on stream fish diversity and size-at-age of a generalist fish R. Filgueira (Moncton, Canada), J.M. Chapman (Ottawa, Canada), C.D. Suski (Urbana, IL, USA) and S.J. Cooke (Ottawa, Canada) . . . . .	248
Distribution of toxic elements between biotic and abiotic components of terrestrial ecosystem along an urbanization gradient: Soil, leaf litter and ground beetles E. Simon, S. Harangi, E. Baranyai, M. Braun, I. Fábrián, S. Mízser, L. Nagy and B. Tóthmérész (Debrecen, Hungary) . . . . .	258
Diatoms are better indicators of urban stream conditions: A case study in Beijing, China X. Chen, W. Zhou (Beijing, PR China), S.T.A. Pickett (Millbrook, NY, USA), W. Li, L. Han and Y. Ren (Beijing, PR China) . . . . .	265
Carbon footprint of a scientific publication: A case study at Dalian University of Technology, China G. Song, L. Che and S. Zhang (Dalian, China) . . . . .	275
The historical ecological footprint: From over-population to over-consumption G. Toth and C. Szigei (Hungary) . . . . .	283
An experimental protocol to select nematode species from an entire community using progressive sedimentary enrichment F. Boufahja (Zarzouna, Tunisia), F. Semprucci (Urbino, Italy) and H. Beyrem (Zarzouna, Tunisia) . . . . .	292
Using the biomasses of soil nematode taxa as weighting factors for assessing soil food web conditions J. Zhao, D. Li (Changsha, PR China and Huanjiang, PR China), S. Fu (Guangzhou, PR China), X. He, Z. Fu, W. Zhang and K. Wang (Changsha, PR China and Huanjiang, PR China) . . . . .	310
Moving Window Abundance — A method to characterise the abundance dynamics of farmland birds: The example of Skylark ( <i>Alauda arvensis</i> ) J. Hoffmann, U. Wittchen (Kleinmachnow, Germany), U. Stachow and G. Berger (Müncheberg, Germany) . . . . .	317
Ecological vulnerability indicators M.A. Beroya-Eitner (Bayreuth, Germany) . . . . .	329
Aquatic biota as potential biological indicators of the contamination, bioaccumulation and health risks caused by organochlorine pesticides in a large, shallow Chinese lake (Lake Chaohu) W.-X. Liu, Y. Wang, W. He, N. Qin, X.-Z. Kong, Q.-S. He, B. Yang, C. Yang, Y.-J. Jiang (Beijing, China), S.E. Jorgensen (Copenhagen Ø, Denmark) and F.-L. Xu (Beijing, China) . . . . .	335
A review and assessment of the potential use of RNA:DNA ratios to assess the condition of entrained fish larvae C.J. Foley (West Lafayette, IN, USA), D.L. Bradley (Ann Arbor, MI, USA) and T.O. Höök (West Lafayette, IN, USA) . . . . .	346

(Contents continued from inside back cover)

Comparing methods used in estimating biodiversity on sandy beaches: Pitfall vs. quadrat sampling L. Fanini (Heraklion, Greece and Sydney, Australia) and J.K. Lowry (Sydney, Australia) .....	358
An innovative drinking water nutritional quality index (DWNQI) for assessing drinking water contribution to intakes of dietary elements: A national and sub-national study in Iran M. Abtahi, K. Yaghmaeian, M.R. Mohebbi (Tehran, Iran), A. Koulivand (Arak, Iran), M. Rafiee, M. Jahangiri-rad (Tehran, Iran), S. Jorfi (Ahvaz, Iran), R. Saeedi and S. Oktaie (Tehran, Iran).....	367
Viability of gut microbes as a complementary earthworm biomarker of metal exposure S.W. Kim, Y. Chae, J.I. Kwak and Y.-J. An (Seoul, Republic of Korea) .....	377
Predictors of mammal species richness in KwaZulu-Natal, South Africa T. Ramesh, R. Kalle and C.T. Downs (KwaZulu-Natal, South Africa) .....	385
Relationship between the natural abundance of soil nitrogen isotopes and condition in North Dakota wetlands L.M. Meyers (Fargo, ND, USA), A.M. Nahlik (Corvallis, OR, USA) and E.S. DeKeyser (Fargo, OR, USA).....	394
Quantification of the water, energy and carbon footprints of wastewater treatment plants in China considering a water-energy nexus perspective Y. Gu, Y.-n. Dong, H. Wang (Shanghai, China), A. Keller (Santa Barbara, CA, USA), J. Xu (Shanghai, China), T. Chiramba (Nairobi, Kenya) and F. Li (Shanghai, China) .....	402
Testing the use of best professional judgment to create biological benchmarks for habitat assessment of wetlands and oak savannas in northwestern Indiana B. Gordon (St. Paul, MN, USA), P.E. Rothrock (Bloomington, IN, USA) and P. Labus (Whiting, IN, USA) .....	410
Application of signal detection theory approach for setting thresholds in benthic quality assessments R. Chuševė (Klaipėda, Lithuania), H. Nygård (Helsinki, Finland), D. Vaičiūtė (Klaipėda, Lithuania), D. Daunys (Klaipėda, Lithuania) and Anastasija Zaikoa (Klaipėda, Lithuania and Nelson, New Zealand).....	420
Selecting indicator species of infrastructure impacts using network analysis and biological traits: Bird electrocution and power lines J.M. Pérez-García (Elche, Spain), E. Sebastián-González (Brazil), F. Botella and J.A. Sánchez-Zapata (Elche, Spain) .....	428
Assessing water scarcity by simultaneously considering environmental flow requirements, water quantity, and water quality J. Liu, Q. Liu (Beijing, China) and H. Yang (Duebendorf, Switzerland and Basel, Switzerland).....	434
A review of methodologies and success indicators for coastal wetland restoration Q. Zhao, J. Bai (Beijing, PR China), L. Huang, B. Gu (Gainesville, FL, USA), Q. Lu and Z. Gao (Beijing, PR China) .....	442
Autophagy in response to environmental stresses: New monitoring perspectives B.L. Tang (Singapore) .....	453
Forage nutritional characteristics and yield dynamics in a grazed semiarid steppe ecosystem of Inner Mongolia, China H. Ren (Nanjing, China, Kiel, Germany and Hohhot, China), G. Han (Hohhot, China), P. Schönbach, M. Gierus and F. Taube (Kiel, Germany) .....	460
Assessing hydrologic alteration: Evaluation of different alternatives according to data availability F.J. Peñas, J. Barquín and C. Álvarez (Santander, Spain) .....	470
Detection of sensitive soil properties related to non-point phosphorus pollution by integrated models of SEDD and PLOAD C. Lin, Z. Wu, R. Ma (Nanjing, China) and Z. Su (Nanjing, China and Jinhua, China) .....	483
Using species traits to assess human impacts on near shore benthic ecosystems in the Canadian Arctic K. Krumhansl, R. Jamieson and W. Krkosek (Halifax, Canada).....	495
Applying remote sensing techniques to monitoring seasonal and interannual changes of aquatic vegetation in Taihu Lake, China J. Luo, X. Li, R. Ma, F. Li, H. Duan, W. Hu, B. Qin (Nanjing, China) and W. Huang (Beijing, China).....	503
The evaluation of environmental capacity: Evidence in Hunan province of China Y.-J. Zhang and J.-F. Hao (Changsha, PR China) .....	514
Detecting significant change in stream benthic macroinvertebrate communities in wilderness areas A.M. Milner (Birmingham, UK and Fairbanks, AK, USA), A. Woodward (Seattle, WA, USA), J.E. Freilich (Port Angeles, WA, USA), R.W. Black (Tacoma, WA, USA) and V.H. Resh (Berkeley, CA, USA).....	524
Response of wetland soil carbon to groundwater conservation: Probabilistic outcomes from error propagation D.B. Lewis (Tampa, FL, USA).....	538
Identification of hot spots within harbour sediments through a new cumulative hazard index. Case study: Port of Bari, Italy M. Malí, M.M. Dell'Anna, P. Mastrorilli, L. Damiani, N. Ungaro (Bari, Italy), A. Gredilla and S. Fdez-Ortiz de Vallejuelo (Bilbao, Spain) .....	548

An interaction index to predict turtle bycatch in a Mediterranean bottom trawl fishery A. Lucchetti (Ancona, Italy), J. Pulcinella (Ancona, Italy and Roma, Italy), V. Angelini, S. Pari (Riccione, Italy), T. Russo and S. Cataudella (Roma, Italy).....	557
Sustainable Development Goals: A need for relevant indicators T. Hák, S. Janoušková and B. Moldan (Prague, Czech Republic) .....	565
Gini coefficient predictions from airborne lidar remote sensing display the effect of management intensity on forest structure R. Valbuena, K. Eerikäinen, P. Packalen and M. Maltamo (Joensuu, Finland).....	574
Early warning signals as indicators of cyclostationarity in three-species hierarchies N. Wouters (Lisboa, Portugal and Brussels, Belgium), M.P. Serafim (Lisboa, Portugal), P.J. Valayer (Brussels, Belgium), B.C. Kirkup (Boston, MA, USA, Silver Spring, MD, USA and Bethesda, MD, USA), Y.J. Wang (Camden, NJ, USA) and H.N. Cabral (Lisboa, Portugal).....	586
Impacts of a tertiary treated municipal wastewater effluent on the carbon and nitrogen stable isotope signatures of two darter species ( <i>Etheostoma blennioides</i> and <i>E. caeruleum</i> ) in a small receiving environment C.S. Robinson (Waterloo, Canada), G.R. Tetreault (Waterloo, Canada and Burlington, Canada), M.E. McMaster (Burlington, Canada) and M.R. Servos (Waterloo, Canada).....	594
Material flow analysis for Europe: An exergoecological approach G. Calvo, A. Valero and A. Valero (Zaragoza, Spain).....	603
The Foram Stress Index: A new tool for environmental assessment of soft-bottom environments using benthic foraminifera. A case study from the Saronikos Gulf, Greece, Eastern Mediterranean M.D. Dimiza, M.V. Triantaphyllou, O. Koukousioura (Athens, Greece), P. Hallock (St. Petersburg, FL, USA), N. Simboura, A.P. Karageorgis and E. Papatthanasiou (Anavyssos, Greece) .....	611
An emergy evaluation of the sustainability of Chinese crop production system during 2000–2010 X.-H. Zhang, R. Zhang, J. Wu, Y.-Z. Zhang, L.-L. Lin, S.-H. Deng, L. Li, G. Yang, X.-Y. Yu, H. Qi and H. Peng (Chengdu, PR China) .....	622
Applying the Water Footprint and dynamic Structural Decomposition Analysis on the growing water use in China during 1997–2007 Z. Yang (Beijing, China and Irvine, USA), H. Liu (Waterloo, Canada), X. Xu (Beijing, China) and T. Yang (Irvine, CA, USA).....	634
Developing an ethics-based approach to indicators of sustainable agriculture using analytic hierarchy process (AHP) H. Veisi, H. Liaghati and A. Alipour (Iran) .....	644
Rainbow Trout diets and macroinvertebrates assemblages responses from watersheds dominated by native and exotic plantations P. Fierro, L. Quilodrán, C. Bertrán (Chile), I. Arismendi (USA), J. Tapia, F. Peña-Cortés, E. Hauenstein, R. Arriagada, E. Fernández and L. Vargas-Chacoff (Chile).....	655
Validating Landsat-based landscape metrics with fine-grained land cover data J.R. Parent and J.C. Volin (Storrs, CT, USA).....	668
Dynamic Quality Index for agricultural soils based on fuzzy logic E. Rodríguez, R. Peche (Vitoria-Gasteiz, Spain), C. Garbisu (Derio, Spain), I. Gorostiza (Zamudio, Spain), L. Epelde (Derio, Spain), U. Artetxe, A. Irizar, M. Soto, J.M <sup>a</sup> . Becerril (Leioa, Spain) and J. Etxebarria (Zamudio, Spain) .....	678
Finding academic concerns of the Three Gorges Project based on a topic modeling approach H. Jiang, M. Qiang and P. Lin (Beijing, China) .....	693
Estimating crop yield using a satellite-based light use efficiency model W. Yuan, Y. Chen, J. Xia, W. Dong (Beijing, China), V. Magliulo (Ercolano, Italy), E. Moors (Wageningen, The Netherlands), J.E. Olesen (Tjele, Denmark) and H. Zhang (Beijing, China).....	702
Empirical evaluation of sustainability of divergent farms in the dryland farming systems of India A. Haileslassie (Addis Ababa, Ethiopia), P. Craufurd (Nairobi, Kenya), R. Thiagarajah, S. Kumar, A. Whitbread, A. Rathor (Hyderabad, India), M. Blummel (Addis Ababa, Ethiopia), P. Ericsson (Nairobi, Kenya) and K.R. Kakumanu (Addis Ababa, Ethiopia).....	710
Suitability index for restoration in landscapes: An alternative proposal for restoration projects L.A. Bortoleto, C.J.M. Figueira (Sorocaba, Brazil), J.B. Dunning Jr (West Lafayette, IN, USA), J. Rodgers (Starkville, MS, USA) and A.M. da Silva (Sorocaba, Brazil).....	724
Spatial mismatches between plant biodiversity facets and evolutionary legacy in the vicinity of a major Mediterranean city M. Pouget (Aix-en-Provence, France), S. Youssef (Kurdistan Region, Iraq), P.-J. Dumas (Aix-en-Provence, France), T. Baumberger (Marseille, France), A. San Roman, F. Torre, L. Affre, F. Médail and A. Baumel (Aix-en-Provence, France).....	736

Impact of abundance data errors on the uncertainty of an ecological water quality assessment index S. Gobeyn, E. Bennetsen, W. Van Echelpoel, G. Everaert and P.L.M. Goethals (Ghent, Belgium).....	746
An inquiry into inter-provincial carbon emission difference in China: Aiming to differentiated KPIs for provincial low carbon development H. Bai, S. Qiao, T. Liu (Tianjin, PR China), Y. Zhang (Hong Kong, China) and H. Xu (Tianjin, PR China) ....	754
Bacterial communities in water and sediment shaped by paper mill pollution and indicated bacterial taxa in sediment in Daling River J. Guo (Beijing, China and Dalian, China), L. Zhao (Dalian, China), W. Lu (Harbin, China), H. Jia and Y. Sun (Dalian, China) .....	766
Natural peat bog remnants promote distinct spider assemblages and habitat specific traits S. Buchholz (Berlin, Germany).....	774
Using lichen biomonitoring to assess environmental justice at a neighbourhood level in an industrial area of Northern France F. Occelli (Lille, France and Loos, France), R. Bavdek (Dunkerque, France), A. Deram (Lille, France and Loos, France), A.-P. Hellequin (Dunkerque, France), M.-A. Cuny (Loos, France), I. Zwarterook (Dunkerque, France) and D. Cuny (Lille, France).....	781
An indicator framework for assessing the technology aspect of Integrated Lake Basin Management for Lake Malawi Basin C.L. Chidammodzi and V.S. Muhandiki (Japan).....	789
Evaluating ecological states of rocky intertidal communities: A Best Professional Judgment exercise S.N. Murray (Fullerton, CA, USA), S.B. Weisberg (Costa Mesa, CA, USA), P.T. Raimondi (Santa Cruz, CA, USA), R.F. Ambrose (Los Angeles, CA, USA), C.A. Bell (Santa Cruz, CA, USA), C.A. Blanchette (Santa Barbara, CA, USA), J.L. Burnaford (Fullerton, CA, USA), M.N. Dethier (Friday Harbor, WA, CA, USA), J.M. Engle (Santa Barbara, CA, USA), M.S. Foster (Moss Landing, CA, USA), C.M. Miner (Santa Cruz, CA, USA), K.J. Nielsen (Tiburon, CA, USA), J.S. Pearse (Santa Cruz, CA, USA), D.V. Richards (Ventura, CA, USA) and J.R. Smith (Pomona, CA, USA).....	802
Assessing the multicomponent aspect of coral fish diversity: The impact of sampling unit dimensions N. Loiseau, J.-C. Gaertner (Papeete, French Polynesia), M. Kulbicki (Banyuls/mer, France), B. Mérigot (Sète, France), G. Legras, M. Taquet and N. Gaertner-Mazouni (Papeete, French Polynesia).....	815
Testing environmental Kuznets curve hypothesis: The role of renewable and non-renewable energy consumption and trade in OECD countries M.B. Jebli, S.B. Youssef (Tunisia) and I. Ozturk (Mersin, Turkey).....	824
Do factors describing forest naturalness predict the occurrence and abundance of middle spotted woodpecker in different forest landscapes? K. Stachura-Skierczyńska and Z. Kosiński (Poznań, Poland) .....	832
Parasite prevalence in an intermediate snail host is subject to multiple anthropogenic stressors in a New Zealand river system H. Hofmann (Dunedin, New Zealand), I. Blasco-Costa (Dunedin, New Zealand and Genève, Switzerland), R. Knudsen (Dunedin, New Zealand and Tromsø, Norway), C.D. Matthaei, A. Valois (Dunedin, New Zealand) and K. Lange (Dunedin, New Zealand and Kastanienbaum, Switzerland).....	845
Estimating the environmental Kuznets curve for Spain by considering fuel oil prices (1874–2011) J. Balaguer and M. Cantavella (Castellón, Spain).....	853
An indicator system to assess ecological integrity of managed forests R.S. Rempel (Thunder Bay, Canada), B.J. Naylor (North Bay, Canada), P.C. Elkie, J. Baker, J. Churcher and M.J. Gluck (Thunder Bay, Canada) .....	860
Comparison of boosted regression tree and random forest models for mapping topsoil organic carbon concentration in an alpine ecosystem R.-M. Yang, G.-L. Zhang (Nanjing, China and Beijing, China), F. Liu (Nanjing, China), Y.-Y. Lu, F. Yang, F. Yang, M. Yang (Nanjing, China and Beijing, China), Y.-G. Zhao and D.-C. Li (Nanjing, China).....	870
The studies of ecological environmental quality assessment in Anhui Province based on ecological footprint C.-l. Miao, L.-y. Sun and L. Yang (Huainan, China).....	879
Development of concepts for human labour accounting in Emergy Assessment and other Environmental Sustainability Assessment methods A. Kamp, F. Morandi and H. Østergård (Kgs. Lyngby, Denmark).....	884
How does imperviousness impact the urban rainfall-runoff process under various storm cases? L. Yao, W. Wei and L. Chen (Beijing, China) .....	893
Micro-topography driven vegetation patterns in open mosaic landscapes C. Alexander (Freiberg, Germany), B. Deák (Freiberg, Germany and Debrecen, Hungary) and H. Heilmeyer (Freiberg, Germany).....	906

A multivariate analysis integrating ecological, socioeconomic and physical characteristics to investigate urban forest cover and plant diversity in Beijing, China H.-F. Wang (Beijing, China), S. Qureshi (Berlin, Germany, UK and Bayreuth, Germany), B.A. Qureshi (Karachi, Pakistan), J.-X. Qiu (Madison, USA), C.R. Friedman (British Columbia, Canada), J. Breuste (Austria) and X.-K. Wang (Beijing, China) .....	921
Economic and environmental feasibility of beef production in different feed management systems in the Pampa biome, southern Brazil C.F. Ruviaro, J.S. da Costa, T.J. Florindo, W. Rodrigues, G.I.B. de Medeiros and P.S. Vasconcelos (Brazil).....	930
Artificial mussels as indicators of metal pollution in freshwater systems: A field evaluation in the Koekemoer Spruit, South Africa L. Claassens, S. Dahms, J.H.J. van Vuren and R. Greenfield (Auckland Park, South Africa) .....	940
Ecological indicators to capture the effects of fishing on biodiversity and conservation status of marine ecosystems M. Coll (Sète Cedex, France and Barcelona, Spain), L.J. Shannon (Cape Town, South Africa), K.M. Kleisner (Woods Hole, MA, USA), M.J. Juan-Jordá (Pasaia, Spain and Burnaby, Canada), A. Bundy (Dartmouth, Canada), A.G. Akoglu (Erdemli, Turkey), D. Banaru (Marseille Cedex 09, France), J.L. Boldt (Nanaimo, Canada), M.F. Borges (Lisboa, Portugal), A. Cook (Dartmouth, Canada), I. Diallo (Conakry, Guinea), C. Fu (Nanaimo, Canada), C. Fox (Argyll, UK), D. Gascuel (Rennes Cedex, France), L.J. Gurney (Canada), T. Hattab (Amiens, France), J.J. Heymans (Argyll, UK), D. Jouffre (Dakar, Senegal), B.R. Knight (Nelson, New Zealand), S. Kucukavsar (Erdemli, Turkey), S.I. Large (Woods Hole, MA, USA), C. Lynam (Suffolk, UK), A. Machias (Elliniko, Greece), K.N. Marshall (Seattle, WA, USA), H. Masski (Casablanca, Morocco), H. Ojaveer (Pärnu, Estonia), C. Piroddi (Barcelona, Spain, and Ispra (VA), Italy), J. Tam (Lima, Peru), D. Thiao, M. Thiaw (Dakar, Senegal), M.A. Torres (Cádiz, Spain and Öregrund, Sweden), M. Travers-Trolet (Boulogne sur mer, France), K. Tsagarakis (Elliniko, Greece), I. Tuck (Auckland, New Zealand), G.I. van der Meer (Bergen, Norway), D. Yemane (Cape Town, South Africa), S.G. Zador (Seattle, WA, USA) and Y.-J. Shin (Sète Cedex, France and Cape Town, South Africa).....	947
Sediment cores from shallow lakes preserve reliable, informative paleoenvironmental archives despite hurricane-force winds W.F. Kenney, M. Brenner, T.E. Arnold, J.H. Curtis and C.L. Schelske (Gainesville, FL, USA) .....	963
Aligning indicators of community composition and biogeochemical function in stream monitoring and ecological assessments T.B. Parr, C.S. Cronan (Orono, ME, USA), T.J. Danielson, L. Tsomides (Augusta, ME, USA) and K.S. Simon (Auckland, New Zealand).....	970
Insights into discriminating water quality status using new biodiversity measures based on a trait hierarchy of body-size units G. Xu, Y. Xu and H. Xu (Qingdao, China).....	980
Bycatch and strandings programs as ecological indicators for data-limited cetaceans J.J. Meager and W.D. Sumpton (Brisbane, Australia) .....	987
Analyzing the sustainable energy development in the EU-15 by an aggregated synthetic index M.T. García-Álvarez, B. Moreno (Spain) and I. Soares (Portugal) .....	996
Indicators for spatial-temporal comparisons of ecosystem service status between regions: A case study of the Taihu River Basin, China J. Li, H. Jiang (Suzhou, China), Y. Bai (Shanghai, China), J.M. Alatalo (Doha, Qatar), X. Li, H. Jiang (Suzhou, China), G. Liu (Nanjing, China) and J. Xu (Suzhou, China) .....	1008
How to assess urban development potential in mountain areas? An approach of ecological carrying capacity in the view of coupled human and natural systems J. Peng, Y. Du, Y. Liu and X. Hu (Beijing, China).....	1017
Estimation and uncertainty analyses of grassland biomass in Northern China: Comparison of multiple remote sensing data sources and modeling approaches W. Jia, M. Liu (Shanghai, PR China), Y. Yang, H. He (Beijing, PR China), X. Zhu (Fort Collins, CO, USA and Berkeley, CA, USA), F. Yang, C. Yin and W. Xiang (Shanghai, PR China) .....	1031
Consistent response of crown transparency, shoot growth and leaf traits on Norway spruce ( <i>Picea abies</i> (L.) H. Karst.) trees along an elevation gradient in northern Italy E. Gottardini, F. Cristofolini, A. Cristofori, F. Camin (San Michele all'Adige, Italy), M. Calderisi and M. Ferretti (Monterotondo M.mo, Italy) .....	1041
A comparative study of the accuracy and effectiveness of Line and Point Intercept Transect methods for coral reef monitoring in the southwestern Indian Ocean islands M. Facon (Gradignan, France and Paris, France), M. Pinault (Perpignan, France and Saint-Leu, Reunion), D. Obura (Mombasa, Kenya), S. Pioch (Montpellier, France), K. Pothin (Saline les Bains, Reunion), L. Bigot (Saint-Denis, Reunion), R. Garnier and J.-P. Quod (Sainte-Clotilde, Reunion) .....	1045

Projecting alternative urban growth patterns: The development and application of a remote sensing assisted calibration framework for the Greater Dublin Area	
T. Van de Voorde (Brussels, Belgium), J. van der Kwast (Delft, The Netherlands), L. Poelmans (Mol, Belgium), F. Canters (Brussels, Belgium), M. Binard, Y. Cornet (Liège, Belgium), G. Engelen, I. Uljee (Mol, Belgium), H. Shahumyan, B. Williams, S. Convery (Dublin, Ireland) and C. Lavalle (Ispra, Italy) .....	1056
Soil nitrogen and carbon determine the trade-off of the above- and below-ground biomass across alpine grasslands, Tibetan Plateau	
J. Sun (Beijing, China) and H. Wang (Chengdu, China) .....	1070
Dam-associated multiple-stressor impacts on fungal biomass and richness reveal the initial signs of ecosystem functioning impairment	
F. Colas (Toulouse, France), J.-M. Baudoin (Aix-en-Provence, France), E. Chauvet (Toulouse, France), H. Clivot, M. Danger, F. Guérol and S. Devin (Metz, France) .....	1077
An improved methodology for calculating the nitrogen footprint of seafood	
A. Oita (Hodogaya, Japan), I. Nagano (Hachioji, Japan) and H. Matsuda (Hodogaya, Japan) .....	1091
Indicators-based spatial SWOT analysis: Supporting the strategic planning and management of complex territorial systems	
E. Comino (Torino, Italy) and V. Ferretti (London, UK).....	1104
Multivariate analysis of biochemical responses using non-invasive methods to evaluate the health status of the endangered blackfin goodeid ( <i>Girardinichthys viviparus</i> )	
R. Dzul-Caamal, H.F. Olivares-Rubio, L. Salazar-Coria, M.A. Rocha-Gómez and A. Vega-López (México, Mexico).....	1118
Spatial autocorrelation potentially indicates the degree of changes in the predictive power of environmental factors for plant diversity	
D. Kim (Lexington, KY, USA) and Y.H. Shin (Seoul, Republic of Korea).....	1130
Testing a rapid Floristic Quality Index on headwater wetlands in central Pennsylvania, USA	
S.J. Chamberlain and R.P. Brooks (University Park, PA, USA).....	1142
Assessing the ecological status of seagrasses using morphology, biochemical descriptors and microbial community analyses. A study in <i>Halophila stipulacea</i> (Forsk.) Aschers meadows in the northern Red Sea	
A.Y. Mejia, A. Rotini (Rome, Italy), F. Lacasella (Madison, WI, USA), R. Bookman (Haifa, Israel), M.C. Thaller (Rome, Italy), R. Shem-Tov, G. Winters (Neve Zohar, Israel) and L. Migliore (Rome, Italy).....	1150
Importance of spatial scale in structuring emergent lake vegetation across environmental gradients and scales: GIS-based approach	
J. Alahuhta, J. Luukinoja, H. Tukiainen and J. Hjort (Finland).....	1164
Grey water footprint assessment at the river basin level: Accounting method and case study in the Segura River Basin, Spain	
F. Pellicer-Martínez and J.M. Martínez-Paz (Murcia, Spain).....	1173
A review on eco-city evaluation methods and highlights for integration	
H. Dong, T. Fujita (Tsukuba, Japan), Y. Geng (Shanghai, China), L. Dong, S. Ohnishi, L. Sun, Y. Dou and M. Fujii (Tsukuba, Japan).....	1184
Evaluating the implementation of the Pan-European Criteria and indicators for sustainable forest management – A SWOT analysis	
T. Baycheva-Merger (Freiburg, Germany) and B. Wolfslehner (Vienna, Austria).....	1192
Carrying capacity using emergy and a new calculation of the ecological footprint	
E.S. Nakajima and E. Ortega (Brazil).....	1200
Assessment of the cover changes and the soil loss potential in European forestland: First approach to derive indicators to capture the ecological impacts on soil-related forest ecosystems	
P. Borrelli, P. Panagos (Ispra (VA), Italy), J. Langhammer (Prague, Czech Republic), B. Apostol (Ispra (VA), Italy) and B. Schütt (Berlin, Germany) .....	1208
<i>Pleurochaete squarrosa</i> (Brid.) Lindb. as an alternative moss species for biomonitoring surveys of heavy metal, nitrogen deposition and $\delta^{15}\text{N}$ signatures in a Mediterranean area	
S. Izquieta-Rojano, D. Elustondo, A. Ederra, E. Lasheras, C. Santamaría and J.M. Santamaría (Pamplona, Spain) .....	1221
Accelerated urban sprawl in Montreal, Quebec City, and Zurich: Investigating the differences using time series 1951–2011	
N. Nazarnia (Montreal, Canada), C. Schwick (Zurich, Switzerland and Birmensdorf, Switzerland) and J.A.G. Jaeger (Montreal, Canada) .....	1229
Recurrence intervals of spatially simulated hydrologic metrics for restoration of Cape Sable seaside sparrow ( <i>Ammodramus maritimus mirabilis</i> ) habitat	
L. Pearlstine (Homestead, FL, USA), A. Lo Galbo (Norfolk, VA, USA), G. Reynolds, J. Holly Parsons, T. Dean, M. Alvarado (Homestead, FL, USA) and K. Suir (Lafayette, LA, USA) .....	1252

---

Phenologic metrics derived from MODIS NDVI as indicators for Plant Available Water-holding Capacity S. Araya, G. Lyle, M. Lewis and B. Ostendorf (South Australia, Australia) .....	1263
Site-based and remote sensing methods for monitoring indicators of vegetation condition: An Australian review V. Lawley, M. Lewis, K. Clarke and B. Ostendorf (South Australia, Australia).....	1273
A remote sensing spatio-temporal framework for interpreting sparse indicators in highly variable arid landscapes E.F. Lawley, M.M. Lewis and B. Ostendorf (Australia).....	1284
Linking spatial inundation indicators and hydrological modelling to improve assessment of inundation extent M.S. Gibbs, K. Clarke and B. Taylor (Adelaide, Australia) .....	1298
A generalizable NDVI-based wetland delineation indicator for remote monitoring of groundwater flows in the Australian Great Artesian Basin D.C. White, M.M. Lewis, G. Green (Adelaide, Australia) and T.B. Gotch (Roxby Downs, Australia) .....	1309