

LWT—Food Science and Technology

Contents

Volume 66, 2016

Research papers

- Investigation the effects of protein hydration states on the mobility water and fat in meat batters by LF-NMR technique**
J.-H. Shao, Y.-M. Deng, L. Song, A. Batur, N. Jia and D.-Y. Liu 1
- Escherichia coli* O157:H7 and *Salmonella* Typhimurium inactivation by the effect of mandarin, lemon, and orange by-products in reference medium and in oat-fruit juice mixed beverage**
M. Sanz-Puig, M.C. Pina-Pérez, A. Martínez-López and D. Rodrigo 7
- Mycelial biomass and intracellular polysaccharides yield of edible mushroom *Agaricus blazei* produced in wheat extract medium**
F.-H. Zhai and J.-R. Han 15
- Prevalence, antimicrobial resistance and virulence traits in enterococci from food of animal origin in Turkey**
E.Ş. Yılmaz, Ö. Aslantaş, S.P. Önen, S. Türkyılmaz and C. Kürekcı 20
- Effect of processing on the content and biological activity of polysaccharides from *Pleurotus ostreatus* mushroom**
W. Radzki, M. Ziąja-Soltys, J. Nowak, J. Rzymowska, J. Topolska, A. Sławińska, M. Michalak-Majewska, M. Zalewska-Korona and A. Kuczumow 27
- Refractance Window drying of pomegranate juice: Quality retention and energy efficiency**
V. Baeghbali, M. Niakousari and A. Farahnaky 34
- Physicochemical properties of Alaska pollock (*Theragra chalcogramma*) surimi gels with oat bran**
F. Alakhrash, U. Anyanwu and R. Tahergorabi 41
- Influence of enzymatically produced sunflower oil based cocoa butter equivalents on the phase behavior of cocoa butter and quality of dark chocolate**
S. Kadivar, N. De Clercq, M. Mokbul and K. Dewettinck 48
- Changes in phenolic compounds and their antioxidant capacities in jujube (*Ziziphus jujuba* Miller) during three edible maturity stages**
B. Wang, Q. Huang, C. Venkitasamy, H. Chai, H. Gao, N. Cheng, W. Cao, X. Lv and Z. Pan 56
- Viscoelastic behavior and physico-chemical characteristics of heated swai-fish (*Pangasius hypophthalmus*) based emulsion containing fermented soybeans**
J. Techarang, A. Apichartsrangkoon, P. Pathomrungruangsuyonggul, P. Chaikham and K. Dajanta 63
- Impact of cooking and germination on phenolic composition and dietary fibre fractions in dark beans (*Phaseolus vulgaris* L.) and lentils (*Lens culinaris* L.)**
M. Dueñas, T. Sarmiento, Y. Aguilera, V. Benitez, E. Mollá, R.M. Esteban and M.A. Martín-Cabrejas 72
- Optimization and rheological properties of chicken ball as affected by κ -carrageenan, fish gelatin and chicken meat**
H. Yasin, A.S. Babji and H. Ismail 79

Monitoring of alcohol strength and titratable acidity of apple wine during fermentation using near-infrared spectroscopy <i>B. Peng, N. Ge, L. Cui and H. Zhao</i>	86
Structure preservation of Aloe vera (<i>barbadensis</i> Miller) mucilage in a spray drying process <i>L. Medina-Torres, F. Calderas, R. Minjares, A. Femenia, G. Sánchez-Olivares, F.R. González-Laredo, R. Santiago-Adame, D.M. Ramirez-Nuñez, J. Rodríguez-Ramírez and O. Manero</i>	93
Bioactive compounds from mustard flours for the control of patulin production in wheat tortillas <i>F. Saladino, L. Manyes, F.B. Luciano, J. Mañes, M. Fernandez-Franzon and G. Meca</i>	101
Inactivation of bacteria and murine norovirus in untreated groundwater using a pilot-scale continuous-flow intense pulsed light (IPL) system <i>J.Y. Yi, N.-H. Lee and M.-S. Chung</i>	108
Effect of extrusion process on antinutritional factors and protein and starch digestibility of lentil splits <i>R.P. Rathod and U.S. Annapure</i>	114
Characterization of interphase volatile compounds in Chinese <i>Luzhou</i>-flavor liquor fermentation cellar analyzed by head space-solid phase micro extraction coupled with gas chromatography mass spectrometry (HS-SPME/GC/MS) <i>X. Ding, C. Wu, J. Huang and R. Zhou</i>	124
Combined effect of prefermentative cold soak and SO₂ additions in Barbera D'Asti and Malbec wines: Anthocyanin composition, chromatic and sensory properties <i>L. Federico Casassa, E.A. Bolcato, S.E. Sari, M.L. Fanzone and V.P. Jofré</i>	134
Effect of rotating magnetic field and flowing Ca²⁺ solution on calcium uptake rate of fresh-cut apple <i>Y. Jin, N. Yang, Q. Tong and X. Xu</i>	143
Effects of adjustable parallel high voltage electrostatic field on the freshness of tilapia (<i>Oreochromis niloticus</i>) during refrigeration <i>W.-C. Ko, S.-Y. Yang, C.-K. Chang and C.-W. Hsieh</i>	151
Effect of indigenous <i>Lactobacillus rhamnosus</i> isolated from bovine milk on microbiological characteristics and aromatic profile of traditional yogurt <i>N. Innocente, M. Biasutti, F. Rita, R. Brichese, G. Comi and L. Iacumin</i>	158
Combination of carboxymethyl cellulose-based coatings with calcium and ascorbic acid impacts in browning and quality of fresh-cut apples <i>M. Koushesh Saba and O.B. Sogvar</i>	165
Effect of processing factors on Shea (<i>Vitellaria paradoxa</i>) butter extraction <i>G.A. Yonas, E.A. Shimelis and A.F. Sisay</i>	172
Particle size distribution of soy flour affecting the quality of enriched gluten-free cakes <i>N. Dhen, L. Román, I. Ben Rejeb, M.M. Martínez, M. Garogouri and M. Gómez</i>	179
Gelatin from clown featherback skin: Extraction conditions <i>P. Kittiphattanabawon, S. Benjakul, S. Sinthusamran and H. Kishimura</i>	186
Modelling phenolic and volatile composition to characterize the effects of pre-fermentative cold soaking in Tempranillo wines <i>J.L. Aleixandre-Tudó, I. Álvarez, V. Lizama, H. Nieuwoudt, M.J. García, J.L. Aleixandre and W.J. du Toit</i>	193
Effects of dispersing media and heating rates on pasting profiles of wheat and gluten-free samples in relation to their solvent retention capacities and mixing properties <i>M. Mariotti, M. Lucisano, M.A. Pagani and P.K.W. Ng</i>	201
Effects of added inulin and wheat gluten on structure of rye porridge <i>J.L. Vázquez-Gutiérrez, D. Johansson and M. Langton</i>	211
A new milk-clotting enzyme produced by <i>Bacillus</i> sp. P45 applied in cream cheese development <i>A.C. Lemes, Y. Pavón, S. Lazzaroni, S. Rozycki, A. Brandelli and S.J. Kalil</i>	217
Anti-quorum sensing activity of spice oil nanoemulsions against food borne pathogens <i>G. Venkadesaperumal, S. Rucha, K. Sundar and P.H. Shetty</i>	225
Effects of tea polyphenols and different teas on pancreatic α-amylase activity <i>in vitro</i> <i>X. Yang and F. Kong</i>	232

A comparison of the bactericidal effectiveness of hydrochloric and acetic acid on <i>Staphylococcus aureus</i> in silver carp during a pH-shift protein recovery process <i>M. Ronaghi, S. Beamer, J. Jaczynski and K.E. Matak</i>	239
Antioxidant effect of spent, ground, and lyophilized brew from roasted coffee in frozen cooked pork patties <i>K.M.M. Jully, C.S. Toto and L. Were</i>	244
Influence of processing conditions on procyanidin profiles and antioxidant capacity of chocolates: Optimization of dark chocolate manufacturing by response surface methodology <i>M. Gültekin-Özgüven, İ. Berktaş and B. Özçelik</i>	252
Emulsifying properties of legume proteins at acidic conditions: Effect of protein concentration and ionic strength <i>Y. Ladjal Ettoumi, M. Chibane and A. Romero</i>	260
Pasting, thermal, morphological, rheological and structural characteristics of <i>Chenopodium</i> (<i>Chenopodium album</i>) starch <i>R. Jan, D.C. Saxena and S. Singh</i>	267
Characterization of lactic acid bacteria isolated from wheat bran sourdough <i>F. Manini, M.C. Casiraghi, K. Poutanen, M. Brasca, D. Erba and C. Plumed-Ferrer</i>	275
Rice starch and fructo-oligosaccharides as substitutes for phosphate and dextrose in whole muscle cooked hams: Sensory analysis and consumer preferences <i>V.C. Resconi, D.F. Keenan, M. Barahona, L. Guerrero, J.P. Kerry and R.M. Hamill</i>	284
Antioxidant activity of papaya seed extracts against H₂O₂ induced oxidative stress in HepG2 cells <i>S. Salla, R. Sunkara, S. Ogutu, L.T. Walker and M. Verghese</i>	293
Removal of <i>Salmonella</i> biofilm formed under meat processing environment by surfactant in combination with bio-enzyme <i>H. Wang, H. Wang, T. Xing, N. Wu, X. Xu and G. Zhou</i>	298
Effect of covalent modification by (–)-epigallocatechin-3-gallate on physicochemical and functional properties of whey protein isolate <i>Z. Jia, M. Zheng, F. Tao, W. Chen, G. Huang and J. Jiang</i>	305
Phytochemical investigations and evaluation of antidiabetic potential of <i>Prunus dulcis</i> nuts <i>M.N. Qureshi, S. Numonov, A. Abudurexiti and H.A. Aisa</i>	311
Effect of setting conditions on proteolysis and gelling properties of spotted featherback (<i>Chitala ornata</i>) muscle <i>P. Tachasirinukun, M. Chaijan and S. Riebroy</i>	318
Effect of partially gelatinized corn starch on the rheological properties of wheat dough <i>Z.-q. Fu, L.-m. Che, D. Li, L.-j. Wang and B. Adhikari</i>	324
Antimicrobial effect of essential oils in combinations against five bacteria and their effect on sensorial quality of ground meat <i>M. Ghabraie, K.D. Vu, L. Tata, S. Salmieri and M. Lacroix</i>	332
Effects of different drying–solidification processes on physical properties, volatile fraction, and antioxidant activity of non-centrifugal cane brown sugar <i>Y. Asikin, N. Hirose, H. Tamaki, S. Ito, H. Oku and K. Wada</i>	340
The effect of milk fat substitution with palm fat on lactic acid bacteria counts in cheese-like products <i>M. Aljewicz, G. Cichosz, B. Nalepa and M. Bielecka</i>	348
Microbiological and physico-chemical analysis of fermented protein-fortified cassava (<i>Manihot esculenta</i> Crantz) flour <i>M.U. Rosales-Soto, P.M. Gray, J.K. Fellman, D.S. Mattinson, G. Ünlü, K. Huber and J.R. Powers</i>	355
Peach polyphenol and carotenoid content as affected by frozen storage and pasteurization <i>A. Oliveira, E.M.C. Alexandre, M. Coelho, R.M. Barros, D.P.F. Almeida and M. Pintado</i>	361
Analysis of the variability in microbial inactivation by acid treatments <i>M.R. Rodríguez, J.S. Aguirre, A. Lianou, J. Parra-Flores and G.D. García de Fernando</i>	369
Fatty acid ethyl esters (FAEE) in extra virgin olive oil: A case study of a quality parameter <i>R.B. Gómez-Coca, G.D. Fernandes, M.d.C. Pérez-Camino and W. Moreda</i>	378
Effect of stepwise baking on the structure, browning, texture, and <i>in vitro</i> starch digestibility of cookie <i>K. Kawai, K. Hando, R. Thuwapanichayanan and Y. Hagura</i>	384

Comparison of carbonyl profiles from Czech and Spanish lagers: Traditional and modern technology <i>C. Andrés-Iglesias, J. Nešpor, M. Karabín, O. Montero, C.A. Blanco and P. Dostálek</i>	390
Melting release point of encapsulated phosphates and heating rate effects on control of lipid oxidation in cooked ground meat <i>B. Kılıç, A. Şimşek, J.R. Claus and E. Atılğan</i>	398
Simultaneous inoculation of yeasts and lactic acid bacteria: Effects on fermentation dynamics and chemical composition of Negroamaro wine <i>M. Tristezza, L. di Feo, M. Tufariello, F. Grieco, V. Capozzi, G. Spano, G. Mita and F. Grieco</i>	406
Contribution of cross-links and proteoglycans in intramuscular connective tissue to shear force in bovine muscle with different marbling levels and maturities <i>F. Wang, Y. Zhang, J. Li, X. Guo, B. Cui and Z. Peng</i>	413
Development of a combined low-methoxyl-pectin and rice-bran-extract delivery system to improve the viability of <i>Lactobacillus plantarum</i> under acid and bile conditions <i>A. Chotiko and S. Sathivel</i>	420
Probiotic characterization of lactic acid bacteria isolated from fermented foods and beverage of Ladakh <i>K. Angmo, A. Kumari, Savitri and T.C. Bhalla</i>	428
Microencapsulation of nisin in alginate beads by vibrating technology: Preliminary investigation <i>D. Maresca, A. De Prisco, A. La Storia, T. Cirillo, F. Esposito and G. Mauriello</i>	436
Production of seafood flavour formulations from enzymatic hydrolysates of fish by-products <i>I. Peinado, G. Koutsidis and J. Ames</i>	444
Extraction and characterization of acid-soluble collagen from scales and skin of tilapia (<i>Oreochromis niloticus</i>) <i>J. Chen, L. Li, R. Yi, N. Xu, R. Gao and B. Hong</i>	453
Raspberry marc extracts increase antioxidative potential, ellagic acid, ellagitannin and anthocyanin concentrations in fruit purees <i>R. Bobinaitė, P. Viskelis, Č. Bobinas, A. Mieželiienė, G. Alenčikienė and P.R. Venskutonis</i>	460
Malolactic fermentation before or during wine aging in barrels <i>P.M. Izquierdo-Cañas, A. Mena-Morales and E. García-Romero</i>	468
Enhanced curcumin permeability by SLN formulation: The PAMPA approach <i>C. Righeschi, M.C. Bergonzi, B. Isacchi, C. Bazzicalupi, P. Gratteri and A.R. Bilia</i>	475
The influence of different the drying methods on chemical composition and antioxidant activity in chokeberries <i>J. Samoticha, A. Wojdyto and K. Lech</i>	484
Seabuckthorn as a novel prebiotic source improves probiotic viability in yogurt <i>A. Gunenc, C. Houry, C. Legault, H. Mirrashed, J. Rijke and F. Hosseinian</i>	490
Effect of ultrasound treatment on physico-chemical, nutraceutical and microbial quality of strawberry <i>A. Gani, W.N. Baba, M. Ahmad, U. Shah, A.A. Khan, I.A. Wani, F.A. Masoodi and A. Gani</i>	496
Effects of foam mat drying on physicochemical and microstructural properties of yacon juice powder <i>T.S. Franco, C.A. Perussello, L.N. Ellendersen and M.L. Masson</i>	503
Preparation of iron/zinc bound whey protein concentrate complexes and their stability <i>B.G. Shilpashree, S. Arora and V. Sharma</i>	514
Stability and quality of a bioactive peptide fraction incorporated orange juice <i>M.G. Khairallah, N.S. Hettiarachchy and S.J. Rayaprolu</i>	523
Correlation between physicochemical properties of <i>japonica</i> and <i>indica</i> rice starches <i>E.-H. Jang, S.-J. Lee, J.-Y. Hong, H.-J. Chung, Y.-T. Lee, B.-S. Kang and S.-T. Lim</i>	530
Study of two-stage microwave extraction of essential oil and pectin from pomelo peels <i>Q. Chen, Z. Hu, F.Y.-D. Yao and H. Liang</i>	538
Development and validation of ELISA technique for early detection of rhizome rot in golden spice turmeric from different agroclimatic zones <i>M. Ray, S. Dash, S. Shahbazi, K.G. Achary, S. Nayak and S. Singh</i>	546
Monitoring of spoilage and determination of microbial communities based on 16S rRNA gene sequence analysis of whole sea bream stored at various temperatures <i>F.F. Parlapani and I.S. Boziaris</i>	553

Inhibitory effects of lactic and malic organic acids on autoinducer type 2 (AI-2) quorum sensing of <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> Typhimurium	
<i>A. Almasoud, N. Hettiarachchy, S. Rayaprolu, D. Babu, Y.M. Kwon and A. Mauromoustakos</i>	560
Quality of the pre-cooked potato strips processed by Radiant Wall Oven	
<i>B. Kirmaci and R.K. Singh</i>	565
Characterization of kefir-like beverages produced from vegetable juices	
<i>O. Corona, W. Randazzo, A. Miceli, R. Guarcello, N. Francesca, H. Erten, G. Moschetti and L. Settanni</i>	572
Colour stability of cooked ham packed under modified atmospheres in polyamide nanocomposite blends	
<i>E. Lloret, P.A. Picouet, R. Trbojevich and A. Fernández</i>	582
Influence of microcrystalline cellulose on the microrheological property and freeze-thaw stability of soybean protein hydrolysate stabilized curcumin emulsion	
<i>D. Xu, J. Zhang, Y. Cao, J. Wang and J. Xiao</i>	590
Effect of ovalbumin on the quality of gluten-free rice flour bread made with soymilk	
<i>M. Nozawa, S. Ito and E. Arai</i>	598
Preparation of a coated Ti anode for producing acidic electrolyzed oxidizing water	
<i>W. Tang, Y. Li, W. Li, X. Chen and X. Zeng</i>	606
Study of the effect of microwave power coupled with hot air drying on orange peel by dielectric spectroscopy	
<i>C. Talens, M. Castro-Giraldez and P.J. Fito</i>	622
Release of thymol from poly(lactic acid)-based antimicrobial films containing kenaf fibres as natural filler	
<i>I.S.M.A. Tawakkal, M.J. Cran and S.W. Bigger</i>	629
Morphological and <i>in vitro</i> antibacterial efficacy of quercetin loaded nanoparticles against food-borne microorganisms	
<i>V. Dinesh Kumar, P.R.P. Verma and S.K. Singh</i>	638
Physical decontamination of lupin (<i>Lupinus angustifolius</i>) protein isolates, seeds and flakes: Effects on microbiological status and micellar protein yield	
<i>D. Melde, C. Wiacek and P.G. Braun</i>	651
Estimation of amino acids profile and escolar fish consumption risks due to biogenic amines content fluctuations in vacuum skin packaging/VSP during cold storage	
<i>Đ. Đorđević, H. Buchtová and I. Borkovcová</i>	657
Modelling the kinetics of <i>Listeria monocytogenes</i> in refrigerated fresh beef under different packaging atmospheres	
<i>C. Saraiva, M.C. Fontes, L. Patarata, C. Martins, V. Cadavez and U. Gonzales-Barron</i>	664
Biocontrol of <i>Listeria monocytogenes</i> in fish by enterocin AS-48 and <i>Listeria</i> lytic bacteriophage P100	
<i>A. Baños, J.D. García-López, C. Núñez, M. Martínez-Bueno, M. Maqueda and E. Valdivia</i>	672
Nutritional improvement and physicochemical evaluation of liver pâté formulations	
<i>A.M. Terrasa, M. Dello Staffolo and M.C. Tomás</i>	678
Hyperspectral imaging for real-time monitoring of water holding capacity in red meat	
<i>M. Kamruzzaman, Y. Makino and S. Oshita</i>	685
Short communication	
Determination of phenolic acid decarboxylase produced by lactic acid bacteria isolated from shalgam (şalgam) juice using green analytical chemistry method	
<i>G. Okcu, K. Ayhan, E. Gunes Altuntas, N. Vural and E.S. Poyrazoglu</i>	615
Calendar	I