

CONTENTS

A proposal to measure absolute environmental sustainability in life cycle assessment A. Bjørn (Lyngby, Denmark), M. Margni, P.-O. Roy, C. Bulle (Montréal, Canada) and M.Z. Hauschild (Lyngby, Denmark).....	1
Soil physicochemical and microbiological indicators of short, medium and long term post-fire recovery in semi-arid ecosystems M. Muñoz-Rojas, T.E. Erickson, D. Martini, K.W. Dixon and D.J. Merritt (Crawley, Australia and Perth, Australia)	14
The implications of an invasive species on the reliability of macroinvertebrate biomonitoring tools used in freshwater ecological assessments K.L. Mathers (Loughborough, UK), R.P. Chadd, C.A. Extence (Spalding, UK), S.P. Rice and P.J. Wood (Loughborough, UK)	23
Short term exposure of pendimethalin induces biochemical and histological perturbations in liver, kidney and gill of freshwater fish H. Tabassum, M. Ashafaq, J. Khan, Md.Z. Shah, S. Raisuddin and S. Parvez (New Delhi, India)	29
Developing a land evaluation model for faba bean cultivation using geographic information system and multi-criteria analysis (A case study: Gonbad-Kavous region, Iran) H. Kazemi (Gorgan, Iran), S. Sadeghi (Shiraz, Iran) and H. Akinci (Artvin, Turkey).....	37
From water to edible fish. Transfer of metals and metalloids in the San Roque Reservoir (Córdoba, Argentina). Implications associated with fish consumption M.V. Monferrán, P. Garneró, M. de los Angeles Bistoni (Córdoba, Argentina), A.A. Anbar, G.W. Gordon (Tempe, AZ, USA) and D.A. Wunderlin (Córdoba, Argentina).....	48
<i>Cymodocea nodosa</i> metrics as bioindicators of anthropogenic stress in N. Aegean, Greek coastal waters V. Papathanasiou, S. Orfanidis (Nea Peramos, Greece) and M.T. Brown (Drake Circus, UK).....	61
Assessing regional sustainable development through an integration of nonlinear principal component analysis and Gram Schmidt orthogonalization F. Tan (Nanjing, China and Beijing, China) and Z. Lu (Beijing, China, Binzhou, China).....	71
Genera as surrogates of bryophyte species richness and composition C. Alves (Portugal), C. Vieira (Vairão, Portugal), R. Almeida (Portugal and Vairão, Portugal) and H. Hespanhol (Vairão, Portugal).....	82
Polychaete/amphipod ratios: An approach to validating simple benthic indicators J.C. Dauvin (France and Caen, France), H. Andrade (Tromsø, Norway), J.A. de-la-Ossa-Carretero, Y. Del-Pilar-Ruso (Alicante, Spain) and R. Riera (Spain)	89
High impact grazing as a management tool to optimize biomass growth in northern Argentinean grassland D.B. Kurtz (Stuttgart, Germany and Corrientes, Argentina), F. Asch, M. Giese (Stuttgart, Germany), C. Hülsebusch (Witzenhausen, Germany), M.C. Goldfarb and J.F. Casco (Corrientes, Argentina).....	100
Mosses in Ohio wetlands respond to indices of disturbance and vascular plant integrity M.A. Stapanian (Sandusky, OH, USA), W. Schumacher, B. Gara and N. Viau (Groveport, OH, USA).....	110
Two roles for ecological surrogacy: Indicator surrogates and management surrogates M. Hunter (Orono, ME, USA), M. Westgate, P. Barton (Acton, Australia), A. Calhoun (Orono, USA), J. Pierson, A. Tulloch (Acton, Australia), M. Beger (Brisbane, Australia), C. Branquinho (Lisboa, Portugal), T. Caro (Davis, CA, USA), J. Gross (Fort Collins, CO, USA), J. Heino (Biodiversity, Finland), P. Lane (Acton, Australia), C. Longo (Santa Barbara, CA, USA), K. Martin (Vancouver, Canada), W.H. McDowell (Durham, NH, USA), C. Mellin (Townsville, Australia), H. Salo (Turku, Finland) and D. Lindenmayer (Acton, Australia)	121

Developing indicators of economic value and biodiversity loss for rubber plantations in Xishuangbanna, southwest China: A case study from Menglun township by Yi et al. (2014) published in <i>Ecol. Indic.</i> 36 (2014), 788–797 C. Lippert (Stuttgart, Germany)	126
Choice of biota in stream assessment and monitoring programs in tropical streams: A comparison of diatoms, macroinvertebrates and fish T. Mangadze, T. Bere and T. Mwedzi (Chinhoyi, Zimbabwe)	128
Classification efficiency of the B-IBI comparing water body size classes in Chesapeake Bay J.A. de-la-Ossa-Carretero (Alicante, Spain), M.F. Lane (Norfolk, VA, USA), R.J. Llansó (Columbia, MD, USA) and D.M. Dauer (Norfolk, VA, USA)	144
Antioxidant responses of Atlantic Forest native tree species as indicators of increasing tolerance to oxidative stress when they are exposed to air pollutants and seasonal tropical climate C. Aguiar-Silva, S.E. Brandão, M. Domingos and P. Bulbovas (São Paulo, Brazil)	154
Using assessment of net ecosystem services to promote sustainability of golf course in China Z. Dai, X. Puyang and L. Han (Beijing, PR China)	165
The INDICARE-model – measuring and caring about participation in higher education’s sustainability assessment A. Disterheft (Lisbon, Portugal and Coimbra, Portugal), S.S. Caeiro (Lisbon, Portugal and Caparica, Portugal), W.L. Filho (Manchester, UK) and U.M. Azeiteiro (Lisbon, Portugal and Coimbra, Portugal)	172
Biomarker-enhanced assessment of reproductive disorders in <i>Monoporeia affinis</i> exposed to contaminated sediment in the Baltic Sea M. Lóf, B. Sundelin, B. Liewenborg, C. Bandh (Stockholm, Sweden), K. Broeg, S. Schatz (Bremerhaven, Germany) and E. Gorokhova (Stockholm, Sweden)	187
The sensitivity of water chemistry to climate in a forested, nitrogen-saturated catchment recovering from acidification J. Kopáček, J. Hejzlar, J. Kaňa, P. Porcal and J. Turek (České Budějovice, Czech Republic)	196
Fatty acids’ profiles as indicators of stress induced by of a common herbicide on two marine bivalves species: <i>Cerastoderma edule</i> (Linnaeus, 1758) and <i>Scrobicularia plana</i> (da Costa, 1778) A.M.M. Gonçalves (Coimbra, Portugal and Aveiro, Portugal), A.F. Mesquita (Aveiro, Portugal), T. Verdelhos (Coimbra, Portugal), J.A.P. Coutinho (Aveiro, Portugal), J.C. Marques (Coimbra, Portugal) and F. Gonçalves (Aveiro, Portugal)	209
Fish community response to the longitudinal environmental gradient in Czech deep-valley reservoirs: Implications for ecological monitoring and management M. Vašek, M. Prchalová, M. Říha, P. Blabolil, M. Čech, V. Draštík, J. Frouzová, T. Jůza, M. Kratochvíl, M. Muška, J. Peterka, Z. Sajdlová, M. Šmejkal, M. Tušer, L. Vejřík, P. Znachor, T. Mrkvička, J. Sed’a and J. Kubečka (České Budějovice, Czech Republic)	219
Environmental Kuznets curve for CO ₂ emissions in China: A spatial panel data approach Y.-Q. Kang, T. Zhao and Y.-Y. Yang (Tianjin, China)	231
Quantifying the relative importance of natural variables, human disturbance and spatial processes in ecological status indicators of boreal lakes J. Alahuhta (Finland) and J. Aroviita (Oulu, Finland)	240
Perspectives on the link between ecosystem services and biodiversity: The assessment of the nursery function C. Liqueste, N. Cid, D. Lanzanova, B. Grizzetti and A. Reynaud (Ispira, Italy)	249
The exposure, sensitivity and vulnerability of natural vegetation in China to climate thermal variability (1901–2013): An indicator-based approach Y. Xu, Z.-H. Shen, L.-X. Ying (Beijing, China), P. Ciais (Gif-sur-Yvette, France), H.-Y. Liu, S.-l. Piao, C. Wen and Y.-X. Jiang (Beijing, China)	258
Deterministic diversity changes in freshwater phytoplankton in the Yunnan–Guizhou Plateau lakes in China M. Zhang, Y. Yu, Z. Yang and F. Kong (Nanjing, China)	273
An exposition of system reliability analysis with an ecological perspective A.M.A. Rushdi and A.K. Hassan (Jeddah, Saudi Arabia)	282
Assessing the remotely sensed Drought Severity Index for agricultural drought monitoring and impact analysis in North China J. Zhang (College Park, MD, USA), Q. Mu (Missoula, MT, USA) and J. Huang (Beijing, China)	296
Response of seagrass indicators to shifts in environmental stressors: A global review and management synthesis G. Roca (Spain), T. Alcoverro (Spain and Mysore, India), D. Krause-Jensen, T.J.S. Balsby (Silkeborg, Denmark), M.M. van Katwijk (Nijmegen, The Netherlands), N. Marbà (Esporles, Spain), R. Santos (Gambelas, Portugal), R. Arthur (Spain and Mysore, India), O. Mascaró (Spain), Y. Fernández-Torquemada (Alicante, Spain), M. Pérez (Spain), C.M. Duarte (Esporles, Spain and Thuwal, Saudi Arabia) and J. Romero (Spain)	310
Are fish in hot water? Effects of warming on oxidative stress metabolism in the commercial species <i>Sparus aurata</i> D. Madeira (Caparica, Portugal), C. Vinagre (Lisboa, Portugal) and M.S. Diniz (Caparica, Portugal)	324
Stable isotope evidence for Turkey Vulture reliance on food subsidies from the sea M.C. Blázquez (La Paz, Mexico), M. Delibes-Mateos (Vairão, Portugal and Córdoba, Spain), J.M. Vargas (Málaga, Spain), A. Granados, A. Delgado (Armilla, Spain) and M. Delibes (Seville, Spain)	332
Aggregate index of social–environmental sustainability to evaluate the social–environmental quality in a watershed in the Southern Amazon D. Roboredo, S.M.P.P. Bergamasco and M.E. Bleich (Brazil)	337

(Contents continued from inside back cover)

A dynamic analysis of air pollution emissions in China: Evidence from nonparametric additive regression models B. Xu, L. Luo (Nanchang, PR China) and B. Lin (Xiamen, PR China)	346
Multi-organ toxicological impact of fungicide propiconazole on biochemical and histological profile of freshwater fish <i>Channa punctata</i> Bloch H. Tabassum, A.Q. Dawood, P. Sharma, J. Khan, S. Raisuddin and S. Parvez (New Delhi, India).....	359
Explore the influence of soil quality on crop yield using statistically-derived pedological indicators K. Juhos (H-Budapest, Hungary), S. Szabó (Debrecen, Hungary) and M. Ladányi (H-Budapest, Hungary)	366
Development and application of watershed-scale indicator to quantify non-point source P losses in semi-humid and semi-arid watershed, China J. Su, X. Du, X. Li, X. Wang, W. Li, W. Zhang, H. Wang, Z. Wu (Beijing, China) and B. Zheng (Chengde, China).....	374
Integrative assessment of Western Himalayas streams using multimeric index S. Nazeer, M.Z. Hashmi, R.N. Malik (Islamabad, Pakistan), A. Qadir (Lahore, Pakistan), A. Ahmad and K. Ullah (Islamabad, Pakistan).....	386
An approach to assess logistics and ecological supply chain performance using postponement strategies L.E. Simão, M.B. Gonçalves and C.M.T. Rodriguez (Florianópolis, Brazil)	398