

CONTENTS

Special Issue: The value of long-term ecosystem research (LTER): Addressing global change ecology using site-based data

The long-term ecological research (LTER) network: Relevance, current status, future perspective and examples from marine, freshwater and terrestrial long-term observation P. Haase (Gelnhausen, Germany and Essen, Germany), M. Frenzel, S. Klotz, M. Musche (Halle, Germany) and S. Stoll (Gelnhausen, Germany).....	1
Cross-site analyses of nitrogen biogeochemistry and resilience	
Impact of winter climate change on nitrogen biogeochemistry in forest ecosystems: A synthesis from Japanese case studies H. Shibata (Japan).....	4
Assessing resilience in long-term ecological data sets F. Müller (Kiel, Germany), M. Bergmann (Bremerhaven, Germany), R. Dannowski (Müncheberg, Germany), J.W. Dippner (Rostock, Germany), A. Gnauck (Königs Wusterhausen, Germany), P. Haase (Gelnhausen, Germany), M.C. Jochimsen (Germany), P. Kasprzak (Neuglobsow, Germany), I. Kröncke (Wilhelmshaven, Germany), R. Kümmerlin (Langenargen, Germany), M. Küster (Greifswald, Germany), G. Lischeid (Müncheberg, Germany), H. Meesenburg (Göttingen, Germany), C. Merz (Müncheberg, Germany), G. Millat (Wilhelmshaven, Germany), J. Müller (Grafenau, Germany), J. Padisák (Veszprém, Hungary), C.G. Schimming (Kiel, Germany), H. Schubert (Rostock, Germany), M. Schult (Greifswald, Germany), G. Selmečzy (Veszprém, Hungary), T. Shatwell (Berlin, Germany), S. Stoll (Gelnhausen, Germany), M. Schwabe (Hohenzieritz, Germany), T. Soltwedel (Bremerhaven, Germany), D. Straile (Germany) and M. Theuerkauf (Greifswald, Germany).....	10
Developing and testing ecological concepts	
Dispersal traits as indicators of vegetation dynamics in long-term old-field succession S. Knapp, J. Stadler, A. Harpke and S. Klotz (Halle (Saale), Germany)	44
Monitoring the phase space of ecosystems: Concept and examples from the Quillow catchment, Uckermark G. Lischeid (Müncheberg, Germany and Potsdam, Germany), T. Kalettka, C. Merz and J. Steidl (Müncheberg, Germany)	55
Modelling impacts of forest bioenergy use on ecosystem sustainability: Lammi LTER region, southern Finland M. Forsius, A. Akujärvi, T. Mattsson, M. Holmberg, P. Punttila (Helsinki, Finland), M. Posch (Bilthoven, The Netherlands), J. Liski, A. Repo, R. Virkkala and P. Vihervaara (Helsinki, Finland)	66
Temporal trends in ecosystem change	
Quantifying change in pelagic plankton network stability and topology based on empirical long-term data A.S. Gsell, D. Özkundakci, M.-P. Hébert and R. Adrian (Berlin, Germany)	76
Natural variability or anthropogenically-induced variation? Insights from 15 years of multidisciplinary observations at the arctic marine LTER site HAUSGARTEN T. Soltwedel, E. Bauerfeind, M. Bergmann (Bremerhaven, Germany), A. Bracher (Bremerhaven, Germany and Bremen, Germany), N. Budaeva (Moscow, Russia and Bergen, Norway), K. Busch (Bremerhaven, Germany), A. Cherkasheva (Bremen, Germany and St. Petersburg, Russia), K. Fahl (Bremerhaven, Germany), K. Grzelak (Powstańców Warszawy, Poland), C. Hasemann, M. Jacob (Bremerhaven, Germany), A. Kraft (Hannover, Germany), C. Lalonde (Québec, Canada), K. Metfies, E.-M. Nöthig (Bremerhaven, Germany), K. Meyer (Charleston, OR, USA), N.-V. Quéric (Göttingen, Germany), I. Schewe (Bremerhaven, Germany), M. Włodarska-Kowalczyk (Powstańców Warszawy, Poland) and M. Klages (Fiskebäckskil, Sweden).....	89

Long-term changes of ecosystem services at Solling, Germany: Recovery from acidification, but increasing nitrogen saturation?	
H. Meesenburg, B. Ahrends, S. Fleck, M. Wagner, H. Fortmann, B. Scheler, U. Klinck, I. Dammann, J. Eichhorn, M. Mindrup and K.J. Meiwes (Göttingen, Germany)	103
Bird communities in agricultural landscapes: What are the current drivers of temporal trends?	
M. Frenzel, J. Everaars and O. Schweiger (Halle, Germany)	113
 High resolution and co-located data analyses and modelling	
Long-term monitoring data meet freshwater species distribution models: Lessons from an LTER-site	
M. Kuemmerlen, S. Stoll, A. Sundermann and P. Haase (Gelnhausen, Germany and Frankfurt am Main, Germany)	122
Anthropogenic land-use stress alters community concordance at the river-riparian interface	
J.D. Tonkin, S. Stoll (Gelnhausen, Germany and Frankfurt am Main, Germany), S.C. Jähnig (Berlin, Germany) and P. Haase (Gelnhausen, Germany and Frankfurt am Main, Germany)	133
 Short term signals in long-term data	
Response of bird assemblages to windstorm and salvage logging — Insights from analyses of functional guild and indicator species	
S. Thorn (Grafenau, Germany and Freising, Germany), S.A.B. Werner (Oldenburg, Germany), J. Wohlfahrt (Germany), C. Bässler (Grafenau, Germany), S. Seibold (Grafenau, Germany and Freising, Germany), P. Quillfeldt (Giessen, Germany) and J. Müller (Grafenau, Germany and Freising, Germany)	142
Functional response of lignicolous fungal guilds to bark beetle deforestation	
C. Bässler (Grafenau, Germany), J. Müller (Grafenau, Germany and Freising-Weihestephan, Germany), M.W. Cadotte (Toronto, Canada), C. Heibl (Freising, Germany), J.H. Bradtka (Kemnath, Germany), S. Thorn (Grafenau, Germany) and H. Halbwachs (Amorbach, Germany)	149