

CONTENTS

Articles

| | |
|---|---------|
| KATSUTA, A., TOYOTA, K., MIN, Y.Y. & MAUNG, T.T.— Development of real-time PCR primers for the quantification of <i>Meloidogyne graminicola</i> , <i>Hirschmanniella oryzae</i> and <i>Heterodera cajani</i> , pests of the major crops in Myanmar | 257-263 |
| CAIXETA, L.B., PEREIRA, T.J., CASTAÑEDA, N.E.N. & CARES, J.E.— Nematode communities as indicators of the status of a soil ecosystem influenced by mining practices in Brazil | 265-276 |
| IQBAL, M., EHLERS, R.-U. & WAEYENBERGE, L.— Molecular characterisation of novel isolates of entomopathogenic nematodes | 277-291 |
| VINCIGUERRA, M.T., ESKANDARI, A., CLAUSI, M., ASGHARI, R. & RAPPAZZO, G.— Description and molecular characterisation of two new species of Dorylaimidae (Dorylaimida: Nematoda) from Iran, with a compendium of all the nominal species of <i>Dorylaimus</i> Dujardin, 1845 | 293-310 |
| KANZAKI, N., GIBLIN-DAVIS, R.M. & CENTER, B.J.— Recharacterisation and photo-documentation of five North American <i>Bursaphelenchus</i> species from C.L. Massey's type material | 311-336 |
| DE JESUS, D.S., OLIVEIRA, C.M.G., ROBERTS, D., BLOK, V., NEILSON, R., PRIOR, T., BALBINO, H.M., MACKENZIE, K.M. & OLIVEIRA, R.D.L.— Morphological and molecular characterisation of <i>Aphelenchoides besseyi</i> and <i>A. fujianensis</i> (Nematoda: Aphelenchoididae) from rice and forage grass seeds in Brazil | 337-356 |
| ESMAEILI, M., FANG, Y., LI, H. & HEYDARI, R.— Description of <i>Aphelenchoides huntensis</i> sp. n. (Nematoda: Aphelenchoididae) isolated from <i>Pinus sylvestris</i> in western Iran | 357-366 |
| ADDIS, T., MIJUŠKOVIĆ, N., STRAUCH, O. & EHLERS, R.-U.— Life history traits, liquid culture production and storage temperatures of <i>Steinernema yirgalemense</i> | 367-376 |