

CONTENTS

Research articles

- 1 Issues in using Land Use Capability class to set nitrogen leaching limits in moisture-deficient areas—a South Island case study
LR Lilburne, IH Lynn and TH Webb
- 18 Comparing response of ryegrass-white clover pasture to gibberellic acid and nitrogen fertiliser applied in late winter and spring
RH Bryant, GR Edwards and B Robinson
- 32 Estimates of annual leaching losses of dissolved organic carbon from pastures on Allophanic Soils grazed by dairy cattle, Waikato, New Zealand
GP Sparling, EJ Chibnall, J Pronger, S Rutledge, AM Wall, DI Campbell and LA Schipper
- 50 Milk production of Holstein-Friesian, Jersey and crossbred cows milked once-a-day or twice-a-day in New Zealand
F Lembeye, N Lopez-Villalobos, JL Burke and SR Davis
- 65 Cadmium in New Zealand pasture soils: toxicity to *Rhizobia* and white clover
SA Wakelin, JAE Cavanagh, S Young, CW Gray and RJC van Ham
- 79 Estimates of genetic and crossbreeding parameters for milk components and potential yield of dairy products from New Zealand dairy cattle
NW Sneddon, N Lopez-Villalobos, SR Davis, RE Hickson, L Shalloo and DJ Garrick
- 90 Responses in lactose yield, lactose percentage and protein-to-protein-plus-lactose ratio from index selection in New Zealand dairy cattle
NW Sneddon, N Lopez-Villalobos, SR Davis, RE Hickson, L Shalloo, DJ Garrick and U Geary
- ### Short communication
- 106 Selection of a legume to use in a low phosphorus loss pasture
RW McDowell and GP Cosgrove