

# CONTENTS

Quantifying density-independent mortality of temperate tree species H.E. Lintz, A.N. Gray (Corvallis, OR, USA), A. Yost (Salem, OR, USA), R. Snieszko (Cottage Grove, OR, USA), C. Woodall (St. Paul, MN, USA), M. Reilly (Corvallis, OR, USA), K. Hutten (Seattle, WA, USA) and M. Elliott (Puyallup, WA, USA) .....	1
Decreasing Net Primary Production in forest and shrub vegetation across southwest Australia N.C. Brouwers (Murdoch, Australia) and N.C. Coops (Murdoch, Australia and Vancouver, Canada) .....	10
Mapping habitat indices across river networks using spatial statistical modelling of River Habitat Survey data M. Naura, M.J. Clark, D.A. Sear (Southampton, UK), P.M. Atkinson (Lancaster, UK), D.D. Hornby, P. Kemp (Southampton, UK), J. England (Wallingford, UK), G. Peirson (Kidderminster, UK), C. Bromley (Stirling, UK) and M.G. Carter (Hertfordshire, UK) .....	20
Energy–Landscape Integrated Analysis: A proposal for measuring complexity in internal agroecosystem processes (Barcelona Metropolitan Region, 1860–2000) J. Marull, C. Font (Bellaterra, Spain), R. Padró, E. Tello (Barcelona, Spain) and A. Panazzolo (Venice, Italy) .....	30
Shade tree cover criteria for non-point source pollution control in the Rainforest Alliance coffee certification program: A snapshot assessment of Costa Rica’s Tarrazú coffee region R. de Jesús-Crespo (Athens, GA, USA), D. Newsom (New York, NY, USA), E.G. King and C. Pringle (Athens, GA, USA).....	47
Assessing and managing the rising rhino population in Kaziranga (India) G. Cédric (Pondicherry, India and Montpellier, France), P. Neha, P. Roshan (Pondicherry, India), S. Uttam (Bokakhat Town, India) and G. Rajendra (Tezpur, India).....	55
Functional diversity of macrobenthic assemblages decreases in response to sewage discharges J.B. Gusmao (Pontal do Paraná, Brazil and Groningen, The Netherlands), K.M. Brauko (Pontal do Paraná, Brazil and Florianópolis, Brazil), B.K. Eriksson (Groningen, The Netherlands) and P.C. Lana (Pontal do Paraná, Brazil) .....	65
Assessing the persistence capacity of communities facing natural disturbances on the basis of species response traits M. Sánchez-Pinillos (Solsona, Spain), L. Coll (Solsona, Spain, Bellaterra, Spain and Lleida, Spain), M. De Cáceres (Solsona, Spain and Bellaterra, Spain) and A. Ameztegui (Solsona, Spain, Bellaterra, Spain and Montreal, Canada) .....	76
Capturing ecological complexity: OCI, a novel combination of ecological indices as applied to benthic marine habitats C. Paoli, A. Morten, C.N. Bianchi, C. Morri, M. Fabiano and P. Vassallo (Genova, Italy) .....	86
Seasonal changes of phytoplankton and cyanobacteria/cyanotoxin risk in two shallow morphologically altered lakes: Effects of water level manipulation (Wieprz-Krzna Canal System, Eastern Poland) M. Solis, B. Pawlik-Skowrońska and R. Kalinowska (Lublin, Poland) .....	103
Analysis of isotope tracing of domestic sewage sources in Taihu Lake—A case study of Meiliang Bay and Gonghu Bay S. Zhen (Nanjing, PR China and Yancheng, PR China) and W. Zhu (Nanjing, PR China).....	113
Functional sustainability indicators L.O. King (Houston, TX, USA) .....	121
Pine needles and pollen grains of <i>Pinus mugo</i> Turra - A biomonitoring tool in high mountain habitats identifying environmental contamination M. Chropeňová (Brno, Czech Republic), E.K. Gregušková (Brno, Czech Republic and Tatranská Javorina, Slovak Republic), P. Karásková, P. Příbylová, P. Kukučka, D. Baráková and P. Čupr (Brno, Czech Republic) ....	132

Constructing multimetric indices and testing ability of landscape metrics to assess condition of freshwater wetlands in the Northeastern US K.M. Miller (Bar Harbor, ME, USA and Orono, ME, USA), B.R. Mitchell (Woodstock, VT, USA) and B.J. McGill (Orono, ME, USA) . . . . .	143
The tempo-spatial variations of phytoplankton diversities and their correlation with trophic state levels in a large eutrophic Chinese lake B. Yang, Y.-J. Jiang, W. He, W.-X. Liu, X.-Z. Kong (Beijing, China), S.E. Jørgensen (Copenhagen Ø, Denmark) and F.-L. Xu (Beijing, China) . . . . .	153
“Odonata Community Index - Corsica” (OCIC): A new biological index based on adult odonate populations for assessment of the ecological status of watercourses in Corsica C. Berquier, A. Orsini, L. Ferrat and M.-C. Andréi-Ruiz (Corte, France) . . . . .	163
Intercountry inequality on greenhouse gas emissions and world levels: An integrated analysis through general distributive sustainability indexes J.A. Duro (Reus, Spain) . . . . .	173
Spatial and temporal relation rule acquisition of eutrophication in Da'ning River based on rough set theory H.Y. Yan, X.R. Zhang, J.H. Dong, M.S. Shang, K. Shan, D. Wu, Y. Yuan, X. Wang, H. Meng, Y. Huang and G.Y. Wang (Chongqing, China) . . . . .	180
Understanding seagrass resilience in temperate systems: the importance of timing of the disturbance L.M. Soissons (Yerseke, The Netherlands), B. Li, Q. Han (Shandong, China), M.M. van Katwijk (Yerseke, The Netherlands and Nijmegen, The Netherlands), T. Ysebaert (Yerseke, The Netherlands), P.M.J. Herman (Yerseke, The Netherlands and Nijmegen, The Netherlands) and T.J. Bouma (Yerseke, The Netherlands) . . . . .	190
Quantification and assessment of changes in ecosystem service in the Three-River Headwaters Region, China as a result of climate variability and land cover change C. Jiang, D. Li, D. Wang and L. Zhang (Beijing, China) . . . . .	199
Modeling nutrients, oxygen and critical phosphorus loading in a shallow reservoir in China with a coupled water quality - Macrophytes model C. Zhang, H. Liu, X. Gao and H. Zhang (Tianjin, China) . . . . .	212
Microzooplankton as an indicator of environmental quality at an industrial complex in the Brazilian Amazon B.N.S. Costa, S.C.C. Pinheiro, M. de Oliveira Lima and L.L. Amado (Brazil) . . . . .	220
Comparing direct and indirect methods to estimate detection rates and site use of a cryptic semi-aquatic carnivore C.C. Day, M.D. Westover, L.K. Hall, R.T. Larsen and B.R. McMillan (Provo, UT, USA) . . . . .	230
Prioritizing conservation for the reduction of Gulf hypoxia using an environmental performance index B. Barnhart (Corvallis, OR, USA), M. Bostian (Portland, OR, USA), G. Whittaker, S. Grosskopf and R. Färe (Corvallis, OR, USA) . . . . .	235
Hierarchical toolbox: Ensuring scientific accuracy of citizen science for tropical coastal ecosystems P. Vermeiren, C. Munoz (Stekene, Belgium), M. Zimmer (Bremen, Germany) and M. Sheaves (Townsville, Australia) . . . . .	242
Fine-scale distribution of treeline trees and the nurse plant facilitation on the eastern Tibetan Plateau L. Lyu, Q.-B. Zhang, X. Deng (Beijing, China) and H. Mäkinen (Vantaa, Finland) . . . . .	251
Assessing sedimentological connectivity using WATEM/SEDEM model in a hilly and gully watershed of the Loess Plateau, China Y. Liu and B. Fu (Beijing, China) . . . . .	259
Effects of starvation on lipid accumulation and antioxidant response in the right and left lobes of liver in large yellow croaker <i>Pseudosciaena crocea</i> J.-L. Zheng, Q.-L. Zhu, B. Shen, L. Zeng, A.-Y. Zhu and C.-W. Wu (Zhoushan, PR China) . . . . .	269
Habitat indicators for cavity-nesters: The polypore <i>Phellinus pini</i> in pine forests A. Lõhmus (Tartu, Estonia) . . . . .	275
Applying the Ocean Health Index framework to the city level: A case study of Xiamen, China D. Ma, Q. Fang and S. Liao (China) . . . . .	281
Using a multi-disciplinary approach to identify a critically endangered killer whale management unit R. Esteban, P. Verborgh, P. Gauffier (Algeciras, Spain), J. Giménez (Seville, Spain), V. Martín, M. Pérez-Gil, M. Tejedor (Lanzarote, Spain), J. Almunia (Santa Cruz de Tenerife, Spain), P.D. Jepson (London, UK), S. García-Tíscar (Madrid, Spain), L.G. Barrett-Lennard (Vancouver, Canada), C. Guinet (Villiers en Bois, France), A.D. Foote (Bern, Switzerland) and R. de Stephanis (Algeciras, Spain) . . . . .	291
The importance of validated ecological indicators for manure regulations in the Netherlands J. Bouma (The Netherlands) . . . . .	301
Application of modified water quality indices as indicators to assess the spatial and temporal trends of water quality in the Dongjiang River W. Sun, C. Xia (Guangzhou, China and Longyan, China), M. Xu, J. Guo and G. Sun (Guangzhou, China) . . . . .	306
Ecological gradients and environmental impact in the forest dwelling <i>Haplothrips subtilissimus</i> (Thysanoptera: Phlaeothripidae) phenotypic variability M. Zvaríková (Bratislava, Slovakia) J. Kisel'ák (Košice, Slovakia), M. Zvarík, R. Masarovič (Bratislava, Slovakia), P. Prokop (Trnava, Slovakia) and P. Fedor (Bratislava, Slovakia) . . . . .	313

(Contents continued from inside back cover)

Human transformation of ecosystems: Comparing protected and unprotected areas with natural baselines D. Vačkář (Brno, Czech Republic), Z.V. Harmáčková (Brno, Czech Republic and Prague, Czech Republic), H. Kaňková (Prague, Czech Republic) and K. Stupková (Brno, Czech Republic and Prague, Czech Republic) ...	321
Aggregating land use quantity and intensity to link water quality in upper catchment of Miyun Reservoir E. Xu and H. Zhang (Beijing, PR China) .....	329
A quantitative review of relationships between ecosystem services H. Lee and S. Lautenbach (Bonn, Germany) .....	340
Do nuclear and renewable energy improve the environment? Empirical evidence from the United States J. Baek (Fairbanks, AK, USA) .....	352
Sustainability criteria and indicators of bioenergy systems from steering, research and Finnish bioenergy business operators' perspectives H. Rimppi, V. Uusitalo, S. Väisänen and R. Soukka (Lappeenranta, Finland) .....	357
Bird sensitivity to disturbance as an indicator of forest patch conditions: An issue in environmental assessments E.R. Alexandrino (Piracicaba, Brazil), E.R. Buechley (Salt Lake City, UT, USA), A.J. Piratelli (Sorocaba, Brazil), K.M.P.M. de Barros Ferraz, R. de Andrade Moral (Piracicaba, Brazil), Ç.H. Şekercioğlu (Salt Lake City, UT, USA), W.R. Silva (Campinas, Brazil) and H.T.Z. do Couto (Piracicaba, Brazil) .....	369
Evidence for deviations from uniform changes in a Portuguese watershed illustrated by CORINE maps: An Intensity Analysis approach Z. Teixeira, J.C. Marques (Coimbra, Portugal) and R.G. Pontius (Worcester, MA, USA) .....	382
Assessing sustainability at farm-level: Lessons learned from a comparison of tools in practice E.M. de Olde (Aarhus, Denmark and Wageningen, The Netherlands), F.W. Oudshoorn (Aarhus, Denmark), C.A.G. Sørensen (Aarhus, Denmark), E.A.M. Bokkers and I.J.M. de Boer (Wageningen, The Netherlands) ...	391
Trophic structure of common marine species in the Bohai Strait, North China Sea, based on carbon and nitrogen stable isotope ratios P. Qu, Q. Wang, M. Pang, Z. Zhang, C. Liu and X. Tang (Qingdao, China) .....	405
Introducing accessibility analysis in mapping cultural ecosystem services T. Ala-Hulkko, O. Kotavaara, J. Alahuhta, P. Helle and J. Hjort (Finland) .....	416
Improving real-time forecasting of water quality indicators with combination of process-based models and data assimilation technique X. Wang, J. Zhang and V. Babovic (Singapore, Singapore) .....	428
Zooplankton from a North Western Mediterranean area as a model of metal transfer in a marine environment M. Battuello, P. Brizio, R. Mussat Sartor, N. Nurra, D. Pessani, M.C. Abete and S. Squadrone (Torino, Italy) .....	440
Variations of chemical element composition of bee and beekeeping products in different taxons of the biosphere N.A. Golubkina (Russia), S.S. Sheshnitsan, M.V. Kapitalchuk (Tiraspol, Republic of Moldova) and E. Erdenotsogt (Ulaanbaatar, Mongolia) .....	452
Soil quality assessment of coastal wetlands in the Yellow River Delta of China based on the minimum data set G. Zhang, J. Bai (Beijing, PR China), M. Xi (Qingdao, PR China), Q. Zhao, Q. Lu and J. Jia (Beijing, PR China) .....	458
Power capacity: A key element in sustainability assessment F. Diaz-Maurin (Bellaterra, Spain) .....	467
The efficiency of two widely used commercial live-traps to develop monitoring protocols for small mammal biodiversity I. Torre, L. Freixas, A. Arrizabalaga (Granollers, Spain) and M. Díaz (Madrid, Spain) .....	481
Indicators of landscape organization and functionality in semi-arid former agricultural lands under a passive restoration management over two periods of abandonment S. Tabeni (Mendoza, Argentina), F.A. Yannelli (Freising, Germany), N. Vezzani and L.E. Mastrantonio (Mendoza, Argentina) .....	488
Increasing sensitivity of results by using quantile regression analysis for exploring community resilience O. Cohen, A. Bolotin (Beer-Sheva, Israel), M. Lahad (Galil-Elyon, Israel and Kiryat-Shmona, Israel), A. Goldberg and L. Aharonson-Daniel (Beer-Sheva, Israel) .....	497
Airborne hyperspectral data predict Ellenberg indicator values for nutrient and moisture availability in dry grazed grasslands within a local agricultural landscape T. Möckel (Lund, Sweden and Witzenhausen, Germany), O. Löfgren, H.C. Prentice, L. Eklundh and K. Hall (Lund, Sweden) .....	503
Social mapping of perceived ecosystem services supply - The role of social landscape metrics and social hotspots for integrated ecosystem services assessment, landscape planning and management R. De Vreese, M. Leys (Jette (Brussels), Belgium), C.M. Fontaine and N. Dendoncker (Namur, Belgium) .....	517

Predicting reef fish connectivity from biogeographic patterns and larval dispersal modelling to inform the development of marine reserve networks R.A. Abesamis (Townsville, Australia and Dumaguete, Philippines), B.L. Stockwell (Dumaguete, Philippines and Norfolk, VA, USA), L.P.C. Bernardo (Tokyo, Japan and Quezon City, Philippines), C.L. Villanoy (Quezon City, Philippines) and G.R. Russ (Townsville, Australia) .....	534
Sources of carbon productivity change: A decomposition and disaggregation analysis based on global Luenberger productivity indicator and endogenous directional distance function K. Wang, Y. Xian, Y.-M. Wei (Beijing, China) and Z. Huang (Beijing, China and Garden City, NY, USA)....	545
Evaluation of phosphorus distribution and bioavailability in sediments of a subtropical wetland reserve in southeast China D. Lu, P. Guo (Xiamen, China), J. Ji (Quanzhou, China), L. Liu and P. Yang (Xiamen, China) .....	556
A critique on the water-scarcity weighted water footprint in LCA A.Y. Hoekstra (Enschede, Netherlands) .....	564
Sustainability of Nile tilapia net-cage culture in a reservoir in a semi-arid region R.S.T. Moura (Mossoró, Brazil), W.C. Valenti (São Vicente, Brazil) and G.G. Henry-Silva (Mossoró, Brazil) .....	574
Widespread natural intraspecific variation in tissue stoichiometry of two freshwater molluscs: Effect of nutrient enrichment Y. Cai, Q. Xue (Nanjing, China), J. Xu (Wuhan, China), L. Zhang, Z. Gong (Nanjing, China) and K. Acharya (NV, USA) .....	583
The number of syllables in Chernobyl cuckoo calls reliably indicate habitat, soil and radiation levels A.P. Møller (Orsay Cedex, France), F. Morelli (Prague, Czech Republic), T.A. Mousseau (SC, USA) and P. Tryjanowski (Poznan, Poland) .....	592
The use of automated identification of bat echolocation calls in acoustic monitoring: A cautionary note for a sound analysis D. Russo (Portici, Italy and Bristol, UK) and C.C. Voigt (Berlin, Germany) .....	598
A framework for evaluating sustainability indicators in the real estate industry T. Rogmans and M. Ghunaim (Dubai, United Arab Emirates) .....	603
Indicators to evaluate agricultural nitrogen efficiency of the 27 member states of the European Union O. Godinot, P. Leterme, F. Vertès and M. Carof (Rennes, France and France) .....	612
Building an indicator to characterize the thermal conditions for plant growth on an Arctic archipelago, Svalbard D. Joly (Besançon, France), G. Arnesen, E. Malnes and L. Nilsen (Tromsø, Norway) .....	623
Reply to "Letter to the editor regarding the article "Developing indicators of economic value and biodiversity loss for rubber plantations in Xishuangbanna, southwest China: A case study from Menglun township" by Yi et al. (2014) published in Ecological Indicators 36 (2014), 788–797" Z.-F. Yi (Kunming, China) and C.H. Cannon (Lisle, IL, USA) .....	632
Erratum to "International inequality of environmental pressures: Decomposition and comparative analysis" [Ecol. Indic. 62 (2016) 163–173] J. Teixidó-Figueras (Florence, Italy and Reus, Spain), J.K. Steinberger (Leeds, UK), F. Krausmann, H. Haberl (Wien, Austria), T. Wiedmann (Sydney, Australia), G.P. Peters (Oslo, Norway), J.A. Duro (Reus, Spain) and T. Kastner (Wien, Austria) .....	634