

CONTENTS

An empirical evaluation of spatial value transfer methods for identifying cultural ecosystem services G. Brown, D. Pullar (Brisbane, Australia) and V.H. Hausner (Tromsø, Norway).....	1
Provincial water use efficiency measurement and factor analysis in China: Based on SBM-DEA model G. Deng (Lanzhou, PR China), L. Li and Y. Song (Shanghai, PR China).....	12
Seaweed <i>Alaria esculenta</i> as a biomonitor species of metal contamination in Aughinish Bay (Ireland) P.A. Reis, J. Gonçalves (Porto, Portugal), H. Abreu, R. Pereira (Ílhavo, Portugal), M. Benoit (Pleubian, France), F. O'Mahony, I. Connellan (Clare, Ireland), J. Maguire (Cork, Ireland) and R. Ozório (Porto, Portugal).....	19
An input-output structural decomposition analysis of changes in sectoral water footprint in China X. Wang, K. Huang, Y. Yu, T. Hu and Y. Xu (Beijing, China).....	26
A review of toxicity testing protocols and endpoints with <i>Artemia</i> spp. G. Libralato (Venice, Italy), E. Prato (Taranto, Italy), L. Migliore, A.M. Cicero (Rome, Italy) and L. Manfra (Rome, Italy and Naples, Italy).....	35
Reference growth charts for <i>Posidonia oceanica</i> seagrass: An effective tool for assessing growth performance by age and depth A. Tomasello, M. Sciandra, V.M.R. Muggeo, M. Pirrotta, G. Di Maida and S. Calvo (Palermo, Italy)	50
Environmental drivers on seasonal abundance of riverine-estuarine <i>V. cholerae</i> in the Indian Sundarban mangrove P. Batabyal, S. Mookerjee (Beliaghata, India), M.H. Einsporn (Bremen, Germany), R.J. Lara (Bremen, Germany and Bahía Blanca, Argentina) and A. Palit (Beliaghata, India)	59
Toward the Ecological Footprint of the use and maintenance phase of buildings: Utility consumption and cleaning tasks A. Martínez-Rocamora, J. Solís-Guzmán and M. Marrero (Seville, Spain)	66
Cultural ecosystem services of mountain regions: Modelling the aesthetic value U. Schirpke (Bolzano, Italy and Innsbruck, Austria), F. Timmermann (Bolzano, Italy), U. Tappeiner (Bolzano, Italy and Innsbruck, Austria) and E. Tasser (Bolzano, Italy)	78
Using DEM to predict <i>Abies faxoniana</i> and <i>Quercus aquifolioides</i> distributions in the upstream catchment basin of the Min River in southwest China L. Zhang, S. Liu, P. Sun (Beijing, China), T. Wang, G. Wang (Vancouver, Canada), L. Wang and X. Zhang (Beijing, China).....	91
Zoning eco-environmental vulnerability for environmental management and protection A.K. Nguyen (Taoyuan City, Taiwan, ROC and Hanoi, Viet Nam), Y.-A. Liou (Taoyuan City, Taiwan, ROC, Hsinchu, Taiwan, ROC and Taipei, Taiwan, ROC), M.-H. Li (Taoyuan City, Taiwan, ROC) and T.A. Tran (Hanoi, Viet Nam).....	100
The renewable energy-growth nexus with carbon emissions and technological innovation: Evidence from the Nordic countries M. Irandoust (Halmstad, Sweden).....	118
One taxon does not fit all: Herb-layer diversity and stand structural complexity are weak predictors of biodiversity in <i>Fagus sylvatica</i> forests F.M. Sabatini, S. Burrascano (Rome, Italy), M.M. Azzella (Rome, Italy and Cagliari, Italy), A. Barbati (Viterbo, Italy), S. De Paulis, D. Di Santo (Assergi, Italy), L. Facioni (Rome, Italy), D. Giularelli (Viterbo, Italy), F. Lombardi (Reggio Calabria, Italy), O. Maggi (Rome, Italy), W. Mattioli (Viterbo, Italy), F. Parisi (Pesche, Italy and Campobasso, Italy), A. Persiani (Rome, Italy), S. Ravera (Pesche, Italy) and C. Blasi (Rome, Italy).....	126

(Contents continued on inside back cover)

A novel MODIS algorithm to estimate chlorophyll a concentration in eutrophic turbid lakes Y. Zhang, R. Ma (Nanjing, China and Huai'an, China), H. Duan (Nanjing, China), S. Loiselle (Siena, Italy), M. Zhang (St. Petersburg, FL, USA) and J. Xu (Nanjing, China)	138
Birds as surrogates for mammals and reptiles: Are patterns of cross-taxonomic associations stable over time in a human-modified landscape? D.L. Yong, P.S. Barton, S. Okada, M. Crane and D.B. Lindenmayer (Canberra, Australia)	152
Methodological proposal to assess the water footprint accounting of direct water use at an urban level: A case study of the Municipality of Vicenza A. Manzardo, A. Loss (Padova, Italy), W. Fialkiewicz (Wroclaw, Poland), W. Rauch (Innsbruck, Austria) and A. Scipioni (Padova, Italy)	165
Woody trees, green space and park size improve avian biodiversity in urban landscapes of Peninsular Malaysia N. Aida, S. Sasidhran, N. Kamarudin (Serdang, Malaysia), N. Aziz (Tasmania, Australia), C.L. Puan and B. Azhar (Serdang, Malaysia)	176
CO ₂ , economic growth, and energy consumption in China's provinces: Investigating the spatiotemporal and econometric characteristics of China's CO ₂ emissions S. Wang, C. Zhou (Guangzhou, China), G. Li (Beijing, China) and K. Feng (College Park, MD, USA)	184
The extent of edge effects in fragmented landscapes: Insights from satellite measurements of tree cover M.D. de Paula, J. Groeneveld (Leipzig, Germany) and A. Huth (Leipzig, Germany and Osnabrück, Germany)	196
Using a phenological network to assess weather influences on first appearance of butterflies in the Netherlands H.-J. van der Kolk, M.F. WallisDeVries and A.J.H. van Vliet (Wageningen, The Netherlands)	205
Selecting cost effective and policy-relevant biological indicators for European monitoring of soil biodiversity and ecosystem function B.S. Griffiths (Edinburgh, UK), J. Römbke, R.M. Schmelz, A. Scheffczyk (Flörsheim, Germany), J.H. Faber, J. Bloem (Wageningen, The Netherlands), G. Pérès, D. Cluzeau, A. Chabbi (France), M. Suhadolc (Ljubljana, Slovenia), J.P. Sousa, P.M. da Silva, F. Carvalho, S. Mendes, P. Morais, R. Francisco, C. Pereira (Portugal), M. Bonkowski, S. Geisen (Cologne, Germany), R.D. Bardgett, F.T. de Vries (Manchester, UK), T. Bolger, T. Dirilgen, O. Schmidt (Belfield, Ireland), A. Winding, N.B. Hendriksen, A. Johansen (Roskilde, Denmark), L. Philippot, P. Plassart, D. Bru (France), B. Thomson, R.I. Griffiths, M.J. Bailey (Wallingford, UK), A. Keith (Bailrigg, UK), M. Rutgers, C. Mulder (Bilthoven, The Netherlands), S.E. Hannula (Netherlands), R. Creamer and D. Stone (Ireland)	213
Questioning the Ecological Footprint A. Galli (Geneva, Switzerland), M. Giampietro (Barcelona, Spain and Bellaterra, Spain), S. Goldfinger, E. Lazarus, D. Lin (Oakland, USA), A. Saltelli (Norway and Bellaterra, Spain), M. Wackernagel (Oakland, CA, USA) and F. Müller (Kiel, Germany)	224
Incorporating spatial autocorrelation in rarefaction methods: Implications for ecologists and conservation biologists G. Bacaro, A. Altobelli (Trieste, Italy), M. Cameletti (Italy), D. Ciccarelli (Pisa, Italy), S. Martellos (Trieste, Italy), M.W. Palmer (Stillwater, OK, USA), C. Ricotta (Rome, Italy), D. Rocchini (San Michele all'Adige, Italy), S.M. Scheiner (Arlington, VA, USA), E. Tordoni (Trieste, Italy) and A. Chiarucci (Bologna, Italy)	233
Predicting reference conditions for river bioassessment by incorporating boosted trees in the environmental filters method C.L. Elias (Aveiro, Portugal and Coimbra, Portugal), A.R. Calapez (Coimbra, Portugal), S.F.P. Almeida (Aveiro, Portugal), B. Chessman (Australia), N. Simões and M.J. Feio (Coimbra, Portugal)	239
A new index for assessing heavy metal contamination in sediments of the Beijing-Hangzhou Grand Canal (Zaozhuang Segment): A case study W. Zhuang (Zaozhuang, China and Yantai, China), Y. Liu, Q. Chen, Q. Wang (Zaozhuang, China) and F. Zhou (Yantai, China)	252
Comparing the satellite image transformation techniques for detecting and monitoring the continuous snow cover and glacier in Cilo mountain chain Turkey O. Satir (Van, Turkey)	261
The canary in the coal mine: Sprouts as a rapid indicator of browse impact in managed forests A.A. Royo (Irvine, PA, USA), D.W. Kramer, K.V. Miller, N.P. Nibbelink (USA) and S.L. Stout (Irvine, PA, USA)	269
Synergistic effects of climate and land-use change on representation of African bats in priority conservation areas A. Smith (Pretoria, South Africa), M.C. Schoeman (Bristol, UK and Durban, South Africa), M. Keith (Pretoria, South Africa), B.F.N. Erasmus (Johannesburg, South Africa), A. Monadjem (Kwaluseni, Swaziland and Pretoria, South Africa), A. Moilanen (Finland) and E. Di Minin (Durban, South Africa and Finland)	276
Seasonal and spatial shifts in copepod diets within tropical estuaries measured by fatty acid profiles G.C. de Moura, J.E. de Lucena Barbosa (Campina Grande, Brazil), J. Patrício (Coimbra, Portugal), J.F. Nery (Paraná, Brazil) and A.M.M. Gonçalves (Coimbra, Portugal and Aveiro, Portugal)	284
A model for change: An approach for forecasting well-being from service-based decisions J.K. Summers, L.C. Harwell and L.M. Smith (Gulf Breeze, FL, USA)	295
Spatial flow analysis of water pollution in eco-natural systems X. Zhou, K. Lei (Beijing, PR China), S.-T. Khu (Sunway Campus, Malaysia) and W. Meng (Beijing, PR China)	310

(Contents continued from inside back cover)

Evaluating the use of dominant microbial consumers (testate amoebae) as indicators of blanket peatland restoration G.T. Swindles, S.M. Green, L. Brown, J. Holden, C.L. Raby, T.E. Turner, R. Smart, M. Peacock and A.J. Baird (UK).....	318
Heavy metals in wetland soils along a wetland-forming chronosequence in the Yellow River Delta of China: Levels, sources and toxic risks G. Zhang, J. Bai, Q. Zhao, Q. Lu, J. Jia and X. Wen (Beijing, PR China).....	331
Relationship between mercury, organochlorine compounds and stable isotope ratios of carbon and nitrogen in yellowfin tuna (<i>Thunnus albacares</i>) taken from different regions of the Pacific and Indian Oceans T. Endo, O. Kimura (Hokkaido, Japan), Y. Fujii and K. Haraguchi (Fukuoka, Japan).....	340
Distribution of heavy metals and benthic macroinvertebrates: Impacts from typical inflow river sediments in the Taihu Basin, China B. Bian, Y. Zhou and B. bin Fang (Nanjing, China).....	348
<i>Papillifera papillaris</i> (O.F. Müller), a small snail living on stones and monuments, as indicator of metal deposition and bioavailability in urban environments R. Emilia, B. Debora, A. Stefania, B. Nicola and B. Roberto (Siena, Italy).....	360
Nematode biomass and morphometric attributes as biological indicators of local environmental conditions in Arctic fjords K. Grzelak, M. Gluchowska (Sopot, Poland), K. Gregorczyk (Gdynia, Poland), A. Winogradow and J.M. Weslawski (Sopot, Poland).....	368
Criteria and indicator approach of global sustainability assessment system for sustainable landscaping using native plants in Qatar P.C. Phondani, A. Bhatt, E. Elsarraj, Y.M. Alhorr (Doha, Qatar) and A. El-Keblawy (UAE).....	381
Assessment of long-term changes of ecosystem indexes in Tongoy Bay (SE Pacific coast): Based on trophic network analysis J. González, M. Ortiz (Chile), F. Rodríguez-Zaragoza (Mexico) and R.E. Ulanowicz (Gainesville, FL, USA)....	390
Improving the objectivity of sustainability indices by a novel approach for combining contrasting effects: Happy Planet Index revisited J. Bondarchik, M. Jabłońska-Sabuka, L. Linnanen and T. Kauranne (Lappeenranta, Finland).....	400
Periphytic diatom ecological guilds in floodplain: Ten years after dam V.M. Algarte, B. Dunck, J.A. Leandrini and L. Rodrigues (Paraná, Brazil).....	407
Assemblage diversity, cell density and within-slide variability: Implications for quality assurance/quality control and uncertainty assessment in diatom-based monitoring I. Lavoie (Québec, Canada) and S. Campeau (Trois-Rivières, Canada).....	415
Development and implementation of a spatial unit non-overlapping water stress index for water scarcity evaluation with a moderate spatial resolution Q. Zhou (Beijing, People's Republic of China and Guiyang, People's Republic of China), S. Yang, C. Zhao, M. Cai, H. Lou (Beijing, People's Republic of China), Y. Luo (Beijing, People's Republic of China and Guiyang, People's Republic of China) and L. Hou (Beijing, People's Republic of China).....	422
Assessing the transferability of hydraulic habitat models for juvenile Atlantic salmon K.J. Millidine, I.A. Malcolm (Pitlochry, Perthshire, UK) and R.J. Fryer (Aberdeen, UK).....	434
Study on the ecological compensation standard for river basin water environment based on total pollutants control X. Guan (Henan, China), W. Liu and M. Chen (China).....	446
Effect Factors for marine eutrophication in LCIA based on species sensitivity to hypoxia N. Cosme and M.Z. Hauschild (Kgs. Lyngby, Denmark).....	453
Water eutrophication evaluation based on rough set and petri nets: A case study in Xiangxi-River, Three Gorges Reservoir H. Yan, Y. Huang, G. Wang, X. Zhang, M. Shang, L. Feng, J. Dong, K. Shan, D. Wu, B. Zhou and Y. Yuan (Chongqing, China).....	463
The use of ecological, fishing and environmental indicators in support of decision making in southern Benguela fisheries E.M. Lockerbie, L.J. Shannon and A. Jarre (Rondebosch, South Africa).....	473
A habitat quality indicator for common birds in Europe based on species distribution models S. Vallecillo, J. Maes, C. Polce and C. Lavallo (Ispra, Italy).....	488
Assessing the importance of environmental factors to phytoliths of <i>Phragmites communis</i> in north-eastern China L. Liu, D. Jie, H. Liu, G. Gao, Z. Gao, D. Li, N. Li, J. Guo (Changchun, PR China) and Z. Qiao (Daqing, PR China).....	500

Mapping multiple ecosystem services indicators: Toward an objective-oriented approach S. Le Clec'h, J. Oszwald (France), T. Decaens (Montpellier, France), T. Desjardins, S. Dufour, M. Grimaldi, N. Jegou (France) and P. Lavelle (Colombia)	508
An ostracod-based calibration function for electrical conductivity reconstruction in lacustrine environments in Patagonia, Southern South America J. Ramón Mercau and C. Laprida (Buenos Aires, Argentina)	522
The effect of a large-scale irrigation scheme on the fish community structure and integrity of a subtropical river system in South Africa W. Malherbe, V. Wepener (Potchefstroom, South Africa) and J.H.J. van Vuren (Auckland Park, South Africa)....	533
Establishing an ecological vulnerability assessment indicator system for spatial recognition and management of ecologically vulnerable areas in highly urbanized regions: A case study of Shenzhen, China W. Hong (Wuhan, China and Shenzhen, China), R. Jiang (Shenzhen, China), C. Yang, F. Zhang (Shenzhen, China), M. Su (Wuhan, China and Shenzhen, China) and Q. Liao (Shenzhen, China).....	540
Environmental assessment schemes for non-domestic building refurbishment in the Malaysian context S.N. Kamaruzzaman (Kuala Lumpur, Malaysia), E.C.W. Lou (Manchester, UK), N. Zainon, N.S. Mohamed Zaid and P.F. Wong (Kuala Lumpur, Malaysia).....	548
The energy-environment efficiency of road and railway sectors in China: Evidence from the provincial level Z. Liu, C.-X. Qin and Y.-J. Zhang (Changsha, PR China)	559
Effective crop structure adjustment under climate change Z. Dong, Z. Pan, S. Wang, P. An, J. Zhang, J. Zhang, Y. Pan, L. Huang, H. Zhao, G. Han, D. Wu, J. Wang, D. Fan (Beijing, China and Wuchuan, China), L. Gao (Wuchuan, China) and X. Pan (Beijing, China and Wuchuan, China).....	571
Large-scale climate change vulnerability assessment of stream health S.A. Woznicki, A.P. Nejadhashemi, Y. Tang (East Lansing, MI, USA) and L. Wang (Windsor, Canada).....	578
Optimising a widely-used coastal health index through quantitative ecological group classifications and associated thresholds B.P. Robertson (Dunedin, New Zealand, Wellington, New Zealand and Nelson, New Zealand), C. Savage (Dunedin, New Zealand and Cape Town, South Africa), J.P.A. Gardner (Wellington, New Zealand and Wuhan, PR China), B.M. Robertson and L.M. Stevens (Nelson, New Zealand)	595
Incorporating natural variability in the bioassessment of stream condition in the Atlantic Forest biome, Brazil P.S. Pereira, N.F. Souza, D.F. Baptista, J.L.M. Oliveira and D.F. Buss (Rio de Janeiro, Brazil)	606
Spatial and temporal response of multiple trait-based indices to natural- and anthropogenic seafloor disturbance (effluents) P. van der Linden (Coimbra, Portugal), A. Borja, J.G. Rodríguez, I. Muxika, I. Galparsoro (Pasaia, Spain), J. Patrício (Ispira, Italy), H. Veríssimo and J.C. Marques (Coimbra, Portugal).....	617
A critical review of selected tools for assessing community resilience A. Sharifi (Tsukuba, Japan).....	629
Structural and functional measures of leaf-associated invertebrates and fungi as predictors of stream eutrophication A. Pereira, P. Geraldes, E. Lima-Fernandes, I. Fernandes, F. Cássio and C. Pascoal (Braga, Portugal).....	648
Can ecological land classification increase the utility of vegetation monitoring data? J.C. Williamson, B.T. Bestelmeyer (Las Cruces, NM, USA), M.P. McClaran (Tucson, AZ, USA), D. Robinett (Elgin, AZ, USA), D.D. Briske, X. Ben Wu (College Station, TX, USA) and M.E. Fernández-Giménez (Fort Collins, CO, USA).....	657
Modelling phosphorus efficiency within diverse dairy farming systems – pollutant and non-renewable resource? M.D. March, L. Toma, A.W. Stott and D.J. Roberts (Edinburgh, UK)	667
Incorporating species losses and gains into a fish-based index for stream bioassessment increases the detection of anthropogenic disturbances P.M. Rose, M.J. Kennard (Nathan, Australia), D.B. Moffatt (Brisbane, Australia), G.L. Butler (Grafton, Australia) and F. Sheldon (Nathan, Australia).....	677
Performance of the Phytoplankton Index for Lakes (IPLAC): A multimetric phytoplankton index to assess the ecological status of water bodies in France C. Laplace-Treytoure and T. Feret (Cestas, France).....	686
Deciduousness in tropical trees and its potential as indicator of climate change: A review K.P. Singh and C.P. Kushwaha (Varanasi, India)	699
Modeling the spatial distribution of the striped dolphin (<i>Stenella coeruleoalba</i>) and common bottlenose dolphin (<i>Tursiops truncatus</i>) in the Gulf of Taranto (Northern Ionian Sea, Central-eastern Mediterranean Sea) R. Carlucci (Bari, Italy), C. Fanizza (Taranto, Italy), G. Cipriano (Bari, Italy), C. Paoli (Genova, Italy), T. Russo (Rome, Italy) and P. Vassallo (Genova, Italy).....	707

How is ecosystem health defined and measured? A critical review of freshwater and estuarine studies A. O'Brien, K. Townsend, R. Hale, D. Sharley and V. Pettigrove (Victoria, Australia).....	722
Macrolichen diversity as an indicator of stand age and ecosystem resilience along a precipitation gradient in humid forests of inland British Columbia, Canada A. Arsenault (Corner Brook, Canada) and T. Goward (Vancouver, Canada)	730
Multi-species response to rapid environmental change in a large estuary system: A biochronological approach C. Izzo, Z.A. Doubleday, G.L. Grammer, T.C. Barnes, S. Delean (Adelaide, Australia), G.J. Ferguson, Q. Ye (Henley Beach, Australia) and B.M. Gillanders (Adelaide, Australia)	739
Spiders in mofette fields—Survival of the toughest in natural carbon dioxide springs? B. Balkenhol, K. Hohberg (Görlitz, Germany) and H. Pfanz (Essen, Germany).....	749
Does directed technological change get greener: Empirical evidence from Shanghai's industrial green development transformation S. Shao, R. Luan (Shanghai, China), Z. Yang (Nanjing, China) and C. Li (Shanghai, China)	758
When less means more: Reduction of both effort and survey methods boosts efficiency and diversity of harvestmen in a tropical forest W. Porto, P.A.L. Pequeno and A.L. Tourinho (Amazonas, Brazil).....	771
Spatial and seasonal dynamics of fish assemblage along river Soan, Pakistan and its relationship with environmental conditions S. Nazeer, M.Z. Hashmi and R.N. Malik (Islamabad, Pakistan)	780
A management-oriented framework for selecting metrics used to assess habitat- and path-specific quality in spatially structured populations S. Nicol (Dutton Park, Australia), R. Wiederholt (Tucson, AZ, USA), J.E. Diffendorfer (Denver, CO, USA), B.J. Mattsson (Vienna, Austria), W.E. Thogmartin (La Crosse, WI, USA), D.J. Semmens (Denver, AZ, USA), L. López-Hoffman (Tucson, AZ, USA) and D.R. Norris (Ontario, Canada).....	792
Biodiesel-triple bottom line (TBL): A new hierarchical sustainability assessment framework of principles criteria & indicators (PC&I) for biodiesel production. Part II-validation S. Bautista (Bogotá, Colombia), M. Enjolras (Nancy, France), P. Narvaez (Bogotá, Colombia), M. Camargo and L. Morel (Nancy, France).....	803
Assessing the fishing footprint using data integrated from different tracking devices: Issues and opportunities T. Russo, L. D'Andrea, A. Parisi (Rome, Italy), M. Martinelli, A. Belardinelli (Italy), F. Boccoli, I. Cignini, M. Tordoni and S. Cataudella (Rome, Italy).....	818
Application of a new integrated landscape index to predict potential urban heat islands A. Chen, X. Zhao, L. Yao and L. Chen (Beijing, PR China).....	828
Tracking resource use relative to planetary boundaries in a steady-state framework: A case study of Canada and Spain A.L. Fanning (Puerto Real, Spain and Arlington, VA, USA) and D.W. O'Neill (Arlington, VA, USA and Leeds, UK).....	836
Drought impact assessment on rural livelihood systems in Iran M. Khayyati (Rasht, Iran) and M. Aazami (Hamedan, Iran)	850
An indicator framework to help maximise potential benefits for ecosystem services and biodiversity from ecological focus areas J. Tzivilakis, D.J. Warner, A. Green, K.A. Lewis (UK) and V. Angileri (Ispra, Italy).....	859
Evaluation of ecosystem service value of riparian zone using land use data from 1986 to 2012 B. Fu (Changchun, PR China, Beijing, PR China and Kingston, RI, USA), Y. Li (Changchun, PR China), Y. Wang (Kingston, RI, USA), B. Zhang (Changchun, PR China), S. Yin (Tangshan, PR China), H. Zhu (Xinxiang, PR China) and Z. Xing (Changchun, PR China and Beijing, PR China)	873
Interregional bio-physical connections—A 'footprint family' analysis of Israel's beef supply system M. Kissinger and S. Dickler (Beer Sheva, Israel)	882