

LWT—Food Science and Technology

Contents

Volume 72, 2016

Research papers

- Spray drying bioactive orange-peel extracts produced by Soxhlet extraction: Use of WPI, antioxidant activity and moisture sorption isotherms**
M. Edrisi Sormoli and T.A.G. Langrish 1
- Antimicrobial activities of lauric arginate and cinnamon oil combination against foodborne pathogens: Improvement by ethylenediaminetetraacetate and possible mechanisms**
Q. Ma, P.M. Davidson, F. Critzer and Q. Zhong 9
- Growth and toxigenic potential of *Bacillus cereus* during storage temperature abuse in cooked irradiated chicken rice in combination with nisin and carvacrol**
S. Ayari, D. Dussault, M. Hamdi and M. Lacroix 19
- Sensory attributes and physicochemical features of corn snacks as affected by different flour types and extrusion conditions**
A. Pęksa, A. Kita, A.A. Carbonell-Barrachina, J. Miedzianka, J. Kolniak-Ostek, A. Tajner-Czopek, E. Rytel, A. Siwek, D. Miarka and W. Drożdż 26
- Antioxidant and antimicrobial effects of zein edible film impregnated with *Zataria multiflora* Boiss. essential oil and monolaurin**
M. Moradi, H. Tajik, S.M. Razavi Rohani and A. Mahmoudian 37
- Simultaneous determination of furan and 2-alkylfurans in heat-processed foods by automated static headspace gas chromatography-mass spectrometry**
M. Shen, Q. Liu, H. Jia, Y. Jiang, S. Nie, J. Xie, C. Li and M. Xie 44
- Vacuum packaging as an effective strategy to retard off-odour development, microbial spoilage, protein degradation and retain sensory quality of camel meat**
S. Maqsood, N.A. Al Haddad and P. Mudgil 55
- Development of NIRS models for rapid quantification of protein content in sweetpotato [*Ipomoea batatas* (L.) LAM.]**
L.S. Magwaza, S.I. Messo Naidoo, S.M. Laurie, M.D. Laing and H. Shimelis 63
- Rheological properties of fermented rice extract with probiotic bacteria and different concentrations of waxy maize starch**
K.K.F.D. Costa, M.C. Garcia, K.d.O. Ribeiro, M.S. Soares Junior and M. Caliari 71
- Simultaneous synthesis and purification (SSP) of galacto-oligosaccharides in batch operation**
C. Aburto, C. Guerrero, C. Vera, L. Wilson and A. Illanes 81
- Enhancing quality attributes of fiber-enriched strawberry juice by application of vanillin or geraniol**
L. Cassani, B. Tomadoni, G. Viacava, A. Ponce and M.R. Moreira 90

Selection and optimization of salt replacer, flavour enhancer and bitter blocker for manufacturing low sodium Cheddar cheese using response surface methodology <i>Y. Khetra, S.K. Kanawjia and R. Puri</i>	99
An assessment of the processing and physicochemical factors contributing to the microbial contamination of <i>salpicão</i>, a naturally-fermented Portuguese sausage <i>V. Cadavez, U. Gonzales-Barron, P. Pires, E. Fernandes, A.P. Pereira, A. Gomes, J.P. Araújo, F. Lopes-da-Silva, P. Rodrigues, C. Fernandes, M.J. Saavedra, F. Butler and T. Dias</i>	107
Effect of the lower ligand precursors on vitamin B12 production by food-grade Propionibacteria <i>B. Chamlagain, P. Deptula, M. Edelmann, S. Kariluoto, F. Grattepanche, C. Lacroix, P. Varmanen and V. Piironen</i>	117
Food proteins as vehicles for enhanced water dispersibility, stability and bioaccessibility of coenzyme Q₁₀ <i>F.-P. Chen, N. Zhang and C.-H. Tang</i>	125
Effect of jumbo squid (<i>Dosidicus gigas</i>) skin extract on the microbial activity in chilled mackerel (<i>Scomber scombrus</i>) <i>J.M. Ezquerro-Brauer, J.M. Miranda, A. Cepeda, J. Barros-Velázquez and S.P. Aubourg</i>	134
Application of isoelectric solubilization/precipitation processing to improve gelation properties of protein isolated from pale, soft, exudative (PSE)-like chicken breast meat <i>X. Zhao, X. Chen, M.-y. Han, C. Qian, X.-l. Xu and G.-h. Zhou</i>	141
Tocopherol-mediated synthesis of silver nanoparticles and preparation of antimicrobial PBAT/silver nanoparticles composite films <i>S. Shankar and J.-W. Rhim</i>	149
Synergistic effects of Pectinex Ultra Clear and Lallzyme Beta on yield and bioactive compounds extraction of Concord grape juice <i>L. Dal Magro, L.M.G. Dalagnol, V. Manfroi, P.F. Hertz, M.P. Klein and R.C. Rodrigues</i>	157
Shelf life extension of sponge cake by active packaging as an alternative to direct addition of chemical preservatives <i>T. Janjarasskul, K. Tananuwong, V. Kongpensook, S. Tantratian and S. Kokpol</i>	166
Development of a multiplex real-time PCR assay with an internal amplification control for the detection of <i>Campylobacter</i> spp. and <i>Salmonella</i> spp. in chicken meat <i>J. Alves, E.Y. Hirooka and T.C.R.M.d. Oliveira</i>	175
Processed elderberry (<i>Sambucus nigra</i> L.) products: A beneficial or harmful food alternative? <i>M. Senica, F. Stampar, R. Veberic and M. Mikulic-Petkovsek</i>	182
The role of exopolysaccharide-producing cultures and whey protein ingredients in yoghurt <i>P. Buldo, C. Benfeldt, D.M. Folkenberg, H.B. Jensen, J.M. Amigo, S. Sieuwerts, K. Thygesen, F. van den Berg and R. Ipsen</i>	189
Effect of brining and frozen storage on physicochemical properties of well-fed Atlantic mackerel (<i>Scomber scombrus</i>) intended for hot smoking and canning <i>P.E. Romotowska, M. Gudjónsdóttir, T.B. Kristinsdóttir, M.G. Karlsdóttir, S. Arason, Á. Jónsson and H.G. Kristinsson</i>	199
Effect of nanoclay and ethyl-Nα-dodecanoyl-L-arginate hydrochloride (LAE) on physico-mechanical properties of chitosan films <i>J.F. Rubilar, D. Candia, A. Cobos, O. Díaz and F. Pedreschi</i>	206
Biocontrol of postharvest fungal decay of tomatoes with a combination of thymol and salicylic acid screening from 11 natural agents <i>J. Kong, Y.-F. Xie, Y.-H. Guo, Y.-L. Cheng, H. Qian and W.-R. Yao</i>	215
Quality characteristics and <i>in vitro</i> digestibility study of barley flour enriched ditalini pasta <i>A. Montalbano, L. Tesoriere, P. Diana, P. Barraja, A. Carbone, V. Spanò, B. Parrino, A. Attanzio, M.A. Livrea, S. Cascioferro and G. Cirrincione</i>	223
Optimization of solvent and ultrasound-assisted extraction for different anthocyanin rich fruit and their effects on anthocyanin compositions <i>W. Wang, J. Jung, E. Tomasino and Y. Zhao</i>	229
Development of predictive preservative model for shelf life parameters of beef using response surface methodology <i>C. Chandra Mohan, K.R. Rakhavan, K. Radha Krishnan, S. Babuskin, K. Sudharsan, P. Azhagu Saravana Babu and M. Sukumar</i>	239

Development of flexible bactericidal films based on poly(lactic acid) and essential oil and its effectiveness to reduce microbial growth of refrigerated rainbow trout <i>Z. Javidi, S.F. Hosseini and M. Rezaei</i>	251
Bacteriocin-like inhibitory substances (BLIS) produced by <i>Bacillus cereus</i>: Preliminary characterization and application of partially purified extract containing BLIS for inhibiting <i>Listeria monocytogenes</i> in pineapple pulp <i>J.A. Leite, F.L. Tulini, F.B.d. Reis-Teixeira, L. Rabinovitch, J.Q. Chaves, N.G. Rosa, H. Cabral and E.C.P. De Martinis</i>	261
Combination of treatments to improve thermal stability of egg albumen <i>C. Kulchaiyawat, C. Wang, C. Yu, Z. Han and T. Wang</i>	267
Packaging and storage conditions to extend the shelf life of semi-dried artichoke hearts <i>L. Sergio, M.A. Gatto, L. Spremulli, M. Pieralice, V. Linsalata and D. Di Venere</i>	277
Antimicrobial and physicochemical characterization of whey protein concentrate edible films incorporated with liquid smoke <i>M. Soazo, L.M. Pérez, G.N. Piccirilli, N.J. Delorenzi and R.A. Verdini</i>	285
Stabilizing beverage emulsions by regenerated celluloses <i>W. Shen, L. Guo, T. Wu, W. Zhang and M. Abid</i>	292
The potential of zein nanoparticles to protect entrapped β-carotene in the presence of milk under simulated gastrointestinal (GI) conditions <i>T. Chuacharoen and C.M. Sabliov</i>	302
The impact of mycorrhizal fungi on <i>Sangiovese</i> red wine production: Phenolic compounds and antioxidant properties <i>M. Gabriele, C. Gerardi, V. Longo, J. Lucejko, I. Degano, L. Pucci and V. Domenici</i>	310
Analysis of microbial diversity and dynamics during wine fermentation of Grenache grape variety by high-throughput barcoding sequencing <i>M.d.C. Portillo and A. Mas</i>	317
Integration of spectral and textural data for enhancing hyperspectral prediction of K value in pork meat <i>W. Cheng, D.-W. Sun, H. Pu and Y. Liu</i>	322
Effect of different fat replacers and drying methods on thermal behaviour, morphology and sensory attributes of reduced-fat coffee creamer <i>S. Hedayatnia, H. Mirhosseini, B.T. Amid, Z.I. Sarker, S.K. Veličkovska and R. Karim</i>	330
Effect of the two drying approaches on the volatile profiles of button mushroom (<i>Agaricus bisporus</i>) by headspace GC-MS and electronic nose <i>F. Pei, W. Yang, N. Ma, Y. Fang, L. Zhao, X. An, Z. Xin and Q. Hu</i>	343
Enrichment of stirred yogurts with folic acid encapsulated in pH-responsive mesoporous silica particles: Bioaccessibility modulation and physico-chemical characterization <i>É. Pérez-Esteve, M. Ruiz-Rico, A. Fuentes, M.D. Marcos, F. Sancenón, R. Martínez-Máñez and J.M. Barat</i>	351
Development of a multilayer antimicrobial packaging material for tomato puree using an innovative technology <i>R. Gherardi, R. Becerril, C. Nerin and O. Bosetti</i>	361
Image processing based classification of grapes after pesticide exposure <i>M.K. Dutta, N. Sengar, N. Minhas, B. Sarkar, A. Goon and K. Banerjee</i>	368
Production of fermented pork jerky using <i>Lactobacillus bulgaricus</i> <i>C. Zhao, X. Zhao, Z. Lu, J. Huang, S. He, H. Tan, G. Wang, Y. Li and D. Liu</i>	377
Exopolysaccharide-producing culture in the manufacture of Prato cheese <i>R.S.C. Nepomuceno, L.C.G. Costa Junior and R.G.B. Costa</i>	383
<i>Lactobacillus kefiranofaciens</i> and <i>Lactobacillus satsumensis</i> isolated from Brazilian kefir grains produce alpha-glucans that are potentially suitable for food applications <i>I.M.d. Paiva, R.d.S. Steinberg, I.S. Lula, E.M.d. Souza-Fagundes, T.d.O. Mendes, M.J.V. Bell, J.R. Nicoli, Á.C. Nunes and E. Neumann</i>	390
Application of acid tolerant <i>Pediococcus</i> strains for increasing the sustainability of lactic acid production from cheese whey <i>G. Juodeikiene, D. Zadeike, E. Bartkiene and D. Klupsaite</i>	399

Optimization of osmotic dehydration of pear followed by conventional drying and their sensory quality <i>A.S. da Costa Ribeiro, E. Aguiar-Oliveira and R.R. Maldonado</i>	407
Optimizing the use of <i>Sinapis alba</i> seed meal extracts as a source of thiocyanate (SCN⁻) for the lactoperoxidase system <i>A. Golmohamadi, M.J. Morra, I. Popova and C.I. Nindo</i>	416
Phenolic profiles, antioxidant capacities and metal chelating ability of edible mushrooms commonly consumed in China <i>T. Islam, X. Yu and B. Xu</i>	423
Effect of chitosan-gelatin film incorporated with ethanolic red grape seed extract and <i>Ziziphora clinopodioides</i> essential oil on survival of <i>Listeria monocytogenes</i> and chemical, microbial and sensory properties of minced trout fillet <i>S. Kakaei and Y. Shahbazi</i>	432
A new ultrasound-assisted bleaching technique for impacting chlorophyll content of cold-pressed hempseed oil <i>A.A. Aachary, J. Liang, A. Hydamaka, N.A.M. Eskin and U. Thiyam-Holländer</i>	439
Effects of modified starches on the processing properties of heat-resistant blueberry jam <i>L.-L. Zhang, J.-N. Ren, Y. Zhang, J.-J. Li, Y.-L. Liu, Z.-Y. Guo, Z.-Y. Yang, S.-Y. Pan and G. Fan</i>	447
Quality assessment of shrimps preserved with orange leaf essential oil incorporated gelatin <i>Y. Alparslan, H.H. Yapıcı, C. Metin, T. Baygar, A. Günlü and T. Baygar</i>	457
Effect of micro-vacuum storage on active oxygen metabolism, internal browning and related enzyme activities in Laiyang pear (<i>Pyrus bretschneideri</i> Reld) <i>M. Fan, W. Li, X. Hu, Y. Sun, G. Yu and X. Zhang</i>	467
Optimization of ultrasound, vanillin and pomegranate extract treatment for shelf-stable unpasteurized strawberry juice <i>B. Tomadoni, L. Cassani, A. Ponce, M.R. Moreira and M.V. Agüero</i>	475
Rapid determination of trace EDTA in wines and beers by LC-MS/MS <i>X. Wei, L. Zhuang, C. Wu, W. Chen, Z. Li and B. Xu</i>	485
Key factors affecting the immunoreactivity of roasted and boiled peanuts: Temperature and water <i>H. Rao, Y. Tian, S. Tao, J. Tang, X. Li and W.-T. Xue</i>	492
Vacuum impregnation and drying of calcium-fortified pineapple snacks <i>M.M.d. Lima, G. Tribuzi, J.A.R.d. Souza, I.G.d. Souza, J.B. Laurindo and B.A.M. Carciofi</i>	501
Corn protein hydrolysate as a novel nano-vehicle: Enhanced physicochemical stability and <i>in vitro</i> bioaccessibility of vitamin D₃ <i>Y. Lin, Y.-H. Wang, X.-Q. Yang, J. Guo and J.-M. Wang</i>	510
Preparation and characterization of nisin-loaded pectin-inulin particles as antimicrobials <i>T. Krivorotova, R. Staneviciene, J. Luksa, E. Serviene and J. Sereikaite</i>	518
Assessment of microbial diversity of the dominant microbiota in fresh and mature PDO Feta cheese made at three mountainous areas of Greece <i>D. Bozoudi, S. Torriani, A. Zdragas and E. Litopoulou-Tzanetaki</i>	525
Study on the phytochemical properties of pineapple fruit leather processed by extrusion cooking <i>P. Sharma, M. Ramchiary, D. Samyor and A.B. Das</i>	534
Development and quality evaluation of lacto-fermented product based on hulled and not hulled hempseed (<i>Cannabis sativa</i> L.) <i>E. Bartkiene, G. Schleining, V. Krungleviciute, D. Zadeike, P. Zavistanaviciute, I. Dimaite, I. Kuzmaite, V. Riskeviciene and G. Juodeikiene</i>	544
Structuring effects of lecithins on model fat systems: A comparison between native and hydrolyzed forms <i>S. Delacharlerie, R. Petrut, S. Deckers, E. Flöter, C. Blecker and S. Danthine</i>	552
Change in stability of procyanidins, antioxidant capacity and <i>in-vitro</i> bioaccessibility during processing of cocoa powder from cocoa beans <i>M. Gültekin-Özgüven, I. Berktaş and B. Özçelik</i>	559

The effect of γ -irradiation on chemical composition, microbial load and sensory properties of Sicilian oregano
E. Napoli, A. Mazzaglia, C. Restuccia, P. Ragni, C.M. Lanza and G. Ruberto

566

Short communication

Shelf-life extension of watermelon juice preserved by hyperbaric storage at room temperature compared to refrigeration

C. Pinto, S.A. Moreira, L.G. Fidalgo, M.D. Santos, I. Delgadillo and J.A. Saraiva

78

Calendar

I