

LWT—Food Science and Technology

Contents

Volume 73, 2016

Research papers

- Optimization of process conditions for developing yoghurt like probiotic product from peanut**
S. Bansal, M. Mangal, S.K. Sharma, D.N. Yadav and R.K. Gupta 6
- Pork biogenic amine index (BAI) determination based on chemometric analysis of hyperspectral imaging data**
W. Cheng, D.-W. Sun and J.-H. Cheng 13
- Effect of high pressure processing on the baking aptitude of corn starch and rice flour**
C. Cappa, G.V. Barbosa-Cánovas, M. Lucisano and M. Mariotti 20
- Effect of molecular weights of chitosan coating on postharvest quality and physicochemical characteristics of mango fruit**
P. Jongsri, T. Wangsomboondee, P. Rojsitthisak and K. Seraypheap 28
- Effect of microencapsulation with Maillard reaction products of whey proteins and isomaltooligosaccharide on the survival of *Lactobacillus rhamnosus***
L. Liu, X. Li, Y. Zhu, A.F. Massounga Bora, Y. Zhao, L. Du, D. Li and W. Bi 37
- Natural deep eutectic solvents as beneficial extractants for enhancement of plant extracts bioactivity**
K. Radošević, N. Čurko, V. Gaurina Srček, M. Cvjetko Bubalo, M. Tomašević, K. Kovačević Ganić and I. Radojčić Redovniković 45
- Impact of octenyl succinylation on rheological, pasting, thermal and physicochemical properties of pearl millet (*Pennisetum typhoides*) starch**
M. Sharma, A.K. Singh, D.N. Yadav, S. Arora and R.K. Vishwakarma 52
- Effect of polydextrose and inulin on texture and consumer preference of short-dough biscuits with chickpea flour**
A. Mieszkowska and A. Marzec 60
- Phytate-degrading activity of probiotic bacteria exposed to simulated gastrointestinal fluids**
A.F. González-Córdova, L.M. Beltrán-Barrientos, L. Santiago-López, H.S. Garcia, B. Vallejo-Cordoba and A. Hernandez-Mendoza 67
- High hydrostatic pressure blanching of baby spinach (*Spinacia oleracea* L.)**
G. Finten, M.V. Agüero, R.J. Jagus and K. Niranjana 74
- Determination of the efficacy of ultrasound combined with essential oils on the decontamination of *Salmonella* inoculated lettuce leaves**
D. Millan-Sango, E. Garroni, C. Farrugia, J.F.M. Van Impe and V.P. Valdramidis 80
- Effect of irradiation on the degradation of nucleotides in turkey meat**
X. Feng, S.H. Moon, H.Y. Lee and D.U. Ahn 88

Nutritional profile and chemical composition of <i>Cichorium spinosum</i> ecotypes <i>S.A. Petropoulos, Á. Fernandes, G. Ntasi, E. Levizou, L. Barros and I.C.F.R. Ferreira</i>	95
Interfacial properties of gelatin from goat skin as influenced by drying methods <i>S. Mad-Ali, S. Benjakul, T. Prodpran and S. Maqsood</i>	102
Antioxidant and cytotoxicities of <i>Pleurotus eryngii</i> residue polysaccharides obtained by ultrafiltration <i>G. Ma, W. Yang, Y. Fang, N. Ma, F. Pei, L. Zhao and Q. Hu</i>	108
Glucosylated forms of serotonin and tryptophan in green coffee beans <i>L. Servillo, A. Giovane, R. Casale, D. Cautela, N. D'Onofrio, M.L. Balestrieri and D. Castaldo</i>	117
Effects of chemical leavening system and processing conditions on the opacity and other quality characteristics of whole-wheat flour tortillas <i>T. Liu, G.G. Hou, S.L. Book and L. Marquart</i>	123
<i>In vitro</i> fermentation and prebiotic potential of selected extracts from seaweeds and mushrooms <i>D. Rodrigues, G. Walton, S. Sousa, T.A.P. Rocha-Santos, A.C. Duarte, A.C. Freitas and A.M.P. Gomes</i>	131
Combined use of thermo-ultrasound and cinnamon leaf essential oil to inactivate <i>Saccharomyces cerevisiae</i> in natural orange and pomegranate juices <i>M. Sánchez-Rubio, A. Taboada-Rodríguez, R. Cava-Roda, A. López-Gómez and F. Marín-Iniesta</i>	140
Rate-controlling mechanisms in the photo-degradation of ochratoxin A <i>R. Ibarz, A. Garvín, S. Rojas, E. Azuara and A. Ibarz</i>	147
Sunflower oil organogels and organogel-in-water emulsions (part I): Microstructure and mechanical properties <i>T. Moschakis, E. Panagiotopoulou and E. Katsanidis</i>	153
Influence of prebiotic and coating materials on morphology and survival of a probiotic strain of <i>Lactobacillus casei</i> exposed to simulated gastrointestinal conditions <i>P. Darjani, M. Hosseini Nezhad, R. Kadkhodae and E. Milani</i>	162
Pigmented edible bean coats as natural sources of polyphenols with antioxidant and antibacterial effects <i>R.-Y. Gan, Z.-Q. Deng, A.-X. Yan, N.P. Shah, W.-Y. Lui, C.-L. Chan and H. Corke</i>	168
Effects of cold plasma treatment on antioxidants activity, phenolic contents and shelf life of fresh and dried walnut (<i>Juglans regia</i> L.) cultivars during storage <i>M. Amini and M. Ghoranneviss</i>	178
Microbial decontamination of gamma irradiated black tea and determination of major minerals in black tea, fresh tea leaves and tea garden soil <i>M.H. Rashid, M.A.Z. Chowdhury, Z. Fardous, E.M. Tanvir, M.K. Pramanik, I. Jahan, M.K. Alam, M. Moniruzzaman and S.H. Gan</i>	185
The effect of prebiotics on the viability of encapsulated probiotic bacteria <i>A.G. Peredo, C.I. Beristain, L.A. Pascual, E. Azuara and M. Jimenez</i>	191
Effect of addition of green coffee extract and nanoencapsulated chlorogenic acids on aroma of different food products <i>G. Budryn, D. Zaczyńska and J. Oracz</i>	197
Prevalence and molecular characterization of <i>Listeria</i> spp. and <i>Listeria monocytogenes</i> isolated from fish, shrimp, and cooked ready-to-eat (RTE) aquatic products in Iran <i>E. Abdollahzadeh, S.M. Ojagh, H. Hosseini, G. Irajian and E.A. Ghaemi</i>	205
High-pressure processing effects on foodborne bacteria by mid-infrared spectroscopy analysis <i>C. Moreirinha, A. Almeida, J.A. Saraiva and I. Delgadillo</i>	212
Effects of freezing rate and terminal freezing temperature on frozen croissant dough quality <i>C. Ban, S. Yoon, J. Han, S.O. Kim, J.S. Han, S. Lim and Y.J. Choi</i>	219
<i>In vitro</i> antifungal activity of residues from essential oil industry against <i>Penicillium verrucosum</i>, a common contaminant of ripening cheeses <i>G. Ortiz de Elguea-Culebras, R. Sánchez-Vioque, O. Santana-Méridas, D. Herraiz-Peñalver, M. Carmona and M.I. Berruga</i>	226
GABA-enriched water dropwort produced by co-fermentation with <i>Leuconostoc mesenteroides</i> SM and <i>Lactobacillus plantarum</i> K154 <i>S.-Y. Kwon, C.V. Garcia, Y.-C. Song and S.-P. Lee</i>	233

Impact of radiation processing on the stability of cucurbitacin glycosides in ready-to-cook (RTC) pumpkin during storage <i>J. Tripathi, A.P. Variyar, P.K. Mishra and P.S. Variyar</i>	239
Relationship between antioxidant capacity, chlorogenic acids and elemental composition of green coffee <i>M. Jeszka-Skowron, E. Stanisz and M.P. De Peña</i>	243
Relationship between chemical characteristics and bacterial community of a Korean salted-fermented anchovy sauce, <i>Myeolchi-Aekjeot</i> <i>H.-W. Lee, Y.-J. Choi, I.M. Hwang, S.W. Hong and M.-A. Lee</i>	251
Characterization of lactobacilli strains derived from cocoa fermentation in the south of Bahia for the development of probiotic cultures <i>T. Teles Santos, R.M. Santos Ornellas, L. Borges Arcucio, M. Messias Oliveira, J.R. Nicoli, C. Villela Dias, A.P. Trovatti Uetanabaro and G. Vinderola</i>	259
Effect of a combination of enzymes on the fundamental rheological behavior of bread dough enriched with resistant starch <i>L. Altuna, P.D. Ribotta and C.C. Tadini</i>	267
Flour functionality and nutritional characteristics of different roller milled streams of foxtail millet (<i>Setaria italica</i>) <i>K.V. Preetham Kumar, U. Dharmaraj, S.D. Sakhare and A.A. Inamdar</i>	274
Use of response surface methodology to describe the effect of time and temperature on the production of decoloured, antioxidant and functional peptides from porcine haemoglobin by sub-critical water hydrolysis <i>C. Álvarez, B.K. Tiwari, M. Rendueles and M. Díaz</i>	280
Enzymatic degumming of soybean oil with magnetic immobilized phospholipase A₂ <i>Y. Qu, L. Sun, X. Li, S. Zhou, Q. Zhang, L. Sun, D. Yu, L. Jiang and B. Tian</i>	290
Optimal computational comparison of mass spectrometric peptide profiles of alternative hydrolysates from the same starting material <i>T.A. Holton, E.T. Dillon, A. Robinson, K. Wynne, G. Cagney and D.C. Shields</i>	296
High hydrostatic pressure effects on spectral-optical variables of the chlorophyll pool in climacteric fruit <i>B. Seifert and M. Zude-Sasse</i>	303
Development and application of edible film of active potato starch to extend mini panettone shelf life <i>L.E. Ferreira Saraiva, L.d.O.M. Naponucena, V. da Silva Santos, R.P.D. Silva, C.O. de Souza, I. Evelyn Gomes Lima Souza, M.E. de Oliveira Mamede and J.I. Druzian</i>	311
Inhibitory effect of ethanol, sulphur dioxide and proanthocyanidinic tannins on lysozyme antimicrobial activity in model wine <i>I. Benucci, E. Cappannella, K. Liburdi and M. Esti</i>	320
The effect of pectinase and protease treatment on turbidity and on haze active molecules in pomegranate juice <i>M. Cerreti, K. Liburdi, I. Benucci and M. Esti</i>	326
Selection of <i>Lactobacillus</i> strains to induce biological acidification in low acidity wines <i>O. Lucio, I. Pardo, S. Krieger-Weber, J.M. Heras and S. Ferrer</i>	334
Developing gluten free bakery improvers by hydrothermal treatment of rice and corn flours <i>H. Bourekoua, L. Benatallah, M.N. Zidoune and C.M. Rosell</i>	342
Sunflower oil organogels and organogel-in-water emulsions (part II): Implementation in frankfurter sausages <i>E. Panagiotopoulou, T. Moschakis and E. Katsanidis</i>	351
Optimization and evaluation of a method for the generation of DNA barcodes for the identification of crustaceans <i>A.C. Eischeid, S.R. Stadig, S.M. Handy, F.S. Fry and J. Deeds</i>	357
Films of chitosan and chitosan-oligosaccharide neutralized and thermally treated: Effects on its antibacterial and other activities <i>L. Fernández-de Castro, M. Mengíbar, Á. Sánchez, L. Arroyo, M.C. Villarán, E. Díaz de Apodaca and Á. Heras</i>	368
Behavior variability of <i>Salmonella enterica</i> isolates from meat-related sources <i>H. Wang, Y. Jiang, X. Liu, W. Qian, X. Xu and G. Zhou</i>	375
<i>In vitro</i> probiotic characterization of <i>Lactobacillus casei</i> isolated from marine samples <i>P. Das, S. Khowala and S. Biswas</i>	383

Phenolics and antioxidant activity of freeze-dried sour cherry puree with addition of disaccharides <i>A. Lončarić, A. Pichler, I. Trtinjak, V. Piližota and M. Kopjar</i>	391
Identification and quantification of phenolic compounds in rapeseed originated lecithin and antioxidant activity evaluation <i>J. Li and Z. Guo</i>	397
Promising industrial flour processing and household applications of parboiled germinated brown rice (Khao dok mali 105) <i>P. Thiyajai, P. Saetang, A. Kettawan, S. Charoenkiatkul and W. Srichamnong</i>	406
Cost, quality, and safety: A nonlinear programming approach to optimize the temperature during supply chain of leafy greens <i>A. Mishra, R.L. Buchanan, D.W. Schaffner and A.K. Pradhan</i>	412
The effect of UV-C treatment on various spoilage microorganisms inoculated into Rooibos iced tea <i>M.M. Monyethabeng and M. Krügel</i>	419
Reduction of the fat content of battered and breaded fish balls during deep-fat frying using fermented bamboo shoot dietary fiber <i>H. Zeng, J. Chen, J. Zhai, H. Wang, W. Xia and Y.L. Xiong</i>	425
Changes in volatiles of palm kernel oil before and after kernel roasting <i>W. Zhang, R. Wang, Y. Yuan, T. Yang and S. Liu</i>	432
Evaluation of cold plasma treatments for improved microbial and physicochemical qualities of brown rice <i>K.H. Lee, H.-J. Kim, K.S. Woo, C. Jo, J.-K. Kim, S.H. Kim, H.Y. Park, S.-K. Oh and W.H. Kim</i>	442
Characteristics of apple juice and sugar infused fresh and frozen blueberries <i>F.U. Akharume, K. Singh and L. Sivanandan</i>	448
Development of a novel functional drink from all natural ingredients using nanotechnology <i>T. Wang, S. Soyama and Y. Luo</i>	458
Effects of processing and addition of a cowpea leaf relish on the iron and zinc nutritive value of a ready-to-eat sorghum-cowpea porridge aimed at young children <i>N. Vilakati, J.R.N. Taylor, U. MacIntyre and J. Kruger</i>	467
The use of computer vision system to detect pork defects <i>M. Chmiel and M. Słowiński</i>	473
Characterization and antimicrobial activity of cellulose derivatives films incorporated with a resveratrol inclusion complex <i>Â. Silva, A. Duarte, S. Sousa, A. Ramos and F.C. Domingues</i>	481
Application of novel microwave-assisted vacuum frying to reduce the oil uptake and improve the quality of potato chips <i>Y. Su, M. Zhang, W. Zhang, B. Adhikari and Z. Yang</i>	490
Stabilization of natural canthaxanthin produced by <i>Dietzia natronolimnaea</i> HS-1 by encapsulation in niosomes <i>M. Ravaghi, S.H. Razavi, S.M. Mousavi, C. Sinico and A.M. Fadda</i>	498
HPLC-DAD-ESI-QTOF-MS and HPLC-FLD-MS as valuable tools for the determination of phenolic and other polar compounds in the edible part and by-products of avocado <i>A. López-Cobo, A.M. Gómez-Caravaca, F. Pasini, M.F. Caboni, A. Segura-Carretero and A. Fernández-Gutiérrez</i>	505
Optimization of malaxation process of virgin olive oil using desired and undesired volatile contents <i>S. Cevik, G. Ozkan and M. Kiralan</i>	514
Risk/benefit considerations of a new formulation of wheat-based biscuit supplemented with different amounts of chia flour <i>M. Mesías, F. Holgado, G. Márquez-Ruiz and F.J. Morales</i>	528
Formation of lactic, acetic, succinic, propionic, formic and butyric acid by lactic acid bacteria <i>S. Özcelik, E. Kuley and F. Özogul</i>	536
Edible films as carrier for lactic acid bacteria <i>J. Odila Pereira, J. Soares, S. Sousa, A.R. Madureira, A. Gomes and M. Pintado</i>	543

Effects of encapsulating agents on anthocyanin retention in pomegranate powder obtained by the spray drying process <i>M.C.P.d.A. Santiago, R.I. Nogueira, D.R.S.F. Paim, A.C.M.S. Gouvêa, R.L.d.O. Godoy, F.M. Peixoto, S. Pacheco and S.P. Freitas</i>	551
Selection and technological potential of <i>Lactobacillus plantarum</i> bacteria suitable for wine malolactic fermentation and grape aroma release <i>M. Iorizzo, B. Testa, S.J. Lombardi, A. García-Ruiz, C. Muñoz-González, B. Bartolomé and M.V. Moreno-Arribas</i>	557
Aroma profile and composition of Barbera wines obtained by mixed fermentations of <i>Starmerella bacillaris</i> (synonym <i>Candida zemplinina</i>) and <i>Saccharomyces cerevisiae</i> <i>V. Englezos, F. Torchio, F. Cravero, F. Marengo, S. Giacosa, V. Gerbi, K. Rantsiou, L. Rolle and L. Cocolin</i>	567
Assessing the structural stability of gluten-free snacks with different dietary fiber contents from adsorption isotherms <i>J.D. Hoyos-Leyva, E. Agama-Acevedo, L.A. Bello-Perez, E.J. Vernon-Carter and J. Alvarez-Ramirez</i>	576
Wheat bread enrichment by pea and broad bean pods fibers: Effect on dough rheology and bread quality <i>L. Belghith Fendri, F. Chaari, M. Maaloul, F. Kallel, L. Abdelkafi, S. Ellouz Chaabouni and D. Ghribi-Aydi</i>	584
Exopolysaccharide-producing isolates from Thai milk kefir and their antioxidant activities <i>V. Luang-In and S. Deeseenthum</i>	592
Polysaccharides from <i>Laminaria japonica</i>: Structural characteristics and antioxidant activity <i>C. Cui, J. Lu, D. Sun-Waterhouse, L. Mu, W. Sun, M. Zhao and H. Zhao</i>	602
Phenotypic and genotypic characterization of <i>Pseudomonas</i> spp. present in spoiled poultry fillets sold in retail settings <i>P.A. Morales, J.S. Aguirre, M.R. Troncoso and G.O. Figueroa</i>	609
A combined hurdle approach of slightly acidic electrolyzed water simultaneous with ultrasound to inactivate <i>Bacillus cereus</i> on potato <i>K. Luo, S.Y. Kim, J. Wang and D.-H. Oh</i>	615
Effect of respirative cultures of <i>Lactobacillus casei</i> on model sourdough fermentation <i>A. Reale, T. Di Renzo, T. Zotta, M. Preziuso, F. Boscaino, R. Ianniello, L.V. Storti, P. Tremonte and R. Coppola</i>	622
Improving albumen thermal stability using succinylation reaction with octenyl succinic anhydride <i>C. Kulchaiyawat, T. Wang and Z. Han</i>	630
Modification of chitosan to deliver grapes proanthocyanidins: Physicochemical and biological evaluation <i>V. Muñoz, T. Kappes, M. Roedel, J.C. Vera and K. Fernández</i>	640
Determination of high fructose corn syrup concentration in Uruguayan honey by ¹³C analyses <i>V. Berriel and C. Perdomo</i>	649
Fatty acid composition, antioxidant levels and oxidation products development in the muscle tissue of <i>Merluccius merluccius</i> and <i>Dicentrarchus labrax</i> during ice storage <i>R. Celano, L. Campone, A.L. Piccinelli, F. Acernese, S.M. Nabavi, G. Di Bella and L. Rastrelli</i>	654
Drying methods used in starch isolation change properties of C-type chestnut (<i>Castanea mollissima</i>) starches <i>S. Wang, C. Liu and S. Wang</i>	663
Lipid composition and emulsifying properties of canola lecithin from degumming with phospholipase A₂ and its ethanolic fractions <i>M. Xie and N.T. Dunford</i>	670
Storage stability of freeze-dried, spray-dried and drum-dried skim milk powders evaluated by available lysine <i>K. Aalaei, M. Rayner and I. Sjöholm</i>	675
Monitoring olive oils quality and oxidative resistance during storage using an electronic tongue <i>N. Rodrigues, L.G. Dias, A.C.A. Veloso, J.A. Pereira and A.M. Peres</i>	683
Mild salt stress improves strawberry fruit quality <i>V. Galli, R. da Silva Messias, E.C. Perin, J.M. Borowski, A.L. Bamberg and C.V. Rombaldi</i>	693
Reduction of NaCl in cooked ham by modification of the cooking process and addition of seaweed extract (<i>Palmaria palmata</i>) <i>G. Barbieri, G. Barbieri, M. Bergamaschi, M. Francheschini and E. Berizi</i>	700

Development of Congo red broth method for the detection of biofilm-forming or slime-producing <i>Staphylococcus</i> sp. <i>J.-S. Lee, Y.-M. Bae, A. Han and S.-Y. Lee</i>	707
 Short communications	
Maintaining postharvest qualities of three leaf vegetables to enhance their shelf lives by multiple ultraviolet-C treatment <i>C. Liao, X. Liu, A. Gao, A. Zhao, J. Hu and B. Li</i>	1
Functional and antioxidant properties of whey protein hydrolysate/pectin complexes in emulsions and spray-dried microcapsules <i>F. Tamm, C. Härter, A. Brodkorb and S. Drusch</i>	524
 Corrigenda	
Corrigendum to “Tyrosine deposits in brines of salted natural sausage casings of bovine origin” [LWT Food Sci. Technol. 68 (2016) 381–384] <i>L. Kröckel, H. Schmidt and S. Andrée</i>	44
Corrigendum to ‘Structural, physicochemical and interfacial stabilisation properties of ultrafiltered African yam bean (<i>Sphenostylis stenocarpa</i>) protein isolate compared with those of isoelectric protein isolate’ [LWT – Food Science and Technology 69 (2016) 400–408] <i>L.A. Arogundade, T.-H. Mu and T.F. Akinhanmi</i>	715
Calendar	I